



## Daily Open Source Infrastructure Report 06 June 2013

### Top Stories

- The New York City Metropolitan Transportation Authority plans to close a key subway tunnel linking Brooklyn and Manhattan for at least a year to repair lingering damage from Superstorm Sandy. – *Wall Street Journal* (See item [12](#))
- Approximately 49 people have been infected by Hepatitis A linked to a frozen berry mix sold nationwide. – *Food Safety News* (See item [19](#))
- A four-story apartment building undergoing demolition in Philadelphia collapsed onto a Salvation Army store, trapping up to ten people. – *WFMZ 69 Allentown* (See item [42](#))
- A June 3 shootout at the Sunset Plaza Apartments in Jackson, Mississippi, left 1 dead and 4 injured after more than 100 shots were fired. – *Associated Press* (See item [46](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
  - [Emergency Services](#)
-

## Energy Sector

1. *June 5, Associated Press* – (Wisconsin) **Wis. foundry cited for health, safety violations.** Castalloy Inc., a Waukesha steel foundry, was cited for 14 alleged safety and health violations and fined \$83,160 by the U.S. Occupational Safety and Health Administration after a November 2012 inspection determined workers were using inadequate safety equipment and employees were exposed to harmful chemicals for over 8 hours.  
Source: <http://www.fox11online.com/dpp/news/wisconsin/wis-foundry-cited-for-health-safety-violations>
2. *June 4, Associated Press* – (Colorado) **Fire burns Xcel power plant's conveyor belt system in Pueblo.** A June 1 fire that ignited on a conveyor belt system at Xcel Energy's coal-fired Comanche power plant in Pueblo caused roughly \$1 million in damages. Authorities are investigating initial reports stating the blaze was sparked by welding work conducted on conveyor belts which had coal and coal residue on them.  
Source: <http://denver.cbslocal.com/2013/06/04/fire-burns-xcel-power-plants-conveyor-belt-system-in-pueblo/>
3. *June 4, Wisconsin State Journal* – (Wisconsin) **Cassville biomass power plant operator fined for pollution violations.** DTE Stoneman in Cassville, a biomass power plant operator, was fined \$150,000 for violating air pollution laws stemming from noncompliance with several Wisconsin Department of Natural Resources rules from June 2010 through June 2012.  
Source: [http://host.madison.com/wsj/news/local/cassville-biomass-power-plant-operator-fined-for-pollution-violations/article\\_3788a18b-199b-57b3-8608-9833f9a7b54b.html](http://host.madison.com/wsj/news/local/cassville-biomass-power-plant-operator-fined-for-pollution-violations/article_3788a18b-199b-57b3-8608-9833f9a7b54b.html)

For another story, see item [37](#)

[\[Return to top\]](#)

## Chemical Industry Sector

4. *June 4, Associated Press* – (Illinois) **Evacuation lifted after Ill. chemical plant fire.** Fire officials in Seward lifted an evacuation and allowed residents to return to their homes after nearly 2 days following a June 2 explosion at the Nova-Kem chemical facility.  
Source: <http://www.enquirerherald.com/2013/06/04/2513492/evacuation-lifted-after-ill-chemical.html>

For another story, see item [14](#)

[\[Return to top\]](#)

## **Nuclear Reactors, Materials, and Waste Sector**

5. *June 4, Associated Press* – (North Carolina) **Feds OK restart of Shearin Harris nuclear plant.** The U.S. Nuclear Regulatory Commission gave approval for the Shearon Harris nuclear power plant near Raleigh to restart a reactor that was shut down in May when a quarter-inch area of corrosion and cracking was found on the reactor vessel head.  
Source: <http://www.rockymounttelegram.com/news/ncwire/feds-ok-restart-shearin-harris-nuclear-plant-2067905>

[\[Return to top\]](#)

## **Critical Manufacturing Sector**

6. *June 5, Reuters* – (National) **Toyota says to recall 242,000 vehicles for brake glitch.** Toyota announced the recall of 242,000 Prius and Lexus HS 250h vehicles worldwide manufactured during 2009 due to mechanical design flaw that could cause greater braking distances.  
Source: <http://www.reuters.com/article/2013/06/05/us-toyota-recall-idUSBRE95406D20130605>
7. *June 4, Associated Press* – (Wisconsin) **Waukesha foundry cited for health, safety violations.** The Occupational Safety and Health Administration cited Castalloy Inc. for 14 alleged safety and health violations at its Waukesha facility, with fines totaling \$83,160.  
Source: <http://www.todaystmj4.com/news/local/210216791.html>

For another story, see item [37](#)

[\[Return to top\]](#)

## **Defense Industrial Base Sector**

Nothing to report

[\[Return to top\]](#)

## **Financial Services Sector**

Nothing to report

[\[Return to top\]](#)

## **Transportation Systems Sector**

8. *June 5, Tampa Bay Times* – (Florida) **Eastbound Interstate 4 shut down following**

- FedEx truck crash.** A traffic crash involving a FedEx truck closed all eastbound lanes of Interstate 4 in Polk County for around 5 hours. The truck's packages were scattered across the lanes and nearly 150 gallons of fuel were spilled onto the highway.  
Source: <http://www.tampabay.com/news/publicsafety/accidents/eastbound-interstate-4-shut-down-following-fedex-truck-crash/2124922>
9. *June 5, South Jersey Times* – (New Jersey) **Greenville Bridge in Pittsgrove re-opened for travel following flooding in 2011.** The Greenville Bridge in Pittsgrove Township reopened after a heavy storm dumped 11 inches of rain and severely damaged the bridge nearly 2 years ago.  
Source: [http://www.nj.com/salem/index.ssf/2013/06/greenville\\_bridge\\_in\\_pittsgrov.html](http://www.nj.com/salem/index.ssf/2013/06/greenville_bridge_in_pittsgrov.html)
10. *June 4, Colusa County Sun-Herald* – (California) **8 hospitalized following highway accident.** A June 2 accident in which 8 people were injured and sent to the hospital closed both directions of Highway 20 in Williams City for 2 hours.  
Source: <http://www.colusa-sun-herald.com/articles/hospitalized-10769-people-accident.html>
11. *June 4, KSBY 6 San Luis Obispo* – (California) **Accident closes Highway 154 Tuesday morning.** A traffic accident involving an overturned semi-truck on Highway 154 near Painted Cave Road in Santa Barbara County prompted officials to close the highway in both directions from Highway 246 to Highway 192 for 3 hours.  
Source: <http://www.ksby.com/news/accident-closes-highway-154-tuesday-morning/#>
12. *June 4, Wall Street Journal* – (New York) **Subway Tunnel to close.** The New York City Metropolitan Transportation Authority plans to close the Montague tube, a key subway tunnel linking Brooklyn and Manhattan, for at least a year to repair lingering damage from Superstorm Sandy.  
Source: <http://online.wsj.com/article/SB10001424127887324563004578525602849939578.html>
13. *June 4, Stamford Advocate* – (Connecticut) **Bridge repair causes 2-hour delays on I-95.** A crew accidentally damaged a bridge on Interstate 95 in Stamford, necessitating emergency repairs that resulted in a 19 mile backup during the morning commute, up to 2 hour travel delays, and southbound lane closures lasting 4 hours.  
Source: <http://www.stamfordadvocate.com/news/article/Bridge-repair-causes-2-hour-delays-on-I-95-4574763.php>
14. *June 4, WISH 8 Indianapolis* – (Indiana) **SR 44 closed until Wednesday after tanker overturns.** A tanker truck overturned on State Road 44 in Fayette County spilling 700-800 gallons of paint thinner. Fire officials closed the road and evacuated 3 to 4 homes while responding to the incident.  
Source: [http://www.wishtv.com/dpp/news/local/east\\_central/tanker-overturned-prompts-evacuation](http://www.wishtv.com/dpp/news/local/east_central/tanker-overturned-prompts-evacuation)

15. *June 4, KRIV 26 Houston* – (Texas) **Overtaken tanker truck, chemical spill causes traffic mess.** An accident that left an 18-wheeler tanker truck overturned on the 610 West Loop northbound lanes near the U.S. Highway 59 exit ramp in Houston closed the northbound and southbound lanes of the loop for around 8 hours.  
Source: <http://www.myfoxboston.com/story/22498549/2013/06/04/overtaken-tanker-truck-causes-traffic-mess-on>

[\[Return to top\]](#)

## **Food and Agriculture Sector**

16. *June 5, Oklahoma City Oklahoman* – (National) **Corn farmers across Iowa, Midwest face tough decisions.** According to the U.S. Department of Agriculture 91 percent of the nation's corn crop is in the ground, but just 74 percent of the plants have emerged due to wet spring weather.  
Source: <http://newsok.com/corn-farmers-across-iowa-midwest-face-tough-decisions/article/3841913>
17. *June 5, Food Safety News* – (Minnesota) **Single-Serve Cinnamon Toast Crunch recalled for Salmonella Risk.** Approximately 168 cases of single-serve reduced-sugar Cinnamon Toast Crunch was recalled by General Mills because the product has the potential to be contaminated with Salmonella.  
Source: <http://www.foodsafetynews.com/2013/06/single-serve-cinnamon-toast-crunch-recalled-for-salmonella-risk/>
18. *June 5, Food Safety News* – (National) **Listeria killed 1 in 5 infected in recent years.** Listeria killed approximately one-in-five Americans it infected between 2009 and 2011, according to a report released by the U.S. Centers for Disease Control and Prevention.  
Source: <http://www.foodsafetynews.com/2013/06/listeria-killed-1-in-5-infected-in-recent-years/>
19. *June 4, Food Safety News* – (National) **Case Count rises to 49 in Hepatitis A Outbreak linked to Frozen Berries.** The Center for Disease Control and Prevention reported that 49 people have been infected by Hepatitis A linked to a frozen berry mix sold nationwide.  
Source: <http://www.foodsafetynews.com/2013/06/case-count-rises-to-49-in-hepatitis-a-outbreak-linked-to-frozen-berries/>
20. *June 4, U.S. Food and Drug Administration* – (National) **Townsend Farms voluntarily recalls limited lots of Frozen Organic Antioxidant Blend products due to possible health risk.** Certain lots of frozen Organic Antioxidant Blend have been voluntarily recalled by Townsend Farms Inc. because it has the potential to be contaminated with Hepatitis A, based on an ongoing epidemiological and traceback investigation by the U.S. Food and Drug Administration and the Centers for Disease Control.

Source: <http://www.fda.gov/Safety/Recalls/ucm355166.htm>

21. *June 4, Portland Oregonian* – (Oregon) **Firefighters battle 2-alarm fire at Pacific Seafood plant in Warrenton.** A 2-alarm fire at a Pacific Seafood plant in Warrenton prompted fire officials to take a defense posture due to ammonia in the plant. Around 130 workers were in the plant when the fire broke out and no injuries were reported.  
Source: [http://www.oregonlive.com/pacific-northwest-news/index.ssf/2013/06/firefighters\\_battle\\_2-alarm\\_fi.html](http://www.oregonlive.com/pacific-northwest-news/index.ssf/2013/06/firefighters_battle_2-alarm_fi.html)
22. *June 3, U.S. Food and Drug Administration* – (National) **Food Co. recalls Gouda Cheeses because of possible health risk.** Approximately 12 wheels of Gouda cheese manufactured on December 20, 2012 have been recalled by Finger Lakes Farmstead Cheese Company, LLC. after a U.S. Food and Drug Administration product sampling revealed the product was contaminated with *Listeria monocytogenes* Type 1.  
Source: <http://www.fda.gov/Safety/Recalls/ucm355047.htm>

[\[Return to top\]](#)

## **Water and Wastewater Systems Sector**

23. *June 4, Frederick News-Post*– (Maryland) **Officials: 7,000-gallon sewage spill in Brunswick caused no problems.** The city of Brunswick announced a 7,000 gallon sewage sludge spill from the Brunswick Wastewater Treatment Plant was contained and posed no problems June 1. The spill was caused by a number of problems including equipment setting protocols, pump, and emergency notification system failures.  
Source:  
[http://www.fredericknewspost.com/news/environment/natural\\_resource/article\\_6e950fd0-06c5-5e86-a0bf-4199ce82eb8b.html](http://www.fredericknewspost.com/news/environment/natural_resource/article_6e950fd0-06c5-5e86-a0bf-4199ce82eb8b.html)

[\[Return to top\]](#)

## **Healthcare and Public Health Sector**

24. *June 5, WPVI 6 Philadelphia* – (Pennsylvania) **Pa. dentist cited for unsanitary tools.** After Pennsylvania Health Department authorities suspended the license of a York County dentist April 29, when they discovered she did not follow protocol to clean, disinfect, and sterilize devices in her office, they urged her patients to be tested for several dangerous infections.  
Source: <http://abclocal.go.com/wpvi/story?section=news/health&id=9126004>
25. *June 4, Detroit Free Press* – (Michigan) **Highland Park apartment building fire under investigation.** Residents and staff were evacuated from a Highland Park apartment building for senior citizens June 3 when a fire began on the seventh floor. Four residents were taken to the hospital for injuries.  
Source: <http://www.freep.com/article/20130604/NEWS05/306040034/Highland-Park->

[apartment-fire](#)

26. *June 4, KYTV 3 Springfield* – (Missouri) **Bomb threat at Rolla medical building was hoax.** Phelps County Regional Medical Center in Rolla was evacuated for 3 hours while police searched the facility after a phoned bomb threat June 4. Officials cleared the building and determined the threat was a hoax when they did not find anything suspicious.  
Source: <http://www.ky3.com/news/ky3-rolla-police-highway-patrol-investigating-bomb-threat-20130604,0,7278938.story>
27. *June 4, KSTU 13 Salt Lake City* – (Utah; Nevada) **Police investigating spree of pharmacy burglaries in southern Utah.** Authorities are searching for three suspects believed to be responsible for a series of burglaries of local pharmacies in southern Utah and Nevada within hours of each other June 1. The suspects took prescription narcotics from the pharmacies and did not appear to take any money.  
Source: <http://fox13now.com/2013/06/04/police-investigating-spre-of-pharmacy-burglaries-in-southern-utah/>

[\[Return to top\]](#)

## **Government Facilities Sector**

28. *June 5, Los Angeles Times* – (California) **Forest Service has aircraft set to start firefighting at night.** The U.S. Forest Service re-instated the policy to allow helicopters and fixed-wing planes to battle wildfires at night in California. Specially trained crews began fighting fires May 31 during the massive Powerhouse fire.  
Source: <http://www.latimes.com/news/local/la-me-night-fire-20130605,0,360908.story>
29. *June 5, Pittsburgh Tribune-Review* – (Pennsylvania) **Bus crash injures 2 Laurel Highlands students.** A Laurel Highlands Middle School bus accident left two students with minor injuries June 4 in Uniontown. The uninjured students remained on the bus which resumed its route.  
Source: <http://triblive.com/news/adminpage/4138379-74/bus-hit-students#axzz2VLdEfBQZ>
30. *June 4, WVEC 13 Hampton* – (Virginia) **Contractor hits gas line in Suffolk.** The Municipal Building in Suffolk County was closed and the police headquarters and 9-1-1 center evacuated for 2 hours June 4 after a contractor hit a gas line causing a leak.  
Source: <http://www.wvec.com/my-city/suffolk/Contractor-hits-gas-line-in-Suffolk-210071111.html>
31. *June 4, Reuters* – (New York) **Possible gas blast at NY college hurts 7 faculty.** Authorities are investigating a possible natural gas explosion at Nyack College, north of New York City June 4. Seven faculty members were taken to a local hospital for injuries as the campus was mostly empty due to students' dismissal following graduation in May.  
Source: <http://news.msn.com/us/possible-gas-blast-at-ny-college-hurts-7-faculty>



32. *June 3, Associated Press; WTRF 7 Wheeling* – (West Virginia; Washington, D.C.) **W.Va. man charged with threatening U.S. President, family.** Authorities arrested a West Virginia man June 3 after he wrote a letter threatening to kill the U.S. President and the president's family. Officials believe the suspect may also be tied to two previous threatening letters sent to the U.S. President and are continuing to investigate. Source: <http://www.usatoday.com/story/news/nation/2013/06/03/wva-man-charged-with-threatening-obama-family/2385113/>

For another story, see item [41](#)

[\[Return to top\]](#)

## **Emergency Services Sector**

33. *June 4, Oakland Tribune* – (California) **Oakland police headquarters closed to public Tuesday due to water leak.** A malfunctioning toilet caused severe flooding to the Oakland, California police headquarters building prompting authorities to close the facility to the public June 4. Staff reported to work while crews cleaned up the damage. Source: [http://www.mercurynews.com/breaking-news/ci\\_23384777/oakland-police-headquarters-closed-public-due-water-leak](http://www.mercurynews.com/breaking-news/ci_23384777/oakland-police-headquarters-closed-public-due-water-leak)
34. *June 4, WCIV 4 Charleston* – (South Carolina) **Prison to remain on lockdown after overnight riot, officials say.** A riot that left one inmate and one correctional officer injured at the Ridgeland Correctional Institute in Jasper County, began after an inmate tried to grab a package that was thrown over the outer fence and onto prison grounds. Over 100 inmates exited their cells due to a lack of guards on duty and were placed on lockdown after negotiations and tear gas. Source: <http://www.abcnews4.com/story/22492431/officer-injured-in-sc-prison-uprising>

For another story, see item [41](#)

[\[Return to top\]](#)

## **Information Technology Sector**

35. *June 5, Softpedia* – (International) **Systems of DNSimple and easyDNS abused for DNS amplification attack.** Recent distributed denial of service (DDoS) attacks against DNS providers DNSimple and easyDNS were in fact part of a DNS amplification attack that abused the targets' systems to power an attack against another target. Source: <http://news.softpedia.com/news/Systems-of-DNSimple-and-easyDNS-Abused-for-DNS-Amplification-Attack-358492.shtml>
36. *June 5, Softpedia* – (International) **Experts identify source code of ransomware, ZeuS and IRC worm on torrent site.** Researchers from Malware Must Die discovered



the source code from several pieces of older malware on a torrent site and are willing to share the information with trusted researchers.

Source: <http://news.softpedia.com/news/Experts-Identify-Source-Code-for-Ransomware-ZeuS-and-IRC-Worm-on-Torrent-Site-358651.shtml>

37. *June 5, The H* – (International) **2011 SCADA flaw finally fixed.** Schneider Electric distributed a fix for a vulnerability in their Quantum Ethernet Module discovered in 2011 that involved hardcoded passwords.  
Source: <http://www.h-online.com/security/news/item/2011-SCADA-flaw-finally-fixed-1883064.html>
38. *June 5, The H* – (International) **Security update for Chrome 27.** Google released a security update for its Chrome browser, closing one critical security vulnerability and ten lower-ranked vulnerabilities.  
Source: <http://www.h-online.com/security/news/item/Security-update-for-Chrome-27-1882885.html>
39. *June 5, Computerworld* – (International) **Apple fixes irritating Mountain Lion bugs, firms up Java defenses.** Apple released updates for several versions of its OS X operating system, including security updates closing several vulnerabilities.  
Source: [http://www.computerworld.com/s/article/9239810/Apple\\_fixes\\_irritating\\_Mountain\\_Lion\\_bugs\\_firms\\_up\\_Java\\_defenses](http://www.computerworld.com/s/article/9239810/Apple_fixes_irritating_Mountain_Lion_bugs_firms_up_Java_defenses)
40. *June 4, The H* – (International) **Google researcher discloses zero-day exploit for Windows.** A Google researcher discovered a security vulnerability in Windows that can be exploited to obtain administrator privileges, and has now published an exploit for the vulnerability.  
Source: <http://www.h-online.com/security/news/item/Google-researcher-discloses-zero-day-exploit-for-Windows-1876170.html>

### Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <https://www.it-isac.org>

[\[Return to top\]](#)

## Communications Sector

41. *June 4, Henderson Times-News* – (North Carolina) **Cut cable cripples Internet access for hours.** Internet communications in Henderson County suffered an 8 hour outage after an AT&T fiber-optic cable was cut by a third-party contractor. The error affected

businesses, the city government, and emergency personnel.

Source:

<http://www.blueridgenow.com/article/20130604/ARTICLES/130609943/1008/sports?Title=Cut-cable-cripples-Hendersonville-Internet-service>

[\[Return to top\]](#)

## **Commercial Facilities Sector**

42. *June 5, WFMZ 69 Allentown* – (Pennsylvania) **Apartment building collapses in Philadelphia.** A four-story apartment building undergoing demolition in Philadelphia collapsed onto a Salvation Army store, trapping up to ten people. Thirteen individuals were sent to area hospital for injuries.  
Source: <http://www.wfmz.com/news/news-regional-southeasternpa/apartment-building-collapses-in-philadelphia/-/121434/20432146/-/flmvowz/-/index.html>
43. *June 4, Los Angeles Times* – (California) **Luxury apartments evacuated as minivan plows into building.** Residents of luxury apartments at the Promontory Point complex in Newport Beach were evacuated June 3 for several hours after a vehicle plowed into the building snapping off a gas meter and water line. Southern California Gas Company crews investigated and worked to mitigate the leak's damage but could not estimate when residents could return to their homes.  
Source: <http://www.latimes.com/local/lanow/la-me-ln-luxury-apartments-evacuated-20130604,0,3824151.story>
44. *June 4, KABC 7 Los Angeles* – (California) **Bomb scare prompts evacuation at Van Nuys hotel.** Officers executing a narcotics search warrant June 4 discovered an item resembling a pipe bomb, prompting a two-hour evacuation of the Studio 6 hotel in Van Nuys while a bomb squad detonated the device. Three suspects were arrested.  
Source: [http://abclocal.go.com/kabc/story?section=news/local/los\\_angeles&id=9126882](http://abclocal.go.com/kabc/story?section=news/local/los_angeles&id=9126882)
45. *June 4, Associated Press; WABC-TV 7 New York City* – (New York) **5 injured after second floor balcony collapses at beachside apartment building on Long Island.** A second-floor cement balcony collapsed June 3, injuring five people and prompted an investigation. A structural engineer was expected to examine all balconies at the Long Beach apartment building and residents were urged to stay off the balconies.  
Source: <http://www.tribtown.com/view/story/bc293ff45d5f45ce995ed3e7b1ddd030/NY--Balcony-Collapse>
46. *June 4, Associated Press* – (Mississippi) **1 dead and 4 injured in shootout at Jackson apartments; police say more than 100 shots fired.** A June 3 shootout at the Sunset Plaza Apartments in Jackson left 1 dead and 4 injured after more than 100 shots were fired.  
Source: <http://www.therepublic.com/view/story/e817736fe867413c99c1f96dd232666f/MS-->

[Jackson-Shooting](#)

[\[Return to top\]](#)

## **Dams Sector**

47. *June 4, KMOX 1120 AM St. Louis* – (Missouri) **New levee breach affecting West Alton.** St. Charles County emergency management officials announced a new breach June 4 near the northernmost tip of the Consolidated North County Levee. The breach occurred on the Mississippi side of the levee system and has prompted a voluntary evacuation of an estimated 43 homes.

Source: <http://stlouis.cbslocal.com/2013/06/04/new-levee-breach-affecting-west-alton/>

[\[Return to top\]](#)



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:	Send mail to <a href="mailto:cikr.productfeedback@hq.dhs.gov">cikr.productfeedback@hq.dhs.gov</a> or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the <a href="#">DHS Daily Open Source Infrastructure Report</a> and follow instructions to <a href="#">Get e-mail updates when this information changes</a> .
Removal from Distribution List:	Send mail to <a href="mailto:support@govdelivery.com">support@govdelivery.com</a> .

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.