

Daily Open Source Infrastructure Report 04 September 2013

Top Stories

- An employee at Hardrock Excavating in Youngstown, Ohio, pleaded guilty August 29 to dumping tens of thousands of gallons of fracking waste on at least 24 occasions into a tributary of the Mahoning River. – Cleveland Plain Dealer (See item 2)
- Three members of a New York-based brokerage firm pleaded guilty for their roles in a \$66 million bribery scheme involving two Venezuelan state-owned economic development banks. *South Florida Business Journal* (See item <u>6</u>)
- A massive 11-alarm fire destroyed a Dietz & Watson cold storage facility Burlington County, New Jersey September 1. – WCAU 10 Philadelphia (See item <u>16</u>)
- The U.S. Department of Justice announced August 29 that an Army sergeant based at Fort Campbell pleaded guilty for taking payments from a trucking company representative to facilitate the theft of 25 truckloads of fuel from a military base in Afghanistan. – Associated Press(See item 33)

Fast Jump Menu

PRODUCTION INDUSTRIES

- Energy
- Chemical
- Nuclear Reactors, Materials, and Waste
- Critical Manufacturing
- Defense Industrial Base
- Dams

SUSTENANCE and HEALTH

- Food and Agriculture
- Water and Wastewater Systems
- Healthcare and Public Health

SERVICE INDUSTRIES

- Financial Services
- Transportation Systems
- Information Technology
- Communications
- Commercial Facilities

FEDERAL and STATE

- Government Facilities
- Emergency Services

Energy Sector

- 1. August 31, Detroit News (Michigan) Blasts blow off manhole covers in downtown Detroit. An explosion at an underground electrical substation caused several manhole covers in the Detroit area to blow off and caused debris and smoke to fly into the air. Residents were evacuated from nearby homes while officials investigated. Source: http://www.detroitnews.com/article/20130831/METRO01/308310033/Blasts-blow-off-manhole-covers-downtown-Detroit
- 2. August 29, Cleveland Plain Dealer (Ohio) Youngstown man admits dumping toxic fracking waste into Mahoning River. An employee at Hardrock Excavating in Youngstown pleaded guilty August 29 to dumping tens of thousands of gallons of fracking waste on at least 24 occasions into a tributary of the Mahoning River. The employee told authorities he acted on the orders of his superior and ran a hose from the 20,000-gallon storage tanks to a nearby storm water drain and opened the release valve. Source:

http://www.cleveland.com/metro/index.ssf/2013/08/youngstown_man_admits_dumpin_g.html#incart_river_default

For another story, see item <u>14</u>

[Return to top]

Chemical Industry Sector

Nothing to report

Return to top

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

Return to top

Critical Manufacturing Sector

- 3. September 1, WMAQ 5 Chicago (Illinois) 9 hospitalized after formaldehyde gas released at Elgin plant. Nine people were hospitalized at the Capsonic Corporation facility in Elgin August 31 after an injection molding machine overheated and caused chemical pellets to burn and release formaldehyde gas.

 Source: http://www.nbcchicago.com/news/local/9-Hospitalized-After-Formaldehyde-Gas-Exposure-221999921.html
- 4. August 31, New York Times (National) Ford recalls 370,000 sedans. Ford announced a recall of about 355,000 model year 2005-2011 Ford Crown Victoria, Mercury Grand

Marquis, and Lincoln Town Car vehicles in the U.S. due to a corrosion problem that could lead to loss of steering. The recall includes about 195,000 Crown Victoria police models.

Source: http://wheels.blogs.nytimes.com/2013/08/31/ford-recalls-370000-sedans

Return to top

Defense Industrial Base Sector

Nothing to report

Return to top

Financial Services Sector

5. August 31, Softpedia – (International) Osprey Packs hacked, customer credit card information stolen. Colorado-based Osprey Packs notified customers of its Pro Deal Web site that attackers might have used malware to obtain access to customers' credit card numbers and expiration dates, shipping and email addresses, names, and phone numbers.

Source: http://news.softpedia.com/news/Osprey-Packs-Hacked-Customer-Credit-Card-Information-Stolen-379584.shtml

6. August 30, South Florida Business Journal – (International) Miami traders plead guilty to \$66M Venezuelan bank bribery scheme. Three members of New York-based brokerage firm Direct Access Partners pleaded guilty for their roles in a \$66 million bribery scheme involving two Venezuelan state-owned economic development banks whose officials were bribed in exchange for securing bond trading business. Source: http://www.bizjournals.com/southflorida/news/2013/08/30/miami-traders-plead-to-66m-venezuelan.html?page=all

Return to top

Transportation Systems Sector

- 7. September 3, KLAS 8 Las Vegas (Nevada) Motorcyclist killed in early morning crash on U.S. 95. One person was killed in a fatal motorcycle accident that closed three lanes of southbound U.S. Route 95 in Las Vegas for several hours September 3. Source: http://www.8newsnow.com/story/23322532/breaking-news-one-dead-following-motorcycle-accident
- 8. September 3, KFOR 4 Oklahoma City (Oklahoma) **Driver charged with** manslaughter, **DUI in crash that killed one, injured 5.** A multi-car accident in which one person died and 5 others were injured closed Oklahoma State Highway 9 in Norman for about 5 hours September 2. Authorities said the crash was alcohol-related and one of the drivers was arrested and charged.

 $Source: \underline{http://kfor.com/2013/09/03/labor-day-drunk-driving-accident-kills-one-5-to-\underline{hospital/}$

- 9. September 3, WJLA 7 Washington, D.C. (Virginia) Alexandria warehouse fire reached six alarms. A six-alarm fire at an Alexandria warehouse used by construction and recycling companies September 2 shutdown traffic for several hours on local roads. An investigation into the cause of the fire is ongoing.

 Source: http://www.wjla.com/articles/2013/09/firefighters-battling-alexandria-fire-93494.html
- 10. September 2, WFOR 4 Miami (Florida) I-95 open after crash leaves 6 people injured. A crash closed all southbound lanes of Interstate 95 near Miami Shores for several hours September 1. Four out of the six injured were taken to a hospital. Source: http://miami.cbslocal.com/2013/09/02/i-95-re-open-after-crash-leaves-6-people-injured/
- 11. September 2, Valley Roadrunner (California) Tour bus crashes enroute to Casino Pauma. Authorities are investigating a tour bus crash that closed Pala Temecula Road for several hours September 1. The bus was headed from Los Angeles to Casino Pauma with 18 passengers on board.

 Source: http://www.valleycenter.com/Articles-News-c-2013-09-02-84947.113122-Tour-bus-crashes-enroute-to-Casino-Pauma.html
- 12. September 2, WCSC 5 Charleston (South Carolina) Traffic back to normal on I-26 near I-95 interchange following accident. An accident shut down Interstate 26 in the area of the Interstate 95 interchange in Dorchester County for several hours September 2.

Source: http://www.live5news.com/story/23319024/emergency-crews-responding-to-i-26-accident-in-dorchester-co

13. September 1, Boston Herald – (Massachusetts) Tunnel fire shuts down Red Line service in 4 stations. An overheated water-damaged cable caused damage to a subway tunnel and shut down Red Line subway service between JFK and Park Stations in Boston for several hours September 1.

Source:

http://bostonherald.com/news_opinion/local_coverage/2013/09/tunnel_fire_shuts_dow n_red_line_service_in_4_stations

14. September 1, KMAX 31 Sacramento – (California) Tanker with 8K gallons of fuel catches fire, driver dies. One person was killed in an August 31 fatal three-car crash in which a tanker carrying 8,000 gallons of gas burst into flames and closed Mariposa Road in Escalon through September 1.

Source: http://sacramento.cbslocal.com/2013/09/01/tanker-with-8k-gallons-of-fuel-catches-fire-driver-dies/

Return to top

Food and Agriculture Sector

- 15. September 3, KNBC 4 Los Angeles (California) 3 hurt in ammonia spill at cheese factory in South Gate. An ammonia spill prompted an evacuation at Saputo Cheese USA in South Gate for nearly 2 hours September 3. Three plant workers were injured. Source: http://www.nbclosangeles.com/news/local/Ammonia-Leak-Prompts-Evacuation-at-South-Gate-Cheese-Factory-222161051.html
- 16. September 3, WCAU 10 Philadelphia (New Jersey) 11-alarm fire guts Dietz & Watson warehouse. A massive 11-alarm fire destroyed a Dietz & Watson cold storage facility on Cooperstown Road in Burlington County September 1. Fire officials were able to contain the blaze September 2, but it will likely continue to smolder for a few days.

Source: http://www.nbcphiladelphia.com/news/local/2-Alarm-Fire-Rips-Through-Dietz--Watson-Building-222001371.html

17. September 2, Food Safety News – (Wisconsin; Michigan; Ohio) Spartan Fresh Potato Salad recalled for Listeria risk. A limited quantity of Spartan Fresh Selections American Potato Salad in 16 ounce packages was recalled by Milwaukee-based Garden-Fresh Foods, Inc. because it has the potential to be contaminated with Listeria monocytogenes.

Source: http://www.foodsafetynews.com/2013/09/spartan-fresh-potato-salad-recalled-for-listeria-risk/

18. September 2, Food Safety News – (National) Purina ONE beyOnd Dry Dog Food recalled for Salmonella risk. A limited number of 3 and one half pound bags of Purina ONE beyOnd Our White Meat Chicken & Whole Barley Recipe Adult Dry Dog Food was recalled by Nestle Purina PetCare Company because one bag of the product was found to be contaminated with Salmonella.

Source: http://www.foodsafetynews.com/2013/09/purina-one-beyond-dry-dog-food-recalled-for-salmonella-risk/#.UiXwlpKko0c

19. September 2, Food Safety News – (National) Chobani pulls yogurt cups, says no recall. Chobani reportedly asked various grocery retailers in the U.S. to pull its yogurt cups from shelves over quality concern issues stemming from customer reports of foul-smelling, sour yogurt which some customers have alleged sickened them. The company has not issued a formal recall and has not made clear which of its products are affected by the quality concerns.

Source: http://www.foodsafetynews.com/2013/09/chobani-pulls-yogurt-cups-says-no-recall/

20. August 31, Food Safety News – (California) Restaurant suspected source of San Francisco E. coli outbreak. The San Francisco Department of Public Health has begun investigating a 14-person E. coli outbreak that is reportedly linked to Burma Superstar. While the outbreak source is unknown, Burma Superstar closed voluntarily during the weekend of August 31.

Source: http://www.foodsafetynews.com/2013/08/restaurant-suspected-source-of-san-

francisco-e-coli-outbreak/

- 21. August 31, Cape Cod Today (Massachusetts) **Vp outbreak shuts down Plymouth County commercial oyster harvest.** Commercial oyster harvesting in parts of Plymouth County were shut down August 30 due to an outbreak of Vibrio parahaemolyticus (Vp). This is the first closure due to Vp in Massachusetts and the Department of Public Health is investigating over 40 reports of illnesses due to Vp. Source: http://www.capecodtoday.com/article/2013/08/31/21457-vp-outbreak-shuts-down-plymouth-county-commercial-oyster-harvest
- 22. August 30, Food Safety News (Washington) Yakima County E. coli cases twice normal level; source still unknown. Approximately 17 cases of E. coli were reported so far in 2013 in Yakima County and health officials are still investigating the source of the bacteria.

Source: http://www.foodsafetynews.com/2013/08/yakima-county-e-coli-cases-twice-normal-level-common-source-still-unknown/

23. August 30, U.S. Food Safety and Inspection Service – (National) **Texas firm recalls** canned pasta due to misbranding and undeclared allergen. Approximately 1,920 cans of SpaghettiOs with Meatballs were recalled by Texas-based Campbell's Soup Supply Company LLC due to misbranding and undeclared allergens. Source: http://www.fsis.usda.gov/wps/portal/fsis/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2013/recall-049-2013-release

Return to top

Water and Wastewater Systems Sector

24. September 1, Bainbridge Island Review— (Washington) Broken sewer pipe spilled 400,000 gallons of raw sewage into Puget Sound. A sewer main break August 30 caused between 400,000 to 450,000 gallons of raw sewage to flow into Puget Sound, prompting authorities to post warning signs along Eagle Harbor, close beaches, and suspend swimming and other water activities. Repairs to the main were completed September 1.

Source: http://www.bainbridgereview.com/news/222028941.html

25. August 31, Springfield State Journal-Register— (Illinois) Main part of Chatham water treatment process complete. The South Sangamon Water Commission completed a chemical treatment process to remove lime buildup from their pipes after a new water treatment plant became functional May 2012.

Source: http://www.sj-r.com/top-stories/x1837079983/Main-part-of-Chatham-water-

treatment-process-complete

26. August 30, Ann Arbor Political Reporter— (Michigan) Raw sewage spills into Huron River in Nichols Arboretum after sewer pipe clogs. Ann Arbor officials reported tree roots clogged a sewer pipe at the Nichols Arboretum August 29 causing an undetermined amount of raw sewage to flow in Huron River and prompting city crews

to initiate repairs. Additional reports indicate the flow could have begun as early as August 22.

Source: http://www.annarbor.com/news/raw-sewage-spills-into-huron-river-in-nichols-arboretum-after-sewer-pipe-clogs

27. August 30, Pittsburgh Tribune Review— (Pennsylvania) Mosquito found at Green County sewage plant tests positive for West Nile Virus. Authorities announced August 30 that a mosquito caught at the Rices Landing Sewage Treatment Plant August 8 tested positive for the West Nile Virus, prompting the Pennsylvania Department of Environmental Protection to apply a larvacide at the plant and collect additional samples within a 1-mile radius.

Source: http://triblive.com/news/adminpage/4622623-74/mosquito-plant-virus

28. August 30, Middleton Tri-Town Transcript— (Massachusetts) Third positive result of West Nile virus confirmed in Middleton. Massachusetts Department of Public Health officials announced August 30 that they identified the third West Nile Virus-positive mosquito pool for Middleton from collection traps placed near the Danvers Water Treatment Plant, prompting area spraying and urging citizens to take precautions to avoid mosquito bites.

Source: http://www.wickedlocal.com/middleton/topstories/x914317934/Third-positive-result-of-West-Nile-virus-confirmed-in-Middleton

For another story, see item 2

Return to top

Healthcare and Public Health Sector

29. August 31, St. Louis Post-Dispatch – (Missouri) St. Anthony's doctor's laptop stolen with patient information. St. Anthony's doctors' group notified 2,600 nursing home patients after they discovered a laptop computer and flash drive containing their personal information was stolen from a doctor's car July 29, the South County hospital reported. Police are working with the hospital to investigate the theft.

Source: http://www.stltoday.com/lifestyles/health-med-fit/health/health-matters/st-anthony-s-doctor-s-laptop-stolen-with-patient-information/article_e236e6e1-b274-5591-84f4-c515ff655b04.html

Return to top

Government Facilities Sector

30. September 2, KNTV 11 San Jose – (California) Rim Fire near Yosemite now 70 percent contained, marijuana grow possibly to blame. Crews reached 70 percent containment September 2 of California's Rim Fire after burning through 235,841 acres with full containment still expected by September 20.

Source: http://www.nbcbayarea.com/news/local/Rim-Fire-Near-Yosemite-Now-60-

Percent-Contained-222058621.html

31. August 31, Winston-Salem Journal – (North Carolina) 18-year-old charged in shooting at Carver. A student was in custody August 30 after he shot and injured another student outside Carver High School in North Carolina during a fire drill. The shooting was the result of an ongoing dispute between the two students, police said in a statement.

Source: http://www.journalnow.com/news/local/article_247ee7d0-11a4-11e3-b183-001a4bcf6878.html

32. August 31, Associated Press – (International) Man arrested for threats against Hawaii Rep. A man was arrested in Tijuana, Mexico, August 28 after he made alleged threats against a Hawaii representative. The suspect will be transported to Washington, D.C. after his initial court appearance.

Source: http://www.lasvegassun.com/news/2013/aug/31/dc-gabbard-threats/

- 33. August 30, Associated Press (International) Fort Campbell soldier pleads guilty in fuel scam. The U.S. Justice Department announced August 29 that an Army sergeant based at Fort Campbell pleaded guilty for taking payments from a trucking company representative to facilitate the theft of 25 truckloads of fuel from a military base in Afghanistan. The total amount of loss to the U.S. was over \$400,000. Source: http://www.military.com/daily-news/2013/08/30/fort-campbell-soldier-pleads-guilty-in-fuel-scam.html?comp=7000023468004&rank=1
- 34. *August 30*, *Associated Press* (Pennsylvania) **3 plead guilty in \$700K school vandalism.** After causing \$700,000 in damages to Youngsville High School in Warren County, Pennsylvania, three graduates pleaded guilty August 29 to vandalism and agreed to pay for the damage as part of their sentencing.

 Source: http://www.vindy.com/news/2013/aug/30/3-plead-guilty-in-700k-school-vandalism/

Return to top

Emergency Services Sector

35. September 1, WSMV 4 Nashville – (Tennessee) One dead, five injured in middle Tenn. crash involving stolen police cruiser. One person was killed and four other were injured August 31 after a woman driving a stolen police cruiser allegedly hit a car and crashed into a Marathon gas station pump in Fayetteville.

Source: http://www.wbir.com/news/article/286823/2/One-dead-five-injured-in-middle-

Tenn-crash-involving-stolen-police-cruiser

For another story, see item 4

Return to top

Information Technology Sector

36. September 2, Softpedia – (International) Digital Product Delivery hit by DDoS attack. E-commerce service provider Digital Product Delivery was hit by a distributed denial of service (DDoS) attack September 2. The attack disrupted service to customers before normal operations were restored.

Source: http://news.softpedia.com/news/Digital-Product-Delivery-Hit-by-DDOS-Attack-9-2-2013-379977.shtml

37. September 2, CNET – (International) Facebook flaw allowed hackers to delete posted photos. Facebook fixed a critical flaw in its Support Dashboard that could allow an attacker to delete photos without the owner's knowledge.

Source: http://news.cnet.com/8301-1009_3-57600991-83/facebook-flaw-allowed-hackers-to-delete-posted-photos/

38. August 30, Softpedia – (International) VMware fixes DoS vulnerability in ESXi and ESX. VMware update VMware ESX and ESXi in order to close a Network File Copy vulnerability that could be used in a denial of service (DoS) attack.

Source: http://news.softpedia.com/news/VMware-Fixes-DOS-Vulnerability-in-ESXi-and-ESX-379472.shtml

39. August 30, Softpedia – (International) Cybercriminals attach disassembled malware to malicious emails. Researchers at Symantec observed a targeted email attack technique that contains malware disassembled into several components that reassembles when a shortcut file is launched, helping the malware evade detection. Source: http://news.softpedia.com/news/Cybercriminals-Attach-Disassembled-Malware-to-Malicious-Emails-379336.shtml

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at $\underline{soc@us-cert.gov}$ or visit their Web site: $\underline{http://www.us-cert.gov}$

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: https://www.it-isac.org

Return to top

Communications Sector

40. August 29, KCAU 9 Sioux City— (Iowa) 16,000 Cable One customers lost phone and internet services Thursday. Two separate circuit-related problems caused a four hour outage August 29 in the Sioux City area that caused 16,000 Cable One customers to lose phone and Internet services before the problem was fixed.

Source: http://www.kcautv.com/story/23292639/cable-one-experiencing-phone-and-internet-outage

Return to top

Commercial Facilities Sector

41. September 3, WHDH 7 Boston— (Rhode Island) Apartments evacuated after flash flood. Heavy rainfall September 2 left an entire Cranston neighborhood under 4 feet of water, prompting emergency services to rescue residents from two apartment buildings by boat. A firefighter was hospitalized during the rescues after a first floor collapsed due to the basement flooding.

Source: http://www.cw56.com/news/articles/local/rhode-island/10011585969290/apartments-evacuated-after-flash-flood/

- 42. September 3, Delaware News Journal— (Delaware) Fire at Bear apartment building injures one, leaves dozens homeless. Fire officials are looking into a two-alarm fire at an apartment building in the Village of Canterbury apartment complex in Bear, Delaware, which left one man critically injured and displaced dozens. The cause and estimated damages of the fire are unknown.

 Source: http://www.delawareonline.com/article/20130903/NEWS06/309030050/Fire-Bear-apartment-building-injures-one-leaves-dozens-homeless
- 43. September 2, Mesabi Daily News— (Minnesota) Cook motel damaged in fire; no one injured. A September 1 fire at the Vermilion Motel in Cook caused an estimated \$500,000 in damages and displaced all occupants of the 17-room motel.

 Source: http://www.virginiamn.com/news/local/article_2c400ba6-1448-11e3-a44b-001a4bcf887a.html
- 44. *August 31*, *WJT 12 Jackson* (Mississippi) **1 dead, 1 injured in Camelot Apartment shooting.** Jackson police arrested and charged a man with murder August 31 in connection with a shooting at the Camelot Apartments that left one dead and another in life-threatening condition at a local hospital.

 Source: http://www.wjtv.com/story/23309213/1-dead-1-injured-in-camelot-apartments-shooting
- 45. August 31, Los Angeles Times— (California) One dead, one injured in Hawaiian Gardens shooting. Los Angeles authorities are investigating the August 31 shooting of two men at the Hawaiian Gardens Apartments which left one dead and the other injured.

Source: http://www.latimes.com/local/lanow/la-me-ln-hawaiian-gardens-shooting-20130831,0,5724747.story

- 46. *August 31*, *Lake Forest Patch* (California) **Apartment complex fire injures 2 firefighters, displaces 25 residents.** Orange County officials reported that two firefighters were injured in an August 31 three-alarm Lake Forest apartment building fire that displaced 25 residents and damaged four of the eight units at the complex. Source: http://lakeforest-ca.patch.com/groups/police-and-fire/p/apartment-complex-fire-injures-2-firefighters-displaces-25-residents
- 47. August 31, Associated Press— (Oregon) Apartment fire in Portland suburb injures 1, displaces 40 residents; oil in frying pan blamed. All 16 units at the Country Oaks Apartments in Beaverton were damaged in an August 30 cooking oil fire that caused an

estimated \$480,000 in damages, injured one person, and displaced 40 others. Source:

http://www.therepublic.com/view/story/9b163cecccd846e7a74075f07e426ce4/OR--Apartment-Fire

48. August 31, Winchester Star— (Virginia) Cause of fire that displaced 20 families, injured 2 firefighters in Bellview apartments released. A child was believed to have unintentionally set a fire at a Winchester apartment building which injured two firefighters, caused an unknown amount of damage to at least 16 apartments, and displaced 20 families.

Source: http://www.winchesterstar.com/article/83013fire

Return to top

Dams Sector

- 49. *August 31*, *LaCrosse Tribune* (Wisconsin) **West Salem's Neshonoc Dam gets upgrade.** Repair work to the 75-year-old Neshonoc Dam is underway and will last 3 weeks as \$60,000 of repairs addresses leaks in the weakened West Salem dam. Source: http://lacrossetribune.com/news/local/neshonoc-dam-gets-upgrade/article-b05396e0-11f7-11e3-bac4-001a4bcf887a.html
- 50. August 30, KWGS 89.5FM Tulsa— (Oklahoma) Lock on major Oklahoma shipping route reopens. The U.S. Army Corps of Engineers reopened the farthest upstream lock on the McClellan-Kerr Arkansas River Navigation System August 30 after a week's worth of repairs following the discovery of additional damage to the lock, Dam 18, and portions of the gates.

Source: http://publicradiotulsa.org/post/lock-major-oklahoma-shipping-route-reopens

Return to top



<u>Department of Homeland Security (DHS)</u> DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: http://www.dhs.gov/IPDailyReport

Contact Information

Content and Suggestions: Send mail to <u>cikr.productfeedback@hq.dhs.gov</u> or contact the DHS

Daily Report Team at (703) 942-8590

Subscribe to the Distribution List: Visit the <u>DHS Daily Open Source Infrastructure Report</u> and follow

instructions to Get e-mail updates when this information changes.

Removal from Distribution List: Send mail to support@govdelivery.com.

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nice@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.