



Homeland
Security

Daily Open Source Infrastructure Report

11 September 2013

Top Stories

- An audit conducted by the Arizona Auditor General's Office determined over half of the underground fuel storage tanks in the State are either reaching or have passed their 30-year life expectancy. – *KPHO 5 Phoenix* (See item [1](#))
- Crews reached 45 percent containment September 10 of the 3,718-acre wildfire burning in Mount Diablo State Park in Contra Costa County, California. – *Associated Press* (See item [19](#))
- A man was taken into custody after guards at Louisiana State Penitentiary opened fire on him September 8 after he rammed his car through the prison's gates and hit a prison investigator inside the complex. – *Baton Rouge Advocate* (See item [28](#))
- Websense reported that 81 percent of businesses run outdated versions of Java and 40 percent run outdated versions of Flash, leaving them vulnerable to common exploits. – *The Register* (See item [30](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
 - [Emergency Services](#)
-

Energy Sector

1. *September 10, KPHO 5 Phoenix* – (Arizona) **Thousands of underground fuel tanks at risk of leaking.** An audit conducted by the Arizona Auditor General's Office determined over half of the underground fuel storage tanks in the State are either reaching or have passed their 30-year life expectancy and are at risk of leaking gasoline, diesel fuel, and other chemicals into surrounding soil and groundwater. Source: <http://www.kpho.com/story/23386085/thousands-of-fuel-tanks-at-risk-of-leaking>

[\[Return to top\]](#)

Chemical Industry Sector

Nothing to report

[\[Return to top\]](#)

Nuclear Reactors, Materials, and Waste Sector

2. *September 10, Associated Press* – (Massachusetts) **Plymouth nuclear plant shut down.** The Pilgrim nuclear power plant in Plymouth was shut down September 8 to repair a small feed water system steam leak. The plant remained offline September 10 with no stated timetable for its return to service. Source: http://bostonherald.com/business/business_markets/2013/09/plymouth_nuclear_plant_shut_down

[\[Return to top\]](#)

Critical Manufacturing Sector

3. *September 9, Grand Rapids Press* – (Michigan) **Workers called back to General Motors plant disabled by lightning.** A General Motors engine component plant in Wyoming, Michigan, was shut down September 9 after it was struck by lightning and sustained electrical systems damage. The plant resumed operations September 10. Source: http://www.mlive.com/business/west-michigan/index.ssf/2013/09/workers_called_back_to_general.html

[\[Return to top\]](#)

Defense Industrial Base Sector

Nothing to report

[\[Return to top\]](#)

Financial Services Sector

4. *September 10, Softpedia* – (International) **Experts spot targeted attack aimed at Asian financial institutions.** Researchers at Websense identified a cybercrime campaign targeting financial institutions in Asian countries including Nepal, Pakistan, and the United Arab Emirates that uses fake remittance and currency exchange emails to deliver a variant of the Zeus banking trojan.
Source: <http://news.softpedia.com/news/Experts-Spot-Targeted-Attack-Aimed-at-Asian-Financial-Institutions-381831.shtml>
5. *September 10, Mount Vernon Patch* – (Virginia) **‘Beacon Hill Bandit’ believed to have struck TD Bank for fifth time.** A suspect known as the “Beacon Hill Bandit” was believed to have been responsible for a September 9 robbery of a TD Bank branch in Alexandria. The suspect is believed to have robbed the same bank four times since 2010.
Source: http://mountvernon.patch.com/groups/police-and-fire/p/police-investigating-5th-robbery-at-td-bank-on-richmond-highway_4e913a2e

[\[Return to top\]](#)

Transportation Systems Sector

6. *September 9, WPTV 5 West Palm Beach* – (Florida) **Boca Raton train, pedestrian accident. Lanes now open.** Traffic closed for several hours September 9 after a train struck a pedestrian in Boca Raton at the intersection of Dixie Highway and Glades Road.
Source: http://www.wptv.com/dpp/news/region_s_palm_beach_county/boca_raton/boca-raton-train-pedestrian-accident-incident-closes-dixie-highway-and-glades-road
7. *September 9, Los Angeles Times* – (California) **Fatal motorcycle crash on 10 Freeway clogs traffic in San Dimas.** One person was killed in a fatal collision involving a semi-truck and motorcycle on westbound 10 Freeway in San Dimas near the Kellogg Drive exit, which closed multiple lanes for more than 2 hours September 9.
Source: <http://www.latimes.com/local/lanow/la-me-ln-fatal-crash-san-dimas-clogs-traffic-on-10-freeway-20130909,0,4414303.story>
8. *September 9, Joliet Patch* – (Illinois) **Yorkville truck driver dies from I-80 crash injures.** One person was killed in a fatal accident involving a single semi-truck on Interstate 80 near Minooka that closed eastbound lanes for about 5 hours September 9.
Source: <http://joliet.patch.com/groups/police-and-fire/p/crash-closes-eastbound-interstate-80-in-minooka>
9. *September 9, WIAT 42 Birmingham* – (Alabama) **Two fatalities in accident on Highway 280.** An accident involving a semi-truck and a car on Highway 280 in Birmingham killed two people, and closed westbound lanes for an undisclosed amount

of time September 9.

Source: <http://www.cbs42.com/2013/09/09/two-fatalities-in-accident-on-highway-280/>

10. *September 9, WCHS 8 Charleston/Huntington* – (West Virginia) **I-64 near Huntington reopened after power pole repairs.** A construction accident involving a truck closed Interstate 64 near Huntington, West Virginia, in both directions for 2 hours September 9 while crews repaired 2 damaged power poles and lines.

Source: http://www.wchstv.com/newsroom/eyewitness/130909_18906.shtml

For additional stories, see items [24](#) and [27](#)

[\[Return to top\]](#)

Food and Agriculture Sector

11. *September 9, U.S. Department of Labor* – (Mississippi) **OSHA finds 25 health, safety violations at Delta Oil.** The Occupational Safety and Health Administration cited Delta Oil Mill in Greenwood, Mississippi, for 25 safety and health violations following injuries to a worker in 2013 and proposed penalties totaling \$83,415.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEAS&p_id=24759

12. *September 9, U.S. Food and Drug Administration* – (National) **General Mills announces voluntary recall of limited quantity of refrigerated Pillsbury Cinnamon Rolls with Icing.** General Mills announced September 6 a voluntary recall of specific 8-count single and double packages of Pillsbury Cinnamon Rolls with Icing as a precaution because the dough may contain fragments from a broken piece of plastic on the production line.

Source: <http://www.fda.gov/Safety/Recalls/ucm367695.htm>

For another story, see item [20](#)

[\[Return to top\]](#)

Water and Wastewater Systems Sector

13. *September 9, KSWO 7 Wichita Falls* – (Oklahoma) **Lawton treatment plant working to restore water quality.** Lawton city officials warned citizens that its tap water was safe to drink despite an increase in manganese the weekend of September 7 that led to discoloration. City officials attributed the discoloration to an increase in algae due to higher temperatures and have also increased the amount of chlorine being added to the water.

Source: <http://www.kswo.com/story/23381999/lawton-treatment-plant-working-to-restore-water-quality>

14. *September 9, KXAS 5 Dallas-Fort Worth* – (Texas) **Water main breaks at Arlington Warehouse.** A 6-inch water main break near an Arlington, Texas warehouse spilled thousands of gallons of water September 9 over 4 hours before it was closed. The cause of the break is not known.
Source: <http://www.nbcdfw.com/news/local/Water-Main-Breaks-At-Arlington-Warehouse-222943561.html>
15. *September 9, WITN 7 New Bern* – (North Carolina) **Jacksonville road back open after sewer line break, spill.** The city of Jacksonville reported that an emergency sewer line repair was completed September 9 after 10,000 gallons of untreated wastewater inadvertently discharged from a broken wastewater pipe into a stormwater conflict box, which led to Mill Creek.
Source: <http://www.witn.com/home/headlines/Jacksonville-Road-Back-Open-After-Sewer-Line-Break-Spill-223061161.html>

[\[Return to top\]](#)

Healthcare and Public Health Sector

16. *September 9, Associated Press* – (Georgia) **Ga. health institute cited for safety violations.** The U.S. Department of Labor's Occupational Safety and Health Administration cited Atlanta Health Careers Institute in McDonough for failing to correct problems that were discovered during a 2012 inspection including failing to train employees in blood borne pathogens programs, and failing to offer Hepatitis B vaccine to workers. Penalties totaled \$62,000.
Source: <http://www.macon.com/2013/09/09/2654922/ga-health-institute-cited-for.html>

[\[Return to top\]](#)

Government Facilities Sector

17. *September 10, Knoxville News Sentinel* – (Tennessee) **Students expected back in class after Monday power outage.** Authorities are investigating a September 9 power outage that prompted the evacuation and early dismissal of Farragut Middle and Farragut Intermediate schools in west Knox County. Classes were expected to resume September 10.
Source: <http://www.knoxnews.com/news/2013/sep/10/students-expected-back-in-class-after-monday/>
18. *September 10, Chico Enterprise-Record* – (California) **Clover Fire in Shasta County tops 6,700 acres; air tanker lands safely in Chico after losing engine.** Crews reached 5 percent containment of California's Clover Fire after burning through 6,700 acres by September 10. A Cal Fire S-2T tanker remained grounded after a wire caused one engine to shut down September 9.
Source: http://www.chicoer.com/news/ci_24057737/clover-fire-shasta-county-tops-6-700-acres

19. *September 10, Associated Press* – (California) **Containment more than doubles overnight on SF Bay Area wildfire.** Crews reached 45 percent containment September 10 of the 3,718-acre wildfire burning in Mount Diablo State Park in Contra Costa County. Officials reduced the number of homes threatened to 75 after firefighters made progress towards containment of the fire.
Source: http://www.washingtonpost.com/national/about-100-homes-evacuated-smoke-advisory-issued-as-wildfire-surges-in-sf-bay-area-state-park/2013/09/09/50f25474-19af-11e3-80ac-96205cacb45a_story.html
20. *September 10, Food Safety News* – (Tennessee) **Chicken is suspected contamination source on Tennessee campus.** A Salmonella and Campylobacter outbreak at the University of Tennessee's Chattanooga campus caused at least 25 people to become ill. Chicken is suspected as the source, but has not been confirmed.
Source: <http://www.foodsafetynews.com/2013/09/chicken-suspected-as-source-of-contamination-on-utc-campus/>
21. *September 10, Associated Press* – (Texas) **3rd metal detector, additional entrance used at Houston-area school where student, 17, slain.** Classes resumed at Spring High School in Spring, Texas, amid heightened security following a September 4 knife fight that left one student dead.
Source: <http://www.therepublic.com/view/story/04d1185eea8f43448ee405787c0a89f6/TX--High-School-Stabbing-Texas>
22. *September 9, Alaska Dispatch* – (Alaska) **Sorry conspiracy theorists, Alaska Army says websites down due to broken server.** The September 9 shut down of 3 Alaska U.S. Army Web sites was the result of a hardware issue and no military functions were compromised. Officials stated the sites should be back online September 10.
Source: <http://www.alaskadispatch.com/article/20130909/sorry-conspiracy-theorists-alaska-army-says-websites-down-due-broken-server>
23. *September 9, Anchorage Daily News* – (Alaska) **Anchorage's Atwood Building closed after mechanical failure.** An accidental discharge of fire suppression equipment prompted the evacuation of more than 1,200 State workers and closure of Anchorage's Atwood Building September 9. The building will reopen September 10.
Source: <http://www.adn.com/2013/09/09/3066747/anchorages-atwood-building-closed.html>
24. *September 9, WCAU 10 Philadelphia* – (Pennsylvania) **Megabus, school bus crash on Philly highway.** A September 9 accident involving a Megabus, school bus, and a minivan left at least 6 people injured at the intersection of Interstate 676 westbound and Interstate 76 in Philadelphia.
Source: <http://www.nbcphiladelphia.com/news/breaking/Bus-Crash-I-676-222970091.html>
25. *September 9, KING 5 Seattle* – (Washington) **Thousands of Social Security numbers**

exposed in Pierce County. Officials with the Pierce County Housing Authority in Washington are investigating a security breach after names and Social Security numbers of nearly 1,000 Section 8 housing applicants on the county's wait list appeared online. The county's housing authorities notified everyone impacted. Source: <http://www.king5.com/news/local/Private-information-of-Section-8-waitlist-applicants-accidentally-posted-online-223054931.html>

26. *September 9, WHO-DT 13 Des Moines* – (Iowa) **Website hacked: Threats posted on city site.** The City of Mitchellville's Web site was hacked over the weekend of September 7, taking the site offline and displaying a message in its place. The city's web service provider Mattison Web LLC's site was also hacked, prompting the company to move to a new Web host. Source: <http://whotv.com/2013/09/09/website-hacked-threats-posted-on-city-site/>
27. *September 8, KARE 11 Minneapolis* – (Minnesota) **Fire damages historic town hall in Eagan.** Police are investigating a September 8 fire that caused extensive damage to a historic town hall building in Eagan and deemed it suspicious. Traffic on Pilot Knob Road was blocked off for 3 hours while crews worked to get the blaze under control. Source: <http://www.kare11.com/news/article/1038352/396/Fire-damages-historic-Town-Hall-in-Eagan>

[\[Return to top\]](#)

Emergency Services Sector

28. *September 9, Baton Rouge Advocate* – (Louisiana) **Sheriff: Man slams into Angola gate, hits investigator.** A man was taken into custody after guards at Louisiana State Penitentiary opened fire on him September 8 after he rammed his car through the prison's gates and hit a prison investigator inside the complex. Authorities are investigating the cause of the incident after discovering the man kidnapped his 2 children who were also in the vehicle. Source: <http://theadvocate.com/news/7003247-123/sheriff-man-slams-into-angola>
29. *September 9, Detroit News* – (Michigan) **Suspect in Detroit manhunt caught.** Detroit Police caught an inmate who escaped from custody September 9 by stabbing a sheriff's deputy multiple times, snatching his uniform, and carjacking a vehicle. Police spent 14 hours searching for the inmate after he escaped from the Frank Murphy Hall of Justice while on his way to a hearing. Source: <http://www.detroitnews.com/article/20130909/METRO01/309090109/>

[\[Return to top\]](#)

Information Technology Sector

30. *September 10, The Register* – (International) **Biz bods STILL don't patch hacker's delight Java and Flash.** Websense reported that 81 percent of businesses run outdated versions of Java and 40 percent run outdated versions of Flash, leaving many

businesses vulnerable to popular exploits that can be used to steal data or disrupt operations.

Source: http://www.theregister.co.uk/2013/09/10/java_flash_security_snapshot/

31. *September 10, Threatpost* – (International) **Adobe fixes code execution bugs in Flash, Reader.** Adobe released a set of patches for Flash and Reader, resolving several security vulnerabilities, including memory corruption flaws and buffer overflows that could allow code execution.

Source: <http://threatpost.com/adobe-fixes-code-execution-bugs-in-flash-reader/102234>

32. *September 10, Softpedia* – (International) **Android malware uses SMTP to send stolen information.** F-Secure researchers identified a piece of Android malware, Trojan:Android/SMSAgent.C, that uses SMTP servers to send back stolen information. The malware collects phone numbers, SMS messages, and recorded audio.

Source: <http://news.softpedia.com/news/Android-Malware-Uses-SMTP-to-Send-Stolen-Information-381891.shtml>

33. *September 10, Softpedia* – (International) **1,000 Japanese one-click fraud apps published on Google Play in August 2013.** Symantec reported that during August a total of 2,500 one-click fraud apps were spotted on the Google Play store, with close to 1,000 of the malicious apps being uploaded by a suspected Japanese cybercrime group.

Source: <http://news.softpedia.com/news/1-000-Japanese-One-Click-Fraud-Apps-Published-on-Google-Play-in-August-2013-381669.shtml>

34. *September 9, Softpedia* – (International) **AVG warns of fake AVG antivirus apps hosted on Google Play.** AVG Technologies reported finding at least 33 fake versions of the company's antivirus app on Google Play. The fake apps change devices' search options and spam victims with advertisements.

Source: <http://news.softpedia.com/news/AVG-Warns-of-Fake-AVG-Antivirus-Apps-Hosted-on-Google-Play-381464.shtml>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <https://www.it-isac.org>

[\[Return to top\]](#)

Communications Sector

35. *September 9, WAFB 9 Baton Rouge* – (Louisiana) **Cox outage affects downtown BR.** Cox customers in downtown Baton Rouge lost cable television, Internet, and phone services for several hours September 9 after an accident ruptured 3 fiber optic lines.

Source: <http://www.bayoubuzz.com/louisiana-news/baton-rouge-news/item/526036-cox-outage-affects-downtown-br>

Commercial Facilities Sector

36. *September 10, WSAZ 3 Huntington* – (Ohio) **Guests escape overnight fire at Chesapeake, Ohio motel.** A September 10 fire at a Chesapeake, Ohio Traveler's Motel left 24 guests displaced and caused heavy smoke and water damage to the building. Source: <http://www.wsaz.com/news/headlines/BREAKING-NEWS-ALERT-Motel-Evacuated-by-Fire-223084221.html>
37. *September 10, Newport News Daily News* – (Virginia) **Newport News officials continue to look into cause of apartment blaze.** Officials are looking into the cause of a September 9 fire at the Ashton Green Apartment complex in Newport News, which injured two people and possibly condemned 17 apartment units. Source: <http://www.dailypress.com/news/breaking/dp-cause-of-apartment-fire-in-newport-news-to-be-determined,0,1901727.story>
38. *September 9, Associated Press* – (California, Indiana) **NFL stadium falls leave 1 fan dead, 2 hurt.** Authorities released information in the September 8 accidents at the San Francisco 49ers and Indianapolis Colts stadiums. In California, a fan fell over a rail and died while two fans were injured at the Indianapolis Colt-Raiders game after a railing collapsed. Source: <http://news.yahoo.com/nfl-stadium-falls-leave-1-fan-dead-2-084604687--spt.html>
39. *September 9, WRC-TV 4 Washington D.C.* – (Virginia) **Afghan national charged with explosives possession.** A naturalized U.S. citizen and Afghan national was charged September 9 in Alexandria with possession of a crude homemade bomb after a cleaning service discovered what appeared to be a bomb while cleaning his home March 2012. Source: <http://www.nbcwashington.com/news/local/Bomb-Squad-Searches-Vehicle-at-Eden-Center-Falls-Church-222971001.html>
40. *September 9, McComb Enterprise Journal* – (Mississippi) **Bomb lobbed at theater.** McComb police are searching for the culprit who threw a chemical bomb containing chemicals and brillo pads in a plastic bottle in front of the Pike County Theatre, September 7. Source: http://www.enterprise-journal.com/news/article_2ede4176-196f-11e3-b23d-0019bb2963f4.html
41. *September 9, Bergen Record* – (New Jersey) **Three-alarm apartment fire in Clifton displaces 30, injures three.** Firefighters ruled a six-unit Clifton apartment building uninhabitable after a September 9 fire started on the second floor, led to three injuries, and displaced between 25 and 30 residents. Source: <http://www.northjersey.com/clifton/Three-alarm-apartment-fire-in-Clifton-displaces-30-injures-three.html>

42. *September 8, WRTV 6 Indianapolis* – (Indiana) **Families displaced by apartment fire on southwest side.** A September 7 fire at an Indianapolis apartment building displaced three families and left \$300,000 in estimated damages to two apartment units.
Source: <http://www.theindychannel.com/news/local-news/families-displaced-by-apartment-fire-on-southwest-side>

[\[Return to top\]](#)

Dams Sector

43. *September 9, NJ.com* – (New Jersey) **Repairs to 400-year-old dam in Cranbury will take 11 months, reduce traffic to one lane.** The township of Cranbury announced that the 400-year-old Brainerd Lake Dam will undergo a year-long \$3.5 million rehabilitation project beginning October 2013 and will replace or expand parts of the structure as it addresses a breach in the dam's foundation.
Source: http://www.nj.com/middlesex/index.ssf/2013/09/repairs_to_400-year-old_dam_in_cranbury_will_take_11_months_reduce_traffic_to_one_lane_officials_say.html

[\[Return to top\]](#)



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.