



Homeland
Security

Daily Open Source Infrastructure Report

01 October 2013

Top Stories

- Mazda announced that it is recalling 161,400 model year 2009-2013 Mazda6 vehicles due to faulty door latch mounting screws which can cause doors to inadvertently open or fail to close. – *United Press International* (See item [6](#))
- A crash involving two trains at Harlem station in Forest Park, Illinois, left 33 people injured when an out-of-service Chicago Transit Authority train crashed into another stopped train. – *USA Today* (See item [11](#))
- The Arizona State Forestry Division released a report detailing the results of an investigation into the June deaths of 19 firefighters killed while fighting a wildfire and several problems which contributed to their deaths. – *Associated Press* (See item [31](#))
- An Oklahoma inmate that escaped after 2 fellow inmates stole an unattended transportation van turned himself and 5 others into authorities. – *Associated Press* (See item [33](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
 - [Emergency Services](#)
-

Energy Sector

1. *September 30, KATU 2 Portland* – (Oregon) **Crews still restoring power, but wet, windy weekend is over.** Portland General Electric crews continued to restore service to customers throughout Oregon after a September 29 storm left over 100,000 without power.
Source: <http://www.katu.com/news/local/Crews-still-restoring-power-but-wet-windy-weekend-is-over-225785671.html>
2. *September 28, Wilmington News Journal* – (Delaware) **Delaware City Refinery boiler failure triggers release of smoke, other pollutants.** Delaware environmental regulators reported a major boil failure at PBF Energy's Delaware City Refinery that triggered a release of smoke and other pollutants September 28. The company took the air pollution control device off line until repairs are completed.
Source: <http://www.delawareonline.com/article/20130928/NEWS08/130928004/Delaware-City-Refinery-boiler-failure-triggers-release-smoke-other-pollutants>
3. *September 27, Detroit News* – (Michigan) **Auditor general: State oil and gas office is 'effective' monitor, but needs to make fixes.** A State audit released September 27 by the auditor general determined the Michigan Office of Oil, Gas and Minerals is 'effective' at monitoring gas and oil wells but could use improvement by working with State departments to promote compliance and reconcile oil production totals and gas sold amounts.
Source: <http://www.detroitnews.com/article/20130927/METRO06/309270078/1361/Auditor-general--State-oil-and-gas-office-is--effective--monitor--but-needs-to-make-fixes>
4. *September 27, U.S. Department of Labor* – (Georgia) **Georgia Power Co. cited by US Department of Labor's OSHA for 17 serious violations following explosion; penalties of \$119,000 proposed.** An April 2013 generator explosion that occurred during a maintenance shutdown at Plant Bowen in Cartersville prompted the U.S. Department of Labor's Occupational Safety and Health Administration to cite Georgia Power Co. with 17 safety violations and propose penalties totaling \$119,000.
Source: https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=24897

[\[Return to top\]](#)

Chemical Industry Sector

5. *September 30, Associated Press; Columbus Dispatch* – (Ohio) **Ohio: Shale drillers must report chemicals locally.** Ohio officials notified companies that a new State directive requires a list of toxic chemicals used by Ohio shale drillers must be made available locally to governments, first responders, and residents. The former law only

required companies to file the information with the Ohio Natural Department of Natural Resources, but officials determined a federal chemical disclosure law trumped the previous State law.

Source: <http://www.miamiherald.com/2013/09/30/3660670/ohio-shale-drillers-must-report.html>

[\[Return to top\]](#)

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

[\[Return to top\]](#)

Critical Manufacturing Sector

6. *September 28, United Press International* – (National) **Mazda joins flurry of auto recalls.** Mazda announced September 28 that it is recalling 161,400 Mazda6 vehicles, model year 2009-2013, due to faulty door latch mounting screws which can cause doors to inadvertently open or fail to close.

Source: http://www.upi.com/Business_News/2013/09/28/Mazda-joins-flurry-of-auto-recalls/UPI-37501380412571/

7. *September 28, Associated Press* – (National) **Workmanship blamed for 2011 tear in 737's roof.** The National Transportation Safety Board released a report that found a 2011 in-flight tear in the roof of a Southwest Airlines Boeing 737 was the result of poor manufacturing. Two panels were misaligned and rivet holes were drilled incorrectly when the plane was assembled in 1996, which lead to cracks that grew over time.

Source: <http://www.fortmilltimes.com/2013/09/28/2989431/workmanship-blamed-for-2011-tear.html>

[\[Return to top\]](#)

Defense Industrial Base Sector

Nothing to report

[\[Return to top\]](#)

Financial Services Sector

8. *September 29, Reuters* – (Texas) **CFTC alleges \$42 million ethanol futures fraud against bank.** The U.S. Commodity Futures Trading Commission September 27 accused a Houston man of defrauding the bank he worked for of \$42.4 million by hiding growing losses in ethanol futures contracts between 2010 and 2011.

Source: <http://www.reuters.com/article/2013/09/29/cftc-ethanol-fraud->

[idINL2N0HN2GJ20130929](#)

9. *September 27, Easton Express-Times* – (Pennsylvania) **Former Lafayette Bank president operated \$10M Ponzi scheme, according to findings of grand jury investigation.** A former Lafayette Bank president was accused of running a \$10 million Ponzi scheme in Northampton County using different business names to lure investors. Source: http://www.lehighvalleylive.com/northampton-county/index.ssf/2013/09/northampton_county_district_at_15.html
10. *September 27, Bergen Record* – (International) **Lyndhurst man among 10 charged in \$200M credit card scheme.** The U.S. Department of Justice September 27 charged 10 individuals with additional counts of fraud for their alleged role in a \$200 million international credit card fraud scheme. Nine of the defendants were among 18 previously charged in February and were given additional charges, while 1 defendant was newly charged. Source: http://www.northjersey.com/lyndhurst/Lyndhurst_man_among_10_charged_in_200_million_credit_card_scheme.html

[\[Return to top\]](#)

Transportation Systems Sector

11. *September 30, USA Today*– (Chicago) **At least 33 injured in Chicago transit crash.** A crash involving two trains at Harlem station in Forest Park, Illinois, left 33 people injured September 30 when an out-of-service Chicago Transit Authority train crashed into another train that was stopped. Authorities are investigating and believe foul play may have occurred. Source: <http://www.news-press.com/article/20130930/NATION/130930007/At-least-33-injured-Chicago-transit-crash>
12. *September 30, Los Angeles Times* – (California) **Santa Monica Airport crash: Number of victims not yet known.** An unknown number of fatalities resulted from a plane coming from Hailey, Idaho, that crashed into a storage hanger near the Santa Monica Airport September 29. Authorities are investigating the crash. Source: <http://www.latimes.com/local/lanow/la-me-ln-santa-monica-airport-crash-20130930,0,7549378.story>
13. *September 29, Kingsport Times-News* – (Tennessee) **Suspicious package found on flight at TCRA.** A suspicious package found on an Allegiant Airlines plane arriving from Orlando shut down the Tri-Cities Regional Airport in Tennessee and stopped all flights for over 3 hours September 29. Authorities removed the package and cleared the scene after determining there was no threat. Source: <http://www.timesnews.net/article/9068021/suspicious-package-found-on-flight-at-tera>
14. *September 29, Cambridge Daily Jeffersonian* – (Ohio) **New speed limits approved by**

Ohio Department of Transportation take effect today. The Ohio Department of Transportation announced higher speed limits starting September 27 on more than 600 miles of Ohio roads and highways.

Source: <http://www.daily-jeff.com/local%20news/2013/09/29/new-speed-limits-approved-by-ohio-department-of-transportation-take-effect-today>

15. *September 29, Lompoc Record* – (California) **Plane lands on Highway 1.** A plane experiencing engine problems made an emergency landing on Highway 101 near Gaviota September 27 and closed a lane for an undisclosed amount of time.
Source: http://www.lompocrecord.com/news/local/plane-lands-on-highway/article_19a02796-28bc-11e3-ace8-001a4bcf887a.html
16. *September 29, Oregon State Police* – (Oregon) **Fatal traffic crash - Interstate 84 westbound lanes west of Bonneville Dam.** One person was killed in a fatal one-vehicle accident on westbound Interstate 84, near Cascade Locks in Oregon, which closed the highway for about 5 hours September 28.
Source: <http://pdxtraffic.blogspot.com/2013/09/update-fatal-traffic-crash-interstate.html>
17. *September 26, WFTS 28 Tampa* – (Florida) **Ship hits, damages Jacksonville bridge.** A ship struck and severely damaged Mathews Bridge on the St. Johns River in Jacksonville September 26, closing it through September 30 before officials can determine when to reopen it.
Source: <http://www.abcactionnews.com/dpp/news/state/ship-hits-damages-jacksonville-bridge>

For additional stories, see items [7](#), [18](#)

[\[Return to top\]](#)

Food and Agriculture Sector

18. *September 30, KION 46 Monterey* – (California) **Three factories evacuated from ammonia leak in Salinas.** Taylor Farms, Mann Packing Plant, and the Green Giant Fresh Factories in Salinas evacuated and closed September 29 after thousands of pounds of ammonia leaked inside the Green Giant Fresh Factory's compression building.
Source: <http://www.kionrightnow.com/story/23560378/taylor-farms-evacuated-from-ammonia-leak>
19. *September 28, St. Cloud Times* – (Minnesota) **Labeling error sparks recall of frozen pizza products.** More than 17,000 pounds of frozen pizza made and distributed by Junction Pizza in Grey Eagle, Minnesota was recalled due to mislabeling after health inspectors discovered labels did not list soy lecithin.
Source: <http://www.sctimes.com/article/20130928/NEWS01/309280021/Labeling-error-sparks-recall-frozen-pizza-products>

20. *September 27, Sacramento Bee* – (California) **Loss in Yolo County hay fire estimated at \$5 million.** A hay fire along Interstate 505 in Yolo County, California, damaged between 100 tons 200 tons of Haykingdom-owned hay along with barns and expensive agricultural equipment.
Source: <http://blogs.sacbee.com/crime/archives/2013/09/large-hay-fire-burning-along-i-505-near-winters.html>

[\[Return to top\]](#)

Water and Wastewater Systems Sector

21. *September 27, Hawaii Tribune Herald* – (Hawaii) **71,000 gallons of partially treated sewage discharged into Puhi Bay.** The Hilo Wastewater Treatment Plant began troubleshooting its electrical system after a September 26 power failure caused 71,000 gallons of partially treated sewage to spill into Puhi Bay along the Keaukaha shoreline. Signs were posted in the affected area, which was closed to swimming and recreational activities.
Source: <http://hawaiitribune-herald.com/sections/tribune-herald-news-flash/71000-gallons-partially-treated-sewage-discharged-puhi-bay.html>
22. *September 27, Maui Now* – (Hawaii) **8,366 gallons of wastewater overflows in Wailuku.** The County of Maui's Department of Environmental Management announced September 26 that a wastewater overflow of 8,366 gallons occurred after a blockage of grit and sand in a main sewer line caused a spill for 3 hours but did not enter any waterways.
Source: <http://mauinow.com/2013/09/27/8366-gallons-of-wastewater-overflows-in-wailuku/>
23. *September 27, Yorktown-Somers Patch* – (New York) **Amawalk Water Treatment Facility shut down, temporary fluoride suspension.** The Amawalk Treatment Facility was shut down by the Northern Westchester Joint Water Works September 24 and fluoridation of the city of Yorktown's water suspended. Residents of Somers and Yorktown will receive water from the Catskill Treatment Plant.
Source: <http://yorktown-somers.patch.com/groups/around-town/p/amawalk-water-treatment-facility-shut-down-temporary-fluoride-suspension>
24. *September 27, Phoenix Reporter & Item* – (Arizona) **Spring City to upgrade wastewater treatment plant.** Spring City officials approved an estimated \$4.8 million upgrade plan to its wastewater treatment plant to keep the borough in compliance with Arizona Department of Environmental Protection regulations. The upgrade will increase the capacity of the plant and improve the quality of the water.
Source: <http://www.phoenixvillenews.com/article/20130927/NEWS01/130929971/spring-city-to-upgrade-wastewater-treatment-plant>

For another story, see item [25](#)

Healthcare and Public Health Sector

25. *September 29, Global Dispatch* – (Wisconsin) **Milwaukee area Cryptosporidium outbreak: Parasite ‘not in the drinking water’ according to health officials.** Eight confirmed cases of Cryptosporidiosis and 12 suspected cases were reported in Bayside, Fox Point, and Whitefish Bay, Milwaukee by the North Shore Health Department. The source has not been identified, but the drinking water was ruled out. Source: <http://www.theglobaldispatch.com/milwaukee-area-cryptosporidium-outbreak-parasite-not-in-the-drinking-water-according-to-health-officials>
26. *September 27, Salisbury Patch* – (Pennsylvania) **Full phone service at LVH expected to return in late afternoon.** Telephone service was down for several hours at Lehigh Valley Hospital-Cedar Crest in Salisbury Township September 27 due to a car accident. Source: <http://salisbury.patch.com/groups/police-and-fire/p/phone-service-interrupted-at-lvh-due-to-car-accident>

Government Facilities Sector

27. *September 30, WEWS 5 Cleveland* – (Ohio) **Strongsville elementary, high school and preschools closed after bomb threat.** Strongsville, Ohio, officials closed all preschools, elementary schools, and the high school September 30 after a hoax bomb threat was found spray painted on the front of Strongsville High School. Middle schools around the city remained open. Source: http://www.newsnet5.com/dpp/news/local_news/oh_cuyahoga/strongsville-elementary-high-school-and-preschools-closed-after-bomb-threat
28. *September 30, Associated Press* – (Virginia) **5 students, driver injured in school bus crash in Virginia.** Authorities are investigating a school bus crash in Russell County, Virginia, September 30 that left 5 students and the driver injured after the bus went down an embankment and overturned. Source: http://www.washingtonpost.com/local/3-students-driver-injured-in-school-bus-crash-in-virginia/2013/09/30/b50908f6-29d4-11e3-b141-298f46539716_story.html
29. *September 28, San Gabriel Valley Tribune* – (California) **Bomb threat prompts cancellation of classes at Temple City High School.** California authorities arrested a Temple City High School student September 27 for phoning 3 bomb threats at 2 schools the week of September 23, and for prompting the cancellation of classes at the high school. Source: <http://www.pasadenastarnews.com/general-news/20130927/bomb-threat-prompts-cancellation-of-classes-at-temple-city-high-school>
30. *September 28, St. Augustine Record* – (Florida) **Students injured in school bus**

accident. A hose burst inside a school bus September 17 leaving 5 students injured in St. Johns County.

Source: <http://staugustine.com/news/local-news/2013-09-27/students-injured-school-bus-accident>

For another story, see item [44](#)

[\[Return to top\]](#)

Emergency Services Sector

31. *September 29, Associated Press* – (Arizona) **Radio problems cited in deaths of 19 firefighters.** The Arizona State Forestry Division released a report detailing the results of an investigation into the June deaths of 19 firefighters killed while fighting a wildfire determined improperly programmed radios, vague updates, and a 30 minute communication blackout contributed to their deaths.

Source: <http://news.msn.com/us/radio-problems-cited-in-deaths-of-19-firefighters>

32. *September 27, Philadelphia Business Journal* – (Pennsylvania) **Fire station on fire after explosion.** A fire ignited in an ambulance parked inside or near the Ben Franklin Fire House in Philadelphia September 27 causing extensive damage to the station.

Source: <http://www.bizjournals.com/philadelphia/news/2013/09/27/breaking-news-fire-station-on-fire.html>

33. *September 26, Associated Press* – (Oklahoma) **Escaped inmate, dials 911 during runaway.** An Oklahoma inmate that escaped after 2 fellow inmates stole an unattended transportation van turned himself and 5 others into authorities. The 2 remaining inmates were found after the prisoner helped police track them down.

Source: http://www.huffingtonpost.com/2013/09/27/joshua-silverman-911-runaway_n_4001822.html

[\[Return to top\]](#)

Information Technology Sector

34. *September 27, Softpedia* – (International) **Exploit kit uses VBScript to deliver malware.** Researchers at Sourcefire identified an exploit kit that uses VBScript to write an executable file to the disk without using a vulnerability or downloading an executable file. A malicious Web site prompts users to run an add-on named “Microsoft Script Runtime” to begin the attack.

Source: <http://news.softpedia.com/news/Exploit-Kit-Uses-VBScript-to-Deliver-Malware-386776.shtml>

35. *September 27, Threatpost* – (International) **LinkedIn patches multiple XSS vulnerabilities.** Social network LinkedIn fixed four cross-site scripting (XSS) vulnerabilities in its Web site during July, according to a vulnerability report issued by the researcher who first identified and reported the vulnerabilities.

Source: <http://threatpost.com/linkedin-patches-multiple-xss-vulnerabilities/102443>

36. *September 27, IDG News Service* – (International) **Google finally squashes IM bug.** Google reported September 27 that it completely corrected a glitch in its Google Talk, Chat, and Hangouts services. The issue caused messages to be sent to the wrong recipients starting September 26.
Source: <http://www.networkworld.com/news/2013/092713-google-finally-squashes-im-274288.html>
37. *September 27, Softpedia* – (International) **77% of new malware samples found in Q2 2013 were trojans.** Panda Security's second quarter 2013 threat report found that 77 percent of malware detected during the period were trojans, and that the global infection rate increased from 31.13 percent to 32.77 percent, among other findings.
Source: <http://news.softpedia.com/news/77-of-New-Malware-Samples-Found-in-Q2-2013-Were-Trojans-386814.shtml>
38. *September 27, SC Magazine* – (International) **London teen arrested for involvement in Spamhaus DDoS attack.** U.K. authorities arrested a 16-year-old for his alleged involvement in the massive March 19 distributed denial of service (DDoS) attack against anti-spam group Spamhaus.
Source: <http://www.scmagazine.com/london-teen-arrested-for-involvement-in-spamhaus-ddos-attack/article/313787/>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <https://www.it-isac.org>

[\[Return to top\]](#)

Communications Sector

39. *September 27, KCRG 9 Cedar Rapids*– (Iowa) **Widespread ImOn Internet outage causes issues for customers.** ImOn Communications cable-modem customers in Cedar Rapids suffered an Internet outage September 26 which continued through September 27 after a hardware malfunction caused a loss of services. No other services were impacted.
Source: <http://www.kcrg.com/news/local/Widespread-ImOn-Internet-Outage-Causes-Issues-for-Customers-225546582.html>

[\[Return to top\]](#)

Commercial Facilities Sector

40. *September 30, Contra Costa Times*– (California) **Alameda: Two women seriously injured by small explosion at beach.** An aerosol can near a lit barbecue exploded at an Alameda Beach September 29 and led to the hospitalization of two women with traumatic injuries.
Source: http://www.contracostatimes.com/news/ci_24203477/alameda-two-women-seriously-injured-after-small-explosion
41. *September 29, KTVT 11 Fort Worth*– (Texas) **Dozens evacuate after gas leak at ‘The Dive’ in Frisco.** Frisco firefighters evacuated 24 people from several businesses after complaints of a nausea inducing odor later identified as a natural gas leak at The Dive restaurant.
Source: <http://dfw.cbslocal.com/2013/09/29/dozens-evacuate-after-gas-leak-at-the-dive-in-frisco/>
42. *September 29, KUTV 2 Salt Lake City* – (Utah) **4-Alarm apartment fire forces evacuation of nearly 100 people.** Salt Lake City fire officials reported that a four-alarm fire at the nearly 100-year-old Hillcrest Apartment Building September 8 was likely accidental and caused by an electrical malfunction. Nearly 100 people were evacuated and approximately 30 people from more than a dozen units will be permanently displaced due to fire and water damage.
Source: http://www.kutv.com/news/top-stories/stories/vid_7095.shtml
43. *September 28, Denver Post*– (Colorado) **Shootings downtown and in southeast Denver leave victims hospitalized.** Denver police are investigating two unrelated incidents at Zi South and Club California that left at least one in critical condition and four others hospitalized September 28 after gunfire was reported at the two clubs.
Source: http://www.denverpost.com/breakingnews/ci_24198137/shootings-downtown-and-southeast-denver-leave-victims-hospitalized
44. *September 27, San Gabriel Valley Tribune* – (California) **Bomb threat reported at Montebello shopping mall.** The Shops at Montebello mall was evacuated for nearly 3 hours September 27 as Montebello police searched the building for bombs following a telephoned threat. Police are investigating if the event is tied to similar threats made to Temple City schools the week of September 23.
Source: <http://www.whittierdailynews.com/general-news/20130927/bomb-threat-reported-at-montebello-shopping-mall>
45. *September 26, Associated Press*– (Guam) **Blast reported at Guam Hilton.** Guam police reported September 27 that an explosion at the Hilton Guam Resort & Spa September 26 left two injured and prompted the evacuation of 650 guests for 4 hours. Authorities cleared the building for occupancy after a bomb search was conducted.
Source: <http://www.usatoday.com/story/news/world/2013/09/26/blast-guam-hilton-resort/2875733/>

Dams Sector

46. *September 29, Associated Press*– (Vermont) **Dam removal expected to boost trout on Vt. river.** Officials determined that the removal of the century-old Dufresne Dam at a cost of \$200,000 was cheaper than the cost of repair and maintenance, and began work in September to take down the concrete spillway and earthen embankment. The removal of the dam will improve wild brown and brook trout populations along the Des Moines River.
Source: http://www.northjersey.com/news/national/225708791_Dam_removal_expected_to_boost_trout_on_Vt_river.html?page=all
47. *September 28, Wilkes-Barre Citizens Voice* – (Pennsylvania) **Test for levee wall underway.** Wilkes-Barre contractors planned to test and install a removable wall the weekend of September 28 which fills the gap between the flood-damaged Wyoming Valley levee and a bridge. Other planned fixes to the levee system should be complete by the end of 2013 and include the replacement of two sluice gates and the refurbishing of pumps in two creek stations.
Source: <http://citizensvoice.com/news/test-for-levee-wall-underway-1.1559843>
48. *September 27, Fremont News Messenger*– (Ohio) **Ballville Dam under close scrutiny.** The Ohio Department of Natural Resources' Division of Dam Safety conducted an inspection of the Ballville Dam the week of September 23 to determine what repairs are needed ahead of a December 2013 deadline for the removal of the dam.
Source: <http://www.thenewsmessenger.com/article/20130926/NEWS01/309260041/Ballville-Dam-under-close-scrutiny>
49. *September 27, Associated Press*– (Rhode Island) **RI approves plan to repair Georgiaville Pond Dam in Smithfield; structure now a 'high hazard'.** The Rhode Island Department of Environmental Management September 27 approved the town of Smithfield's plan to improve the Georgiaville Pond Dam by March 2014 and will lower the structure's water level before repairs begin.
Source: <http://www.therepublic.com/view/story/8a84db4ea4b948ad8cbb9753d5acc230/RI--Dam-Repairs>

[\[Return to top\]](#)



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.