



Homeland  
Security

# Daily Open Source Infrastructure Report

## 26 September 2014

### Top Stories

- Authorities arrested and charged 3 individuals for stealing, selling, and buying 6,000 Roxicodone pills worth \$180,000 which were taken from a pharmacy in Monroe, North Carolina. – *WSOC 9 Charlotte* (See item [26](#))
- Fifteen football players at Springbrook High School in Montgomery County, Maryland, suffered burns or rashes during practice September 16 when a cleaning agent was inadvertently sprayed on their football pads and helmets. – *Associated Press* (See item [27](#))
- A researcher found a security vulnerability in the GNU Bourne Again Shell (Bash) command interpreter named Shellshock used in several Unix-based operating systems that poses the risk of remote code execution. – *Softpedia* (See item [32](#))
- Jimmy John's Gourmet Sandwiches officials confirmed September 24 that stolen credentials were used by an undisclosed party to remotely log into the point-of-sale systems of about 216 of the company's stores nationwide. – *Boulder Daily Camera* (See item [40](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
  - [Emergency Services](#)
-

## Energy Sector

1. *September 24, Pittsburgh Tribune-Review* – (Pennsylvania) **MarkWest fined \$150,000 for gas flaring at Washington County plant.** MarkWest Energy Partners LP will pay more than \$150,000 in State fines to address a Pennsylvania Department of Environmental Protection settlement after investigators found improper flaring and smoke coming from the company's Marcellus shale plant in Washington County. Source: <http://triblive.com/business/headlines/6849597-74/markwest-flare-plant>
2. *September 24, Associated Press* – (New Mexico) **NM settles emissions violations at gas plant.** Frontier Field Services LLC will pay over \$938,000 in a settlement with the New Mexico Environment Department over alleged emissions violations at the company's Empire Abo Gas Plant in Artesia. The plant was accused of exceeding permit limits for carbon monoxide, hydrogen sulfide, sulfur dioxide, and other emissions several times between July 2011 and December 2012. Source: <http://www.seattlepi.com/news/science/article/NM-settles-emissions-violations-at-gas-plant-5776618.php>
3. *September 24, U.S. Department of Labor* – (Massachusetts) **Massachusetts Bay Electrical Corp. cited for safety violations in connection with 2 worker fatalities on Cape Cod, Massachusetts.** The Occupational Safety and Health Administration cited Massachusetts Bay Electrical Corp., with 2 willful and 4 serious violations September 24 after an inspection prompted by the April death of 2 workers in a crane tip-over on Cape Cod. Proposed fines totaled \$168,000. Source: [https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=26754](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=26754)
4. *September 24, U.S. Department of Labor* – (National) **MSHA announces results of August impact inspections.** Inspectors with the U.S. Department of Labor's Mine Safety and Health Administration announced September 24 that it issued 131 citations and 11 orders during its August special impact inspections conducted at 12 mines that merit increased agency attention and enforcement due to poor compliance history or specific concerns. Source: <http://www.dol.gov/opa/media/press/msha/MSHA20141782.htm>

[\[Return to top\]](#)

## Chemical Industry Sector

5. *September 25, Plastics News* – (Nevada) **Worker injured in fire at Primex sheet plant.** Authorities are investigating an explosion and fire at the Primex Plastics Corp., facility in Mesquite September 24 that injured one employee. Authorities believe the explosion was sparked when an electrical panel arced while it was being powered on and ignited dust in the air. Source: <http://www.plasticsnews.com/article/20140924/NEWS/140929950/worker-injured-in-fire-at-primex-sheet-plant>

For another story, see item [22](#)

[\[Return to top\]](#)

## **Nuclear Reactors, Materials, and Waste Sector**

6. *September 25, Norfolk Virginian-Pilot* – (Virginia) **Navy halts nuclear work at Norfolk Naval Shipyard.** The U.S. Navy suspended all but critical nuclear work September 13 at the Norfolk Naval Shipyard until further notice after discovering that contaminated equipment was potentially mishandled, a shipyard spokesman reported. Three nuclear-powered vessels are impacted by the suspension.  
Source: <http://hamptonroads.com/2014/09/navy-halts-nuclear-work-norfolk-naval-shipyard>

[\[Return to top\]](#)

## **Critical Manufacturing Sector**

7. *September 24, U.S. Department of Labor* – (Ohio) **OSHA proposes \$130,200 in fines for Canton, Ohio, aluminum plant for willfully exposing workers to serious hazards.** Matalco US. Inc., was cited by the Occupational Safety and Health Administration September 24 for 2 willful, 1 repeat, and 2 serious safety violations following a March 24 inspection of the company's Canton aluminum manufacturing facility. Proposed penalties total \$130,200.  
Source:  
[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=26751](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=26751)
8. *September 23, U.S. Department of Labor* – (Georgia) **Midville, Georgia, steel distributor cited for exposing workers to repeat and serious workplace safety hazards.** The Occupational Safety and Health Administration (OSHA) cited Cooksey Iron & Metal Co., doing business as Cooksey Steel Co., September 23 for 20 safety and health violations at the company's Midville steel storage and distribution facility following an April inspection that was initiated after OSHA received complaints alleging hazards related to forklifts, crane operations, and electrical hazards. Proposed fines total \$68,838.  
Source:  
[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=26745](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=26745)
9. *September 23, U.S. Department of Labor* – (Alabama) **Prattville, Alabama, Fras-le North America cited for repeat and serious safety and health violations following OSHA inspection.** Fras-le North America Inc., was cited by the Occupational Safety and Health Administration September 23 for 17 health and safety violations at the company's Prattville friction materials facility following a March inspection that revealed worker slip, trip, and fall hazards, among other violations. Proposed penalties total \$67,500.

Source:

[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=26742](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=26742)

[\[Return to top\]](#)

## **Defense Industrial Base Sector**

Nothing to report

[\[Return to top\]](#)

## **Financial Services Sector**

10. *September 25, Bucks County Courier Times* – (Pennsylvania) **FBI: New Britain bank robber has struck 3 times.** The FBI asked for the public's help in identifying a suspect after determining that the individual was responsible for the September 24 robbery of a New Britain Township Wells Fargo Bank branch, the third robbery linked to the suspect. During the September 24 robbery the suspect fired one shot from a handgun into the ceiling of the bank.

Source: [http://www.buckscountycouriertimes.com/news/local/fbi-new-britain-bank-robber-has-struck-times/article\\_d3c373b7-b94f-5979-a857-f47ef26ad058.html](http://www.buckscountycouriertimes.com/news/local/fbi-new-britain-bank-robber-has-struck-times/article_d3c373b7-b94f-5979-a857-f47ef26ad058.html)

11. *September 23, Fort Lauderdale Sun-Sentinel* – (Florida) **Suspect wounded in bank shootout; 2 tellers injured.** A Palm Beach County man was injured during a shootout with police after he opened fired while attempting to flee from a TD Bank branch in Palm Springs where he had assaulted two tellers during a robbery September 23. Police apprehended the suspect at the scene.

Source: [http://articles.sun-sentinel.com/2014-09-23/local/fl-palm-springs-shooting-20140923\\_1\\_td-bank-two-bank-employees-tellers](http://articles.sun-sentinel.com/2014-09-23/local/fl-palm-springs-shooting-20140923_1_td-bank-two-bank-employees-tellers)

[\[Return to top\]](#)

## **Transportation Systems Sector**

12. *September 24, WXII 12 Winston-Salem* – (North Carolina) **Train derails in Rural Hall; 3 cars overturned.** Authorities are investigating after three rail cars carrying 75,000 gallons of diesel exhaust fluid derailed and overturned in Rural Hall September 24, spilling a small amount of the nonhazardous chemical onto the ground. The scene was expected to be cleared by September 25.

Source: <http://www.wxii12.com/news/train-derails-in-rural-hall-3-cars-overturned/28220904>

13. *September 24, News 13 Orlando* – (Florida) **Road reopens following multi-vehicle on U.S. Highway 27 in Clermont.** All lanes of U.S. Highway 27 in Clermont reopened after closing for nearly 3 hours following a 4-vehicle accident involving a pool supply van that was carrying chlorine and muriatic acid, which leaked onto the roadway.

Crews contained the spill and three people were taken to a nearby hospital with injuries.

Source:

[http://www.mynews13.com/content/news/cfnews13/news/article.html/content/news/articles/cfn/2014/9/24/multi\\_vehicle\\_crash\\_.html](http://www.mynews13.com/content/news/cfnews13/news/article.html/content/news/articles/cfn/2014/9/24/multi_vehicle_crash_.html)

14. *September 23, WGCL 46 Atlanta* – (Georgia) **Flight to Japan dumps fuel, makes emergency landing at Hartsfield-Jackson.** A Delta Airlines flight en route to Tokyo, Japan was forced to dump hundreds of pounds of fuel in the air over Lake Allatoona in Georgia September 21 before returning to Hartsfield-Jackson Atlanta International Airport for an emergency landing due to an engine failure after takeoff. The plane landed without incident and no injuries were reported.  
Source: <http://www.cbs46.com/story/26597787/flight-to-japan-dumps-fuel-makes-emergency-landing-at-hartsfield-jackson>
15. *September 22, KARE 11 Minneapolis* – (Minnesota) **Blue Line service resumes after weekend derailment.** Blue Line light rail service between the Minneapolis-St. Paul International Airport and the Mall of America resumed September 22 after crews completed repairs to a portion of the rail line in Bloomington that fractured September 20 when a metal plate broke loose and lodged under the wheel of a train, causing one of its cars to derail. About 60 passengers were onboard the train at the time of derailment, but no injuries were reported.  
Source: <http://www.kare11.com/story/news/2014/09/22/blue-line-service-resumes-after-weekend-derailment/16037253/>
16. *September 22, WCIV 4 Charleston* – (South Carolina) **United flight headed to Charleston hit by lightning, diverted to Columbia.** A United Airlines flight headed to Charleston, South Carolina, from Chicago was diverted to a Columbia airport September 22 for an emergency landing and safety inspection after the plane was struck by lightning during flight. No injuries were reported.  
Source: <http://www.abcnews4.com/story/26598689/united-flight-headed-to-charleston-hit-by-lightning-diverted-to-columbia>

[\[Return to top\]](#)

## **Food and Agriculture Sector**

17. *September 24, WKOW 27 Madison* – (Wisconsin) **Grain bin accident injures one worker.** Authorities are investigating the cause of a small explosion inside a grain leg at the Landmark Services Cooperative facility in Cottage Grove September 24. One worker was transported to an area hospital with minor injuries.  
Source: <http://www.wkow.com/story/26620167/2014/09/24/grain-bin-accident-injures-one-worker>
18. *September 24, KYW 3 Philadelphia* – (International) **Customs and Border Protection in Philly intercepts destructive citrus black spot disease.** U.S. Department of Agriculture (USDA) representatives confirmed that U.S. Customs and Border Patrol

agents intercepted an orange from a flight out of Doha, Qatar to Philadelphia International Airport July 16 which was infected with the fungus that causes Citrus Black Spot disease.

Source: <http://philadelphia.cbslocal.com/2014/09/24/customs-and-border-protection-in-philly-intercepts-destructive-citrus-black-spot-disease/>

19. *September 24, U.S. Food and Drug Administration* – (New York; New Jersey; Florida) **Gold Star Smoked Fish Corp. voluntarily recalls Cold Smoked Steelhead due to possible Listeria monocytogenes contamination.** The U.S. Food and Drug Administration announced September 24 that Brooklyn-based Gold Star Smoked Fish Corp., issued a recall for its Cold Smoked Steelhead in Vacuum Pack products due to possible Listeria monocytogenes contamination. The products were sold as a food service item in New York, New Jersey, and Florida.  
Source: <http://www.fda.gov/Safety/Recalls/ucm416118.htm>
20. *September 24, U.S. Environmental Protection Agency* – (Alaska) **EPA settles with Alaska seafood processor UniSea for chemical risk management planning violations.** UniSea, Inc., entered into an agreement with the U.S. Environmental Protection Agency and agreed to pay a \$142,175 penalty to settle allegations that the company violated risk management plan provisions of the Clean Air Act and stored anhydrous ammonia and chlorine in amounts exceeding legal thresholds at its seafood processing facility in Dutch Harbor.  
Source: <http://yosemite.epa.gov/opa/advpress.nsf/0/0C2503BA07411E6385257D5D0073531B>
21. *September 24, U.S. Food and Drug Administration* – (National) **The Original Soupman issues allergy alert and recall on certain lots of “The Original Soupman Lobster Bisque”.** The U.S. Food and Drug Administration announced September 24 that The Original Soupman issued a recall for some lots of its Lobster Bisque due to undeclared shrimp (crustaceans), perch, and tilapia caused by human error. The product was sold in 17-ounce Tetra Pak containers and distributed to retailers nationwide.  
Source: <http://www.fda.gov/Safety/Recalls/ucm416177.htm>
22. *September 24, U.S. Environmental Protection Agency* – (Idaho) **EPA settles with two Idaho facilities for chemical risk management planning violations.** Pacific Ethanol Magic Valley, LLC and Land View, Inc., entered into separate settlements with the U.S. Environmental Protection Agency to resolve allegations that each company violated the federal Clean Air Act Risk Management Program. Both companies have since corrected the violations and Pacific Ethanol Magic Valley paid \$83,497 in penalties after a May 2011 inspection of its Burley corn-based ethanol production facility revealed the company stored ammonia and pentane in amounts above the legal thresholds, while Land View was cited \$101,000 in penalties after a May 2011 inspection showed the company stored more than the allowed amount of anhydrous ammonia and ammonia at its agricultural chemical manufacturing plant in Rupert.  
Source: <http://yosemite.epa.gov/opa/advpress.nsf/0/7be802734b94baec85257d5d0074447a>

For another story, see item [40](#)

[\[Return to top\]](#)

## **Water and Wastewater Systems Sector**

23. *September 23, Fitchburg Sentinel & Enterprise* – (Massachusetts) **Leominster City Council OKs \$2.5M fix of water-treatment facility.** Leominster City Council approved \$2.5 million in upgrades to its wastewater treatment facility September 22 to repair deficiencies at the plant and ensure the city continues to meet U.S. Environmental Protection Agency and State requirements. The upgrades are the first phase of the project estimated to cost as much as \$28 million.  
Source: [http://www.sentinelandenterprise.com/news/ci\\_26588157/leominster-city-council-oks-2-5m-fix-water](http://www.sentinelandenterprise.com/news/ci_26588157/leominster-city-council-oks-2-5m-fix-water)

[\[Return to top\]](#)

## **Healthcare and Public Health Sector**

24. *September 24, CNN* – (Texas) **45 infants added to TB exposure list.** The El Paso Department of Public Health announced that an additional 45 infants were exposed to tuberculosis at Providence Memorial Hospital, after initial reports the week of September 22 found that 706 infants and 43 health care workers were exposed to the disease from a hospital worker. The Texas Department of State Health Services cited the hospital the week of September 15 for deficiencies in areas of infection control and deficiencies that could jeopardize the health and safety of patients.  
Source: <http://www.cnn.com/2014/09/24/health/infants-tb-texas/index.html>
25. *September 24, WFLA 8 Tampa* – (Florida) **Clay in packages prompts hazmat response at Bay Pines VA Medical Center.** Twenty-two people were decontaminated at the Bay Pines Veterans Affairs Medical Center in St. Petersburg September 24 after a suspicious package was found containing an unknown substance. The emergency room was shut down for 4 hours while a HAZMAT crew analyzed the substance and deemed it safe.  
Source: <http://www.wfla.com/story/26616903/22-exposed-to-substance-at-bay-pines-va-medical-center>
26. *September 24, WSOC 9 Charlotte* – (North Carolina) **Police: Man bought 6,000 stolen pills worth \$180K.** Authorities arrested and charged 3 individuals for stealing, selling, and buying 6,000 Roxicodone pills worth \$180,000 which were taken from a pharmacy in Monroe. Police reported that one of the suspects stole bottles of pills for over a year while they were employed.  
Source: <http://www.wsoc.tv/news/news/local/police-man-bought-6000-stolen-pills-worth-180k/nhTGz/>

[\[Return to top\]](#)



## **Government Facilities Sector**

27. *September 25, Associated Press* – (Maryland) **Springbrook High School football players suffer chemical burns from cleaning products.** Fifteen football players at Springbrook High School in Montgomery County suffered first-and second-degree burns or rashes during practice September 16 when a cleaning agent was inadvertently sprayed on their football pads and helmets. A trainer had ordered for only the locker room to be cleaned with the chemical after a player was suspended due to a staph infection.  
Source: <http://www.wjla.com/articles/2014/09/springbrook-high-school-football-player-suffer-chemical-burns-from-cleaning-products-107456.html>
28. *September 25, WKRN 2 Nashville* – (Tennessee) **Students injured in Madison school bus crash.** A school bus was rear-ended by another vehicle September 25 near the Bellshire Elementary Design Center in Madison, causing 10 people, including 8 students, to be transported to area hospitals with injuries.  
Source: <http://www.wkrn.com/story/26625566/school-bus-involved-in-madison-crash>
29. *September 24, San Mateo County Times* – (California) **San Mateo High School to reopen Thursday after gas leak.** Classes resumed September 25 at San Mateo High School in California after the school was closed September 24 due to a gas leak. The school provided lunch to students after the gas pipes were drained as a precaution and the cafeteria was closed due to the lack of hot water.  
Source: [http://www.mercurynews.com/san-mateo-county-times/ci\\_26596280/san-mateo-high-school-closed-by-gas-leak](http://www.mercurynews.com/san-mateo-county-times/ci_26596280/san-mateo-high-school-closed-by-gas-leak)
30. *September 24, Mountain Home News* – (Idaho) **Power outage closes high school (only) Wednesday.** School officials cancelled classes at the high school in the Mountain Home School District September 24 due to a power outage believed to be caused by a failure on a fuse on a power pole outside of the building. Idaho Power crews reported to the scene to restore service.  
Source: <http://www.mountainhomenews.com/story/2121795.html>

For another story, see item [6](#)

[\[Return to top\]](#)

## **Emergency Services Sector**

31. *September 24, Upper Township Gazette* – (New Jersey) **Former Seaville fire chief and son indicted on \$46,000 theft from fire company.** The former fire chief of the Seaville Volunteer Fire and Rescue Company in Trenton and his son were charged September 24 with allegedly stealing about \$46,000 through fraudulent payments from the fire company. The two submitted fake invoices and receipts for reimbursements for training courses that were never attended and apparel from a defunct company, an internal investigation found.  
Source: <http://www.shorenwstoday.com/snt/news/index.php/upper-township/upper->



[township/57310-former-seaville-fire-chief-and-son-indicted-for-stealing-46000-from-fire-company.html](http://township/57310-former-seaville-fire-chief-and-son-indicted-for-stealing-46000-from-fire-company.html)

[\[Return to top\]](#)

## **Information Technology Sector**

32. *September 25, Softpedia* – (International) **Bash bug “Shellshock” is as large as issue as Heartbleed.** A researcher found a security vulnerability in the GNU Bourne Again Shell (Bash) command interpreter named Shellshock available through versions 1.14 and 4.3 and used in several Unix-based operating systems such as Linux and Mac OS X that poses the risk of remote code execution and can be executed in many ways by applications. A patch was issued for the vulnerability CVE-2014-6271 but remained incomplete, and a second vulnerability, CVE-2014-7169, that was issued as a result remains unpatched.  
Source: <http://news.softpedia.com/news/Bash-Bug-Shellshock-Is-As-Large-An-Issue-As-Heartbleed-459913.shtml>
33. *September 25, Securityweek* – (International) **Critical signature forgery flaw found in Mozilla NSS crypto library.** Mozilla released an update for its products and Google updated Chrome and Chrome OS to address the “BERserk” vulnerability exposed by two independent researchers from Intel Security Advanced Threat Research Team and INRIA Paris-Rocquencourt who found that the Mozilla Network Security Services (NSS) cryptographic library can be exploited for signature forgery acts. The hackers can leverage the flaw in the parsing of ASN.1 encoded messages which use Basic Encoding Rules (BER) by exploiting the fact that the length of a field in BER can be made to use many bytes of data.  
Source: <http://www.securityweek.com/critical-signature-forgery-flaw-found-mozilla-nss-crypto-library>
34. *September 24, Threatpost* – (International) **More trouble for jQuery as second compromise reported.** JQuery, an open source JavaScript library, worked to mitigate a second compromise after its site’s homepage was defaced. Representatives announced that the Web site was taken down and cleaned of infected files and that the company is working on re-securing its servers, and working to address vulnerabilities.  
Source: <http://threatpost.com/more-trouble-for-jquery-as-second-compromise-reported/108510>
35. *September 24, Securityweek* – (International) **SMB employees targeted with fake termination emails: Bitdefender.** Researchers at Bitdefender warned employees and IT administrators of small and medium-sized businesses about a rash of fake emails claiming false termination that is designed to distribute information-stealing malware using an ARJ file archiver. Once the attached file is decompressed and executed, the malware opens a clean rich text format (RTF) document which connects to attackers who execute instructions to the victim.  
Source: <http://www.securityweek.com/smb-employees-targeted-fake-termination-emails-bitdefender>

36. *September 24, Network World* – (International) **Apple yanks buggy iOS 8 update.** Apple pulled its iOS 8.0.1 update and is working on a patch after reports that the update was cutting off cell service and making the Touch ID fingerprint sensor inoperable. Source: <http://www.networkworld.com/article/2687496/smartphones/apple-yanks-ios-8-update.html>

### Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

[\[Return to top\]](#)

## Communications Sector

37. *September 23, Redmond Reporter* – (Washington) **Frontier has restored 99 percent of customers' FiOS services; no copper services have been restored.** Nearly all television, telephone, high-speed Internet, FiOS broadband, and 9-1-1 services were restored September 23 after a construction crew working on the Redmond Way Stormwater Treatment Facility project cut through fiber and copper cables and disrupted Frontier Communications services for roughly 6,000 residential and business customers in Redmond September 20. Copper-wired services remained down with repair work expected to continue through the weekend of September 27. Source: <http://www.redmond-reporter.com/news/276197281.html>

[\[Return to top\]](#)

## Commercial Facilities Sector

38. *September 25, KTNV 13 Las Vegas* – (Nevada) **Nearly 70 residents left homeless after Las Vegas apartment fire.** Officials are investigating the cause of a September 24 fire that damaged up to 32 units at the Americana Apartments building in Las Vegas and left 67 residents displaced. One resident was transported to an area hospital with symptoms of smoke inhalation. Source: <http://www.jrn.com/ktnv/news/Almost-70-people-left-homeless-after-valley-apartment-fire--277030801.html>
39. *September 24, New England Cable News* – (Massachusetts) **Supermarket closed after fire.** A Shaw's Supermarket grocery store in Canton suffered extensive smoke and water damage after a 2-alarm fire broke out in the produce section of the store and activated the sprinkler system September 24. The cause of the fire is under investigation and the store stayed closed for the remainder of the day while crews cleaned the scene. Source: <http://www.necn.com/news/new-england/Supermarket-Closed-After-Fire-Injures-Worker-Canton-Massachusetts-276891841.html>

40. *September 24, Boulder Daily Camera* – (National) **Jimmy John's confirms data breach at 216 shops, including in Longmont, Broomfield.** Jimmy John's Gourmet Sandwiches officials confirmed September 24 that stolen credentials were used by an undisclosed party to remotely log into the point-of-sale systems of about 216 of the company's stores nationwide between June 16 and September 5. Officials reported that breach affected transactions in which payment cards were swiped at the stores, and has since been contained.  
Source: [http://www.dailycamera.com/boulder-business/ci\\_26596775/jimmy-johns-confirms-data-breach-at-216-shops](http://www.dailycamera.com/boulder-business/ci_26596775/jimmy-johns-confirms-data-breach-at-216-shops)
41. *September 23, WOSU 89.7 FM Columbus* – (Ohio) **Apartment fire injures ten, destroys apartment building.** Authorities are investigating the cause of a September 23 fire that destroyed a 42-unit building at the Commons at Victorian Village apartment complex in Columbus. At least 10 people were transported to area hospitals with non-life threatening injuries.  
Source: <http://wosu.org/2012/news/2014/09/23/ne-columbus-apartment-fire-injures-ten-destroys-building-1/>

For additional stories, see items [35](#) and [37](#)

[\[Return to top\]](#)

## **Dams Sector**

42. *September 24, WSIL 3 Harrisburg* – (Illinois) **Plans to repair levees will go forward.** A \$1.2 million project to repair levees in Alexander and Union counties in Illinois was approved by county officials in September with work expected to be completed by the summer of 2015. The plan includes the closure of four pipes and the re-lining of 17 within the levees between Wolf Lake and Gale.  
Source: <http://www.wsilv.com/news/local/Plans-to-Repair-Levees-Will-Go-Forward-277007361.html>
43. *September 24, Bradford Era* – (Pennsylvania) **Gilbert Dam rehab project taking shape.** The Bradford Water Authority announced September 23 that the \$4.3 million 2-year rehabilitation project at Gilbert Dam in Bradford was initiated as contractors began preliminary work on repairing the spillway and downstream roller compacted concrete overtopping protection. The project will bring the dam in compliance with federal and State regulations.  
Source: [http://www.bradfordera.com/news/article\\_5a49ea98-4391-11e4-bc22-7788b3b82998.html](http://www.bradfordera.com/news/article_5a49ea98-4391-11e4-bc22-7788b3b82998.html)
44. *September 24, Woodland Park Mountain Jackpot* – (Colorado) **Major repairs begin on dam near Woodland Park.** A \$3.4 million project to upgrade and modify the dam at Northfield Reservoir in Colorado began September 22 in order to bring the dam in compliance with State dam safety recommendations. The project will include the construction of a new spillway, the demolition of the old water treatment plant and

associated structures, and an 8-foot height raise of the embankment.

Source: <http://www.mountainjackpot.com/2014/09/24/major-repairs-begin-on-dam-near-woodland-park/>

[\[Return to top\]](#)



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:

Send mail to [cikr.productfeedback@hq.dhs.gov](mailto:cikr.productfeedback@hq.dhs.gov) or contact the DHS Daily Report Team at (703) 942-8590

Subscribe to the Distribution List:

Visit the [DHS Daily Open Source Infrastructure Report](#) and follow instructions to [Get e-mail updates when this information changes](#).

Removal from Distribution List:

Send mail to [support@govdelivery.com](mailto:support@govdelivery.com).

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.