



Daily Open Source Infrastructure Report 06 October 2014

Top Stories

- JPMorgan Chase & Co. stated October 2 that a cyberattack against the company's systems compromised the customer information of around 76 million households and 7 million small businesses. – *Associated Press* (See item [5](#))
- A former executive at Foundry Networks was found guilty October 2 on charges of insider trading for passing along nonpublic information, allowing a former Artis Capital Management LP analyst and over a dozen others to make over \$27 million in illicit profits. – *Bloomberg News* (See item [6](#))
- More than 800 flights were canceled at Chicago's O'Hare International Airport and Midway International Airport October 2 due to severe weather and system issues caused by a September 26 fire at an Aurora, Illinois control center. – *Reuters* (See item [9](#))
- An October 2 storm caused the cancellation of classes at the University of Texas at Arlington, and closure of schools in the Dallas-metro area after roughly 180,000 customers lost power. – *Dallas Business Journal* (See item [26](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
 - [Emergency Services](#)
-

Energy Sector

1. *October 3, Associated Press* – (Alaska) **Fire at offshore gas platform prompts evacuation.** Authorities are investigating an October 2 fire at the Hilcorp Alaska LLC-owned Baker platform in Cook Inlet in Anchorage that prompted the evacuation of four workers and the shutdown of the production well and subsurface pipeline. No injuries were reported and authorities believe environmental risk is minimal.
Source: http://www.denverpost.com/breakingnews/ci_26655459/fire-at-offshore-gas-platform-prompts-evacuation

For another story, see item [26](#)

[\[Return to top\]](#)

Chemical Industry Sector

Nothing to report

[\[Return to top\]](#)

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

[\[Return to top\]](#)

Critical Manufacturing Sector

2. *October 2, WCBS 2 New York City; Associated Press* – (International) **Over 117,000 vehicles affected by latest GM recall.** General Motors announced a recall October 2 for 117,651 model year 2013-2014 Buick Enclave, Cadillac CTS, Escalade, Escalade ESV, Chevrolet Express, Silverado, Suburban, Tahoe, Traverse, GMC Acadia, Savana, Sierra, Yukon, and Yukon XL vehicles due to the potential for metal slivers in the vehicles' chassis control modules to cause an electrical short, leading to a stall. The recall includes 97,540 vehicles in the U.S., including some unsold vehicles.
Source: <http://newyork.cbslocal.com/2014/10/02/over-117000-vehicles-affected-by-latest-gm-recall/>
3. *October 2, U.S. Department of Labor* – (Ohio) **OSHA cites Certified Heat Treating Inc. after supervisor fatally injured at Miamisburg, Ohio, plant.** The Occupational Safety and Health Administration cited Certified Heat Treating Inc., for 10 serious safety violations at its Miamisburg facility following an inspection prompted by the fatal injury of an employee. Proposed fines totaled \$64,000.
Source: https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=26817

For another story, see item [7](#)

[\[Return to top\]](#)

Defense Industrial Base Sector

Nothing to report

[\[Return to top\]](#)

Financial Services Sector

4. *October 3, WFTX 4 Fort Myers* – (Florida) **Deputies seize over 400 fake credit cards.** Lee County deputies arrested a man during a traffic stop after finding over 400 counterfeit credit cards in his possession. Officials stated that the fraudulent cards could have been worth over \$4.1 million.
Source: <http://www.jrn.com/fox4now/news/Deputies-seize-over-400-fake-credit-cards-278009891.html>
5. *October 2, Associated Press* – (National) **76M households hit by JPMorgan data breach.** JPMorgan Chase & Co. stated October 2 that a large cyberattack against the company's systems compromised the customer information of around 76 million households and 7 million small businesses. The attack was discovered in August and began as early as June and compromised customers' names, addresses, email addresses, and phone numbers but the bank stated that there was no evidence that the breach included account information.
Source: <https://finance.yahoo.com/news/jpmorgan-says-data-breach-affected-210556038.html>
6. *October 2, Bloomberg News* – (New York) **Ex-Foundry Networks official guilty of passing tips.** A former executive at Foundry Networks was found guilty October 2 on charges of insider trading for passing along nonpublic information about Foundry Networks' acquisition by Brocade Communications Systems Inc., allowing a former Artis Capital Management LP analyst and over a dozen others to make over \$27 million in illicit profits.
Source: <http://www.businessweek.com/news/2014-10-02/ex-foundry-networks-official-guilty-of-passing-tips>
7. *October 2, KABC 7 Los Angeles* – (California) **Chase driver identified as 'Hills Bandit' bank robbery suspect.** A man who led police on a chase while driving a truckload of steel allegedly stolen from a steel business in Santa Fe Springs was arrested and identified by police as the suspect known as the "Hills Bandit" responsible for up to 10 bank robberies in Orange County, San Diego, and Santa Barbara.
Source: <http://abc7.com/news/chase-suspect-ided-as-hills-bandit-bank-robber/334292/>

[\[Return to top\]](#)

Transportation Systems Sector

8. *October 3, KTRK 13 Houston* – (Texas) **Overtaken FedEx truck shuts down East Freeway at I45.** An overturned FedEx semi-truck shut down Interstate 10 East Freeway in Houston for 3 hours October 3. It is unclear what caused the accident.
Source: <http://abc13.com/traffic/overtaken-fedex-truck-blocks-east-freeway/335030/>
9. *October 2, Reuters* – (Michigan) **More than 800 flights canceled in Chicago due to weather, fire issues.** More than 525 flights were canceled at O'Hare International Airport and nearly 300 flights were canceled at Midway International Airport October 2 due to severe weather conditions and system issues caused by a September 26 fire at an Aurora, Illinois control center.
Source: <http://www.reuters.com/article/2014/10/02/us-usa-chicago-weather-idUSKCN0HR1QA20141002>
10. *October 2, Orlando Sentinel* – (Florida) **No bombs found on Lake transit buses, service resumes.** LakeXpress bus service has resumed in Lake County after a bomb threat halted service October 2 when a LakeXpress bus driver was approached by two unknown males on bicycles and told that there was a bomb on one of the buses in the Leesburg area. A bomb squad reported to the scene and searched eight buses and determined there were no suspicious devices or packages
Source: <http://www.orlandosentinel.com/news/lake/os-lakexpress-bomb-threat-20141002-story.html>
11. *October 2, KXAS 5 Fort Worth* – (Texas) **American Eagle flight makes emergency landing at Dallas-Fort Worth International Airport.** Passengers on an American Eagle flight traveling from Waco to Dallas were evacuated on the runway at Dallas-Fort Worth International Airport when the pilot declared an emergency after smoke was reported in the galley. The plane landed safely and three passengers were treated at the scene for minor injuries.
Source: <http://www.nbcdfw.com/news/local/American-Eagle-Flight-Makes-Emergency-Landing-at-Dallas-Fort-Worth-International-Airport-277961691.html>
12. *October 2, WBAL 11 Baltimore* – (Maryland) **US Route 29 reopens after dump truck crash.** A portion of U.S. Route 29 in Howard County was closed for 7 hours in both directions October 2 when a dump truck lost control and overturned, causing the contents to spill out onto the roadway and trapping the driver inside the vehicle for more than 2 hours before he was extricated by emergency personnel and flown to a nearby trauma center.
Source: <http://www.wbalv.com/news/us-route-29-shut-down-after-dump-truck-crash/28371234>
13. *October 2, WBAY 2 Green Bay* – (Wisconsin) **Fuel leak closes southbound I-43 for 3 hours.** Southbound lanes on Interstate 43 in Green Bay reopened to traffic October 2 following a more than 3 hour closure when a semi-truck leaked 50 gallons of fuel onto the roadway.
Source: <http://www.wbay.com/story/26691491/2014/10/02/fuel-leak-closes->

[southbound-i-43-for-3-hours](#)

[\[Return to top\]](#)

Food and Agriculture Sector

14. *October 2, Food Safety News* – (California) **California restaurant briefly shut down after being linked to Shigella outbreak.** Zov's Restaurant in Irvine was ordered to temporarily close for several hours October 1 after health officials linked the restaurant to 4 customers that tested positive for Shigella after they dined there September 16 – September 22. The restaurant reopened after it underwent a deep-cleaning, disposed of ready-to-eat foods, and hired a temporary, replacement staff.
Source: <http://www.foodsafetynews.com/2014/10/california-restaurant-briefly-shut-down-after-being-linked-to-shigella-outbreak>
15. *October 2, Chicago Tribune* – (Illinois) **Security guard in custody after barricading himself in Bartlett plant.** A security guard employed by Rana Meal Solutions in Bartlett was taken into custody October 2 after he barricaded himself inside the pasta factory for more than 5 hours while making claims that he had an explosive device. The factory and two adjacent buildings were evacuated while police investigated the incident.
Source: <http://www.chicagotribune.com/news/local/breaking/chi-police-man-barricaded-in-bartlett-plant-claims-to-have-bomb-20141002-story.html>
16. *October 2, U.S. Department of Agriculture* – (California; Hawaii) **California firm recalls pork blood product produced without benefit of inspection.** The Food Safety and Inspection Service announced October 2 that California-based Olson Meat issued a recall for about 160 pounds of its Pork Blood with Vinegar product because it was incorrectly produced without the benefit of federal inspection and outside regular inspection hours. The product was packaged in 1-gallon jugs and cases were shipped September 10 to a single retailer in Hawaii.
Source: <http://www.fsis.usda.gov/wps/portal/fsis/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2014/recall-064-2014-release>
17. *October 2, Reuters* – (California) **Four California teenagers arrested over chicken slaughter.** Four teens were arrested and charged October 1 with burglary and felony cruelty to animals for allegedly bludgeoning 920 chickens to death at the Foster Farms poultry facility in Caruthers in September.
Source: <http://www.reuters.com/article/2014/10/02/us-usa-california-chickens-idUSKCN0HR22W20141002>

[\[Return to top\]](#)

Water and Wastewater Systems Sector

18. *October 3, Cherokee County Herald* – (Georgia) **Sewer spill reported near 200 block of North Avenue.** The Rome-Floyd County Sewer Division reported that an estimated

10,000 gallons of sewage was discharged into an unnamed tributary that leads to Burwell Creek October 1 due to roots in the sewer main.

Source: http://www.northwestgeorgianews.com/chokeee_county/news/local/sewer-spill-reported-near-block-of-north-avenue/article_e41173ea-499f-11e4-bec1-001a4bcf6878.html

19. *October 2, Waterloo-Cedar Falls Courier* – (Iowa) **Power failure causes wastewater discharge at Cedar Falls.** A power failure at a treatment plant in Cedar Falls caused the plant to release 150,000 gallons of untreated wastewater into the Cedar River October 2 when a backup generator failed to start. Officials from the Iowa Department of Natural Resources are monitoring the situation.
Source: http://wcfcourier.com/news/local/power-failure-causes-wastewater-discharge-at-cedar-falls/article_634791bd-5192-548e-9ff6-90f92e2c062f.html
20. *October 2, U.S. Environmental Protection Agency* – (California) **EPA announces \$183 million to improve water quality, infrastructure in California.** Officials from the U.S. Environmental Protection Agency announced October 2 that \$183 million from the federal government will go to California to help build water quality projects that will include reducing water pollution, improving municipal drinking water and wastewater infrastructure, making water and energy projects more efficient, and providing assistance to communities.
Source: <http://yosemite.epa.gov/opa/admpress.nsf/0/11F36193E02D355785257D650067F727>
21. *October 2, Bloomington-Normal Pantagraph* – (Illinois) **Chatsworth water service restored.** Water service was restored to residents in Chatsworth after a water main break shut down the water service for 7 hours. The town remains under a boil water advisory until further notice.
Source: http://www.pantagraph.com/news/local/chatsworth-water-service-restored/article_fce0b57c-32e7-54b2-8b6f-d4afa99052a2.html
22. *October 2, KING 5 Seattle; Associated Press* – (Washington) **Mercer Island issues second boil order for E.Coli.** The city of Mercer Island issued a second boil water advisory after a water sample returned positive for E.coli October 2 and forced the closure of 62 restaurants until further notice following a previous boil water advisory that was lifted September 29. The source of the contamination remains unknown and officials are investigating.
Source: <http://www.king5.com/story/news/local/2014/10/02/e-coli-back-in-merc-island/16598791/>

[\[Return to top\]](#)

Healthcare and Public Health Sector

23. *October 3, Associated Press* – (New Hampshire) **Hospital says more than 200 workers, patients, visitors may've been exposed to scabies.** Dartmouth-Hitchcock Medical Center in Lebanon, New Hampshire, informed about 200 employees, patients,

and visitors that visited the hospital's hematology/oncology unit that they may have been exposed to scabies after a patient was found to have the skin condition. The hospital reported that a worker tested positive for the disease after the patient entered the facility August 14 but was not properly diagnosed and isolated until September 26.

Source:

<http://www.tribtown.com/view/story/119e9335ce324562a6cbc852fd5d8566/NH--Scabies-Patient>

24. *October 2, Cincinnati Enquirer* – (Cincinnati) **Several floors evacuated, 1 injured at UC hospital fire.** A basement fire prompted the evacuation of several floors of the University of Cincinnati Medical Center in Ohio October 2 after heavy smoke was reported in the building. Officials announced that patients would be allowed to re-enter the building once the smoke cleared.

Source: <http://www.cincinnati.com/story/news/2014/10/02/fire-uc-medical-center/16576595/>

25. *October 2, Lancaster Online* – (Pennsylvania) **6 taken to hospital, dozens evacuated at health center due to mysterious odor.** Six staff members were transported to an area hospital while about 20 others were evaluated on-site due to an unknown odor that caused irritation to eyes and throats and prompted the evacuation of Southeast Lancaster Health Services in Pennsylvania October 2. Firefighters were unable to determine the source of the odor and the health center closed for the remainder of the day.

Source: http://lancasteronline.com/news/local/taken-to-hospital-dozens-evacuated-at-health-center-due-to/article_e5cb9a20-4a36-11e4-9743-0017a43b2370.html

[\[Return to top\]](#)

Government Facilities Sector

26. *October 3, Dallas Business Journal* – (Texas) **Arlington ISD, UT Arlington close campuses in wake of Thursday's storm.** An October 2 storm that produced strong winds and heavy rain caused the closure of all schools in the Arlington, Texas school district, the cancellation of classes at the University of Texas at Arlington, the closure of 6 campuses in the Richardson and Mesquite Independent School District, and the closure of 41 Dallas Independent School campuses after roughly 180,000 customers lost power.

Source: http://www.bizjournals.com/dallas/blog/morning_call/2014/10/arlington-isd-ut-arlington-close-campuses-in-wake.html

27. *October 3, WTXL 27 Tallahassee* – (Florida) **School bus crash leaves six minors injured.** Six students were injured when a Gadsden County School bus ran off the road after it was side-swiped by another vehicle on southbound Dewey Johnson Way near Williams Street October 2.

Source: http://www.wtxl.com/news/school-bus-crash-leaves-six-minors-injured/article_a6d505c0-4aa1-11e4-885b-001a4bcf6878.html

28. *October 2, Lower Hudson Valley Journal News* – (New York) **Rockland Community College: Bomb threat proves false.** Rockland Community College in the town of Ramapo was evacuated for approximately 8 hours October 2 due to an emailed bomb threat that prompted the cancellation of daytime classes. Police searched the exterior grounds and all 16 buildings on campus before clearing the scene and determining the threat was a hoax.
Source: <http://www.lohud.com/story/news/crime/2014/10/02/rockland-community-college-bomb-threat-evacuation/16582565/>
29. *October 2, Lynn Daily Item* – (Massachusetts) **Swampscott High, senior center evacuated after threat.** Authorities are investigating after a bomb threat caused the evacuation and closure of Swampscott High School and a connected senior center in Massachusetts October 2.
Source: http://www.itemlive.com/news/update-swampscott-high-senior-center-evacuated-after-threat/article_a19176f6-4a43-11e4-a0e4-633f29444768.html
30. *October 2, WKYC 3 Cleveland* – (Ohio) **Lorain school closed due to gas leak; students to relocate.** Students and staff at Admiral King Elementary School in Lorain will be moved to other schools beginning October 6 after a gas leak prompted the closure of the school September 30. Officials reported that the leak is of an unknown origin.
Source: <http://www.wkyc.com/story/news/local/lorain-county/2014/10/02/lorain-school-closed/16610715/>
31. *October 2, KIRO 7 Seattle* – (Washington) **Mason County courthouse evacuated for bomb threat.** A bomb threat triggered the nearly 4 hour evacuation of the Mason County courthouse in Shelton October 2 before police cleared the scene. Authorities are investigating the incident.
Source: <http://www.kirotv.com/news/news/mason-county-courthouse-evacuated-bomb-threat/nhZxf/>
32. *October 2, Vero Beach Press Journal* – (Florida) **Three students were injured in Indian River County school bus crash.** An Indian River County school bus was rear-ended by another vehicle on northbound Interstate 95 in St. Lucie County October 2 leaving 3 students and 1 adult injured.
Source: http://www.tcpalm.com/news/local-news/st-lucie-county/three-students-were-injured-in-indian-river-county-school-bus-crash_04550614
33. *October 2, Yavapai County Daily Courier* – (Arizona) **Suspected explosive device discovered at DCS building inert, police say.** The Arizona Department of Child Safety (DCS) administrative office in Prescott and 11 other businesses were evacuated for 7 hours October 2 after a security guard discovered a suspicious device at the DCS office. Police cleared the scene after examining the device and determining that it did not pose a threat.
Source: <http://dcourier.com/main.asp?SectionID=1&SubSectionID=1&ArticleID=136764>

[\[Return to top\]](#)

Emergency Services Sector

34. *October 2, WBBH 20 Fort Myers* – (Florida) **Envelope causes evacuation at LCSO substation.** Operations at the Lee County Sheriff's substation in North Fort Myers were suspended for more than 2 hours October 2 due to a suspicious package brought in by a man. Police deemed the package safe once they determined nothing suspicious or toxic was inside.

Source: <http://www.nbc-2.com/story/26688638/lcso-investigating-suspicious-package-at-substation>

[\[Return to top\]](#)

Information Technology Sector

35. *October 3, Softpedia* – (International) **CryptoWall 2.0 available in the wild, has new obfuscator.** A 2.0 version of the CryptoWall ransomware has been spotted in the wild by researchers and includes the use of the Tor network for communicating with command and control servers and a new obfuscator to prevent analysis and debugging.

Source: <http://news.softpedia.com/news/CryptoWall-2-0-Available-In-the-Wild-Has-New-Obfuscator-460927.shtml>

36. *October 3, Help Net Security* – (International) **Destructive Android trojan poses as newest Angry Birds game.** Researchers with Doctor Web identified a piece of destructive Android malware detected as Android.Elite.1.origin that poses as an unreleased Angry Birds game app and once installed deletes a device's data, blocks communications programs, and sends out a high volume of messages to all contacts on the device.

Source: http://www.net-security.org/malware_news.php?id=2877

37. *October 2, Securityweek* – (International) **"BadUSB" code published.** Two researchers presenting at the Derbycon 4.0 conference reverse-engineered USB firmware to launch various attacks and posted the attack code online. The flaw in USB firmware that enables the attack was first revealed at the Black Hat conference but the attack code was not released at that time.

Source: <http://www.securityweek.com/badusb-code-published>

38. *October 2, Threatpost* – (International) **Second same-origin policy bypass flaw haunts Android browser.** A researcher identified and reported a same-origin policy bypass vulnerability in the Android browser in versions prior to 4.4 that could allow an attacker to steal data from a user's browser. Google issued a patch for the vulnerability for users of Android 4.1-4.3 in late September.

Source: <http://threatpost.com/second-same-origin-policy-bypass-flaw-haunts-android-browser>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

[\[Return to top\]](#)

Communications Sector

39. *October 2, Syracuse Journal-Democrat* – (Nebraska) **Water shuts down communications for some local businesses.** Full Windstream Communications telephone and Internet service was restored to as many as 100 customers in Syracuse, Nebraska, October 1 following an outage that occurred September 30 due to heavy rains that soaked the cable lines.
Source: <http://www.journaledemocrat.com/article/20141002/NEWS/141009958>

[\[Return to top\]](#)

Commercial Facilities Sector

40. *October 3, KIRO 7 Seattle* – (Washington) **Two jump from 3rd-floor balcony to escape flames.** About 30 residents were displaced from the Mosaic Hills apartment complex in Kent by an explosion that developed into a 3-alarm fire October 3. Twenty units were damaged by the blaze and two individuals were hospitalized with injuries.
Source: <http://www.kirotv.com/news/news/breaking-news-two-injured-two-alarm-fire-apartment/nhbMF/>
41. *October 3, WCTI 12 New Bern* – (North Carolina) **Roads back open following Greenville gas leak.** More than 200 people were evacuated from the Carriage House Apartments and Oakmont Apartments complexes in Greenville October 2 while crews capped a natural gas leak behind one of the buildings. Local roadways reopened and residents were allowed to return home October 3 after crews made repairs to the line.
Source: <http://www.wcti12.com/news/greenville-gas-leak-causes-road-closure-apartment-evacuation/28378164>
42. *October 2, Orlando Sentinel* – (Florida) **Chemical fumes: 350 people evacuated, 4 hospitalized.** About 350 people were evacuated from the Gateway Business Park office complex in Orange County after an odor from a cleaning chemical circulated throughout the building by way of air-conditioning vents October 2. Seventeen workers were treated at the scene and four others were hospitalized due to exposure to the fumes.
Source: <http://www.orlandosentinel.com/news/breaking-news/os-fumes-evacuation-orange-rescue-20141002-story.html>
43. *October 2, WRHI 1340 AM/94.3 FM Rock Hill* – (South Carolina) **Rock Hill's**

Executive Inn residents given until October 10 to move out. About 50 residents of the Executive Inn motel in Rock Hill, South Carolina, were ordered to vacate by October 10 after city officials ruled October 2 to condemn the site that was deemed unfit for human habitation. City inspectors found more than 12 infractions of the local housing code, including exposed wires, a broken roof, crumbling stairways, and a cockroach infestation.

Source: <http://www.wrhi.com/2014/10/rock-hills-executive-inn-residents-given-until-october-10-to-move-out-98878>

44. *October 2, Associated Press* – (Texas) **Weather, permits delay apartment decontamination.** A severe storm and subsequent power outage October 2 delayed the start of work by a HAZMAT crew that was hired to decontaminate the Dallas apartment where an Ebola-stricken man temporarily resided prior to his diagnosis. Crews were expected to start work October 3 after power was restored, additional permits were obtained, and residents still living in the unit were relocated.

Source: <http://www.thestate.com/2014/10/02/3720479/hazardous-material-crews-decontaminating.html>

45. *October 2, Cleveland Plain Dealer* – (Ohio) **Ruptured Stark County oil and natural gas pipeline fixed, campers return home.** An evacuation order for 170 residents of the Springwood Lake Campgrounds in Bethlehem Township was lifted after more than 11 hours October 2 when crews used a 6-inch clamp to repair a hole in an oil and natural gas pipeline that allowed more than 200 gallons of oil to spill October 1. Authorities cleared two water wells that were closed due to possible contamination and cleaned about 90 percent of the oil that spilled into a lake on the property.

Source:

http://www.cleveland.com/akron/index.ssf/2014/10/ruptured_stark_county_oil_and.html

For additional stories, see items [5](#), [22](#), and [33](#)

[\[Return to top\]](#)

Dams Sector

Nothing to report

[\[Return to top\]](#)



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:

Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590

Subscribe to the Distribution List:

Visit the [DHS Daily Open Source Infrastructure Report](#) and follow instructions to [Get e-mail updates when this information changes](#).

Removal from Distribution List:

Send mail to support@govdelivery.com.

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.