



Homeland
Security

Daily Open Source Infrastructure Report

21 November 2014

Top Stories

- Nearly 100,000 gallons of water was allegedly released by vandals following several reports of open fire hydrants in Dickinson, North Dakota, November 16. – *Dickinson Press* (See item [23](#))
- Police shot and killed a gunman on Florida State University campus after he opened fire at the university's Stroz Library November 20 injuring three students. – *WCTV 6 Thomasville* (See item [24](#))
- An accident involving two George County school buses November 19 sent 21 students to area hospitals for minor injuries when the two busses collided on Mississippi Highway 26 in Lucedale, Mississippi. – *WALA 10 Mobile* (See item [26](#))
- Heavy snow caused a roof to collapse at a christmascentral.com warehouse in Cheektowaga, New York, November 19 that also resulted in a natural gas leak, prompting the evacuation of the neighboring Garden Gate Health Care Facility. – *Buffalo News* (See item [41](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
 - [Emergency Services](#)
-

Energy Sector

1. *November 20, WSAZ 3 Huntington* – (Kentucky) **Crews working to remove leaked oil after fire at Kentucky Power substation.** Firefighters controlled a fire at Kentucky Power's Baker substation in Louisa November 20 following a transformer explosion. Crews removed over 3,000 gallons of non-PCB lubricating oil that leaked into a nearby ditch at the substation and were monitoring the blaze that was estimated to continue burning for several hours.

Source: <http://www.wsaz.com/news/headlines/Kentucky-Power--283301241.html>

[\[Return to top\]](#)

Chemical Industry Sector

Nothing to report

[\[Return to top\]](#)

Nuclear Reactors, Materials, and Waste Sector

2. *November 20, Palm Beach Post* – (Florida) **Feds increase oversight of FPL's St. Lucie nuclear power plant.** The U.S. Nuclear Regulatory Commission announced November 20 that it is increasing its oversight of the St. Lucie Unit 1 reactor in Jensen Beach due to violations linked to plant operator Florida Power & Light's failure to ensure that the reactor's auxiliary building was watertight. The operator agreed to take corrective actions to repair flood seals, increase inspections of flood protection features, and revise flood response procedures.

Source: <http://protectingyourpocket.blog.palmbeachpost.com/2014/11/20/feds-increase-oversight-of-fpls-st-lucie-nuclear-plant/>

[\[Return to top\]](#)

Critical Manufacturing Sector

3. *November 19, U.S. Department of Labor* – (Virginia) **OSHA finds shipyard workers repeatedly exposed to life-threatening safety and health hazards at Norfolk, Virginia, facility.** The Occupational Safety and Health Administration cited Colonna's Shipyard Inc.'s ship repair facility in Norfolk November 19 for 12 safety and health violations following a May 2014 inspection that revealed unguarded manholes and other fall risks, defective equipment, and electrical hazard exposures. Proposed penalties total \$101,000.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=27033

4. *November 19, U.S. Consumer Product Safety Commission* – (National) **AP Specialties recalls Power Bank chargers due to fire hazard.** AP Specialties announced a recall

of about 172,000 Power Bank device chargers due to the potential for the chargers to overheat, posing a fire hazard. The chargers were distributed as promotional items at trade shows, industry conventions, and meetings between November 2013 and August 2014.

Source: <http://www.cpsc.gov/en/Recalls/2015/AP-Specialties-Recalls-Power-Bank-Chargers/>

5. *November 19, Associated Press* – (National) **VW recalls 442,000 cars to fix suspension problem.** Volkswagen initiated a recall for 442,000 model year 2011-2013 Jetta and 2012-2013 Beetle vehicles due the potential for the vehicles' rear trailing arms to fracture suddenly if they are damaged in a crash and not repaired correctly. Source: <http://abcnews.go.com/Business/wireStory/vw-recalls-442000-cars-fix-suspension-problem-27019667>
6. *November 19, U.S. Department of Labor* – (Connecticut) **Fire at Vernon, Connecticut, precision machining and fabricating facility sparks OSHA investigation.** Soldream Inc. was cited by the Occupational Safety and Health Administration after an inspection prompted by a dust collection system fire in May identified 20 safety and health violations at the company's Vernon facility. Proposed fines totaled \$59,290. Source: https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=27030
7. *November 19, U.S. Department of Labor* – (Georgia) **Nissin Brake Georgia Inc. cited for serious safety violations.** The Occupational Safety and Health Administration cited Nissin Brake Georgia Inc., for 11 safety and health violations at the company's Rock Spring facility following a June inspection. Proposed fines totaled \$53,000. Source: https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=27027

For another story, see item [8](#)

[\[Return to top\]](#)

Defense Industrial Base Sector

8. *November 19, U.S. Department of Labor* – (Alabama) **Mobile, Alabama-based shipbuilder cited for serious safety and health violations.** An Occupational Safety and Health Administration inspection of the Austal USA LLC facility in Mobile initiated by a complaint in May identified 12 safety and health violations at the facility, including worker exposure to falls and copper fumes. Proposed fines totaled \$41,500. Source: https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=27018

For another story, see item [3](#)

[\[Return to top\]](#)

Financial Services Sector

9. *November 19, WXII 12 Winston-Salem* – (North Carolina) **‘Striped hoodie bandit’ still wanted after High Point, Asheboro bank robberies.** The FBI asked for the public’s help in providing information on a suspect known as the “Striped Hoodie Bandit” responsible for three bank robberies in North Carolina, with the most recent occurring November 18 at a Sun Trust Bank branch in Huntersville.
Source: <http://www.wxii12.com/news/striped-hoodie-bandit-still-wanted-after-high-point-asheboro-bank-robberies/29825564>

For another story, see item [39](#)

[\[Return to top\]](#)

Transportation Systems Sector

10. *November 20, North Salem Daily Voice* – (New York) **Two-car accident in Southeast leaves seven hospitalized.** Seven people were injured November 19 after 2 cars collided at the intersection of Routes 6 and 22 in Southeast, New York, which led to the closure of westbound Route 6 and southbound Route 22 for approximately 4 hours while authorities investigated and cleared up the scene.
Source: <http://northsalem.dailyvoice.com/police-fire/two-car-accident-southeast-leaves-seven-hospitalized>
11. *November 20, Lower Hudson Valley Journal News* – (New York) **Man killed crossing Saw Mill Parkway.** The Saw Mill River Parkway reopened to traffic after multiple unrelated vehicle accidents shut down various parts of the roadway for nearly 6 hours November 19, including an accident in Dobbs Ferry that resulted in the death of a pedestrian.
Source: <http://www.lohud.com/story/news/local/2014/11/19/accidents-saw-mill-river-parkway/19297877/>
12. *November 20, Associated Press* – (California) **Flight diverted to LAX after medical emergency.** A Qantas flight from Dallas to Sydney, Australia, was diverted to Los Angeles International Airport in California November 20 due to a medical emergency on board. The sick passenger was transferred to a local hospital for treatment while passengers were given hotel accommodations.
Source: <http://abcnews.go.com/Health/wireStory/flight-diverted-lax-medical-emergency-27052020>
13. *November 19, WITI 6 Milwaukee* – (Wisconsin) **Suspicious object discovered on Delta flight headed to Atlanta from Milwaukee; plane returns to gate.** A Delta Airlines flight from Milwaukee, Wisconsin, to Atlanta was forced to return to General

Mitchell International Airport November 19 after a suspicious item was found in a seat while the plane was taxiing out. Passengers were de-planed and authorities cleared the plane after investigating.

Source: <http://fox6now.com/2014/11/19/suspicious-object-discovered-on-delta-flight-headed-to-atlanta-from-milwaukee-plane-returns-to-gate/>

[\[Return to top\]](#)

Food and Agriculture Sector

14. *November 20, KGW 8 Portland* – (Washington) **2-alarm fire at Vancouver dairy farm.** A 2-alarm fire at an Andersen Dairy-owned farm in Vancouver November 20 caused a barn's roof to partially collapse and destroyed hundreds of thousands of dollars' worth of alfalfa used as cattle feed. About 50 cattle were removed from the structure and no injuries were reported.
Source: <http://www.kgw.com/story/news/local/vancouver/2014/11/20/2-alarm-fire-at-vancouver-dairy-farm/19324445/>
15. *November 20, Associated Press* – (South Dakota) **No cause yet for fire at Mitchell elevator.** Chemicals and other debris are being removed from a fertilizer and chemical storage building at a CHS Farmers Alliance grain elevator complex in Mitchell following a November 19 fire that destroyed the structure. The cause of the fire is under investigation and authorities reported that the air quality was being tested and there was no danger to the public.
Source: <http://www.argusleader.com/story/news/crime/2014/11/20/cause-yet-fire-mitchell-elevator/19320295/>
16. *November 19, WHBQ 13 Memphis* – (Mississippi) **Man rescued from grain storage bin.** Rescuers worked for more than 4 hours November 20 to extract a man who became trapped when he slipped and fell into a grain storage bin at a farm in Waterford. Crews used chainsaws to make relief cuts around the bin and release soybeans before the man could be rescued.
Source: <http://www.myfoxmemphis.com/story/27430130/man-stuck-grain-bin>
17. *November 19, U.S. Department of Agriculture* – (Pennsylvania) **Pennsylvania firm recalls pork products due to misbranding and undeclared allergens.** The Food Safety and Inspection Service announced November 19 that K. Heeps, Inc. issued a recall for about 2,902 pounds of Stryker Farm-branded bratwurst and bangers products due to undeclared soy lecithin caused by misbranding. The products were distributed to restaurants and retailers in Pennsylvania by a single vendor.
Source: <http://www.fsis.usda.gov/wps/portal/fsis/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2014/recall-080-2014-release>
18. *November 19, U.S. Department of Agriculture* – (California; Pennsylvania; Texas) **California firm recalls sausage products due to misbranding and undeclared allergen.** The Food Safety and Inspection Service reported November 19 that Sapar USA, Inc., doing business as Fabrique Delices, issued a recall for about 12 pounds of

sausage products due to misbranding and undeclared nonfat dry milk. The product yields a production date of November 6 and was sold through distribution centers in California, Pennsylvania, and Texas to retail and institutional outlets.

Source: <http://www.fsis.usda.gov/wps/portal/fsis/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2014/recall-081-2014-release>

19. *November 19, U.S. Environmental Protection Agency* – (Connecticut) **EPA settlement reduces risk of ammonia releases from North Haven, Conn. cold storage facility.**

Bozzuto's Inc., entered into a settlement with the U.S. Environmental Protection Agency and agreed to pay \$124,181 to resolve alleged violations of the Clean Air Act including the improper handling of anhydrous ammonia at the company's cold storage warehouse in North Haven. Bozzuto's also spent more than \$500,000 to bring its facilities in North Haven and Cheshire into compliance with federal regulations, and voluntarily installed an ammonia detection system and computerized automatic shutdown control system at the sites.

Source:

<http://yosemite.epa.gov/opa/admpress.nsf/596e17d7cac720848525781f0043629e/d42a0322b303bd2885257d95005bb404!OpenDocument>

20. *November 19, U.S. Department of Labor* – (Nebraska) **OSHA cites Double Dutch Dairy after worker fatally injured by front-end loader in Shelby, Nebraska.**

Double Dutch Dairy was cited by the Occupational Safety and Health Administration for 4 serious safety violations revealed during an inspection of the company's Shelby, Nebraska, facility following a June 2014 worker fatality. The investigation revealed the driver of a front-end loader had an obstructed view which led to a second worker being fatally struck-by the equipment.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=27024

[\[Return to top\]](#)

Water and Wastewater Systems Sector

21. *November 20, Kalamazoo Gazette* – (Michigan) **Approximately 24,000 gallons of sanitary sewage overflows near pumping station in Richland.**

An estimated 24,000 gallons of wastewater overflowed from a sanitary sewer near the Gull Lake Sewer and Water Authority's main pumping station in Richland November 18 when a cleaning tool dislodged a large amount of debris during the maintenance and cleaning of a pressure pipe south of the lift station. The debris were removed and the pumping station resumed operations.

Source:

http://www.mlive.com/news/kalamazoo/index.ssf/2014/11/approximately_24000_gallons_of.html

22. *November 19, Northwest Florida Daily News* – (Florida) **Sewage spill triggers advisory.**

An advisory against swimming, boating, or any other significant contact with

Garnier's Bayou was issued by the Okaloosa County Health Department November 19 until further notice after a sewage spill sent an estimated 100,000 gallons of untreated wastewater into the bayou near the west end of the Shalimar bridge due to a construction accident.

Source: <http://www.nwfdailynews.com/local/sewage-spill-triggers-advisory-document-1.403323>

23. *November 18, Dickinson Press* – (North Dakota) **Dickinson Police investigating fire hydrant vandalism that released 100,000 gallons of water.** Nearly 100,000 gallons of water was allegedly released following several reports of open fire hydrants in Dickinson, North Dakota, November 16. Authorities are searching for the suspects involved and are investigating leads.

Source: <http://www.thedickinsonpress.com/content/dickinson-police-investigating-fire-hydrant-vandalism-released-100000-gallons-water>

[\[Return to top\]](#)

Healthcare and Public Health Sector

See item [41](#)

[\[Return to top\]](#)

Government Facilities Sector

24. *November 20, WCTV 6 Thomasville* – (Florida) **Three students shot at FSU library, gunman killed by police.** Police killed a gunman who shot at officers after opening fire at the Stroz Library at Florida State University in Tallahassee November 20 injuring three students. Authorities cleared the scene after several hours and continue to investigate the incident.

Source: <http://www.wctv.tv/home/headlines/Dangerous-Situation-Reported-at-FSU-283300801.html>

25. *November 20, Associated Press* – (Michigan) **3 children hurt in Michigan school bus crash.** Three students were transported to an area hospital with injuries after their school bus slid off an icy road in Cheboygan County's Inverness Township and landed in a ditch November 19.

Source: <http://www.freep.com/story/news/local/michigan/2014/11/20/michigan-school-bus-accident/19314725/>

26. *November 19, WALA 10 Mobile* – (Mississippi) **21 students sent to hospital in school bus accident.** An accident involving a George County school bus that was rear-ended by another county bus along Mississippi Highway 26 in Lucedale November 19 caused 21 students to be transported to area hospitals due to injuries.

Source: <http://fox10tv.com/2014/11/19/21-students-sent-to-hospital-in-school-bus-accident/>

27. *November 19, Times of Trenton* – (New Jersey) **Trenton police search for man in theft of 23 iPads from elementary school.** Authorities are searching for a suspect November 19 believed to be connected to the theft of 23 iPads from the Monument School in Trenton.
Source: http://www.nj.com/mercer/index.ssf/2014/11/police_searching_for_man_in_connection_with_theft_from_trenton_school.html

[\[Return to top\]](#)

Emergency Services Sector

28. *November 20, WRC 4 Washington, D.C.* – (California) **Married police officers plead guilty to running drug network.** Two former San Diego Police officers pleaded guilty November 19 to running and operating a hydrocodone distribution network in the county, filling as much as 150 prescriptions from various doctors, in addition to charges alleging they burglarized homes while on duty.
Source: <http://www.nbcwashington.com/news/national-international/Married-SDPD-Officers-Jennifer-Bryce-Charpentier-Plead-Guilty-to-Drug-Charges-283269401.html>
29. *November 19, WAVY 10 Portsmouth* – (North Carolina) **Dare County Justice Center reopens after bomb threat.** The Dare County Justice Center in North Carolina was evacuated for approximately 4 hours November 19 due to a phoned bomb threat. Police cleared the scene after nothing suspicious was found.
Source: <http://wavy.com/2014/11/19/dare-county-justice-center-evacuated-due-to-bomb-threat/>
30. *November 18, Edmond Sun* – (Oklahoma) **Personnel remove 2,100 water spill in co. jail.** A 20-year old copper pipe and a radiator coil burst on the second floor of the Oklahoma County jail November 17 causing 2,100 gallons of water to spill into the south side of the jail where the administrative offices are located, damaging equipment and knocking out several security cameras.
Source: http://www.edmondsun.com/news/local_news/personnel-remove-water-spill-in-co-jail/article_e8b8ca24-6f79-11e4-a4b3-43552248417f.html
31. *November 19, Shawnee News-Star* – (Oklahoma) **Cut phone lines issue affect residents, County 911 center.** Emergency 9-1-1 and phone service for the area of Hardesty and Gordon Cooper Drive in Pottawatomie County was disrupted for nearly 5 hours November 18 due to cut fiber lines.
Source: <http://www.news-star.com/article/20141118/NEWS/141119671/-1/sports>

[\[Return to top\]](#)

Information Technology Sector

32. *November 20, Threatpost* – (International) **Attackers using compromised Web plug-**

ins in CryptoPHP blackhat SEO campaign. Researchers with Fox-IT identified a group of attackers using compromised WordPress themes and plugins to deliver a piece of malware dubbed CryptoPHP that engages in fraudulent search engine optimization (SEO) operations. The malware can also inject content into sites using the compromised plugins and themes, update itself, and perform other tasks.

Source: <http://threatpost.com/attackers-using-compromised-web-plug-ins-in-cryptophp-blackhat-seo-campaign/109505>

33. *November 20, Securityweek* – (International) **Developers fix XSS vulnerability in jQuery Validation Plugin script.** The developers of the jQuery Validation Plugin issued a fix for a vulnerability present in the plugin's demo code that could have allowed an attacker to engage in session hijacking using a reflected cross-site scripting (XSS) attack. The code appeared to be first reported in 2007.
Source: <http://www.securityweek.com/developers-fix-xss-vulnerability-jquery-validation-plugin-script>
34. *November 20, Threatpost* – (International) **Angler exploit kit adds new Flash exploit for CVE-2014-8440.** A security researcher reported that the Angler exploit kit has been equipped with an exploit for the CVE-2014-8440 vulnerability in Adobe Flash that can be used to take control of target systems. The vulnerability was patched by Adobe November 11 but unpatched systems remain vulnerable.
Source: <http://threatpost.com/angler-exploit-kit-adds-new-flash-exploit-for-cve-2014-8440/109498>
35. *November 20, Threatpost* – (International) **Drupal patches denial of service vulnerability; details disclosed.** Researchers who identified a denial of service (DoS) vulnerability in the Drupal content management system published details of the vulnerability that could also expose user names following the release of a patch by Drupal November 19 to close the vulnerability.
Source: <http://threatpost.com/drupal-patches-denial-of-service-vulnerability-details-disclosed/109502>
36. *November 19, Securityweek* – (International) **Chrome 39 includes 42 security fixes, disables fallback to SSL 3.0.** Google released version 39 of its Chrome browser, closing 42 security issues, 11 of which were rated as high-severity, adding features, and disabling fallback to SSL 3.0 which could be exploited in POODLE attacks.
Source: <http://www.securityweek.com/chrome-39-includes-42-security-fixes-disables-fallback-ssl-30>
37. *November 19, Network World* – (International) **FTC gets federal court to shut down \$120M tech support scam.** The Federal Trade Commission (FTC) announced November 19 that a federal court granted its request to temporarily shut down two telemarketing operations that allegedly defrauded consumers out of more than \$120 million by convincing them to grant the marketers remote access and deceiving them into paying for services and products to solve nonexistent computer problems. The companies involved include PC Cleaner, Boost Software, and Inbound Call Experts,

and the defendants are the targets of separate cases filed by the FTC and the State of Florida.

Source: <http://www.networkworld.com/article/2849636/security0/ftc-gets-federal-court-to-shut-down-120m-tech-support-scam.html>

38. *November 19, Softpedia* – (International) **Privilege escalation risk fixed in Android Lollipop, lower versions vulnerable.** A researcher who identified and reported a flaw in the Android operating system that could allow an attacker to execute arbitrary code released a proof-of-concept for the vulnerability following the November 3 release of a patch that closes the vulnerability in Android Lollipop (also known as Android 5.0). The vulnerability is still present on previous Android versions.

Source: <http://news.softpedia.com/news/Privilege-Escalation-Risk-Fixed-in-Android-Lollipop-Lower-Versions-Vulnerable-465407.shtml>

39. *November 19, Threatpost* – (International) **Citadel variant targets password managers.** Researchers with IBM Trusteer notified the makers of the nexus Personal Security Client, KeePass, and Password Safe password managers that a new variant of the Citadel malware is targeting the three services in an attempt to steal users' logins and passwords.

Source: <http://threatpost.com/citadel-variant-targets-password-managers/109493>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

[\[Return to top\]](#)

Communications Sector

40. *November 19, WINK 11 Fort Myers* – (Florida) **Police search for cell phone tower copper thieves** Officials are searching for the suspects responsible for stealing more than \$100,000 worth of copper from Lee County cell phone towers over the course of three months dating back to August.

Source: <http://www.winknews.com/Local-Florida/2014-11-19/Police-search-for-cell-phone-tower-copper-thieves>

[\[Return to top\]](#)

Commercial Facilities Sector

41. *November 19, Buffalo News* – (New York) **Cheektowaga warehouse roof collapse forces evacuation of nearby nursing facility.** Heavy snow caused a roof collapse at a christmascentral.com warehouse in Cheektowaga November 19 resulting in millions of dollars in damage to the structure and its contents. The collapse also caused a natural

gas leak that prompted the evacuation of Garden Gate Health Care Facility.

Source: <http://www.buffalonews.com/city-region/cheektowaga-warehouse-roof-collapse-forces-evacuation-of-nearby-nursing-facility-20141119>

42. *November 19, Long Beach Press-Telegram* – (California) **Long Beach police sting operation targeting shoplifters, thieves results in 72 arrests.** Police arrested 72 suspects from November 13-15 on charges including felony grand theft and robbery in connection with a retail theft operation that targeted more than 30 businesses across Long Beach.

Source: <http://www.presstelegram.com/general-news/20141119/long-beach-police-sting-operation-targeting-shoplifters-thieves-results-in-72-arrests>

43. *November 19, Zanesville Times Recorder* – (Ohio) **Ohio apartment complex fire displaces 70 people.** About 50 residents were displaced from Building B of the Stimens Apartment complex in Mansfield, Ohio, following a November 19 fire that is believed to have started in a furnace before it spread to a second furnace and the structure's attic. About 20 additional residents were temporarily displaced from Building C at the complex after crews cut electric and gas service to the building.

Source: <http://www.zanesvilletimesrecorder.com/story/news/state/2014/11/19/ohio-apartment-complex-fire-displaces-people/19295723/>

44. *November 18, KDKA 2 Pittsburgh* – (Pennsylvania) **Six sought in retail theft ring targeting Lowes Stores.** A McCandless man was arrested and charged and police are searching for six additional suspects in connection with a theft ring that targeted four western Pennsylvania Lowes stores since October. The suspects allegedly loaded carts with expensive merchandise and walked out of the stores without paying, then later returned the merchandise for a refund.

Source: <http://pittsburgh.cbslocal.com/2014/11/18/six-sought-in-retail-theft-ring-targeting-lowes/>

[\[Return to top\]](#)

Dams Sector

45. *November 18, Associated Press* – (Washington) **Reservoir behind Wanapum Dam to begin filling.** The Grant County Public Utility District announced that the Wanapum Dam in Ephrata could resume normal operations by May 2015 after a 65-foot crack was discovered in its spillway in February, prompting authorities to lower the reservoir behind the Columbia River dam to 26 feet and ban the public from the shoreline for safety. Thirty-five anchor cables will be drilled into the bedrock for strength and 70 anchor bars will be bolted into the spillway to repair the crack.

Source: <http://www.komonews.com/news/local/Reservoir-behind-Wanapum-Dam-to-begin-filling-283124671.html>

[\[Return to top\]](#)



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.