Daily Open Source Infrastructure Report
05 July 2016

Top Stories

- A June 30 fire at Bob's Turkey Farm in Lancaster, Massachusetts, killed 7,000 turkeys and destroyed the barn. – *CNN* (See item **6**)

- The U.S. Army Corps of Engineers Jacksonville District began reductions of water flow from Lake Okeechobee, targeting the Caloosahatchee Estuary and the St. Lucie Estuary, July 1 due to an increase of noxious algae blooms and other environmental damage that foul beaches on Florida's Atlantic coast. – *Associated Press* (See item **9**)

- Nearly 27,000 gallons of sewage spilled June 30 into a nearby storm drain at Joint Base Pearl Harbor-Hickam near Honolulu, prompting officials to post warning signs advising people to stay out the water. – *KHON 2 Honolulu* (See item **10**)

- An affidavit unsealed June 30 revealed that the U.S. Department of Justice found in April 2015 that a former, convicted U.S. Secret Service agent allegedly stole an additional $700,000 worth of Bitcoin from a U.S. Secret Service account 3 months after the agency was urged to block his access. – *Reuters* (See item **14**)

Fast Jump Menu

Energy Sector

Nothing to report

Chemical Industry Sector

1. *June 30, KAKE 10 Wichita* – (Kansas) **2 killed in industrial accident at Wichita-area plant.** Two workers from the Occidental Chemical Corporation died June 30 after falling from a boom truck while working at the facility. A preliminary investigation revealed a failure of the workers' mechanical equipment allegedly caused the incident. Source: http://www.kake.com/story/32346731/2-killed-in-industrial-accident-at-wichita-plant

Nuclear Reactors, Materials, and Waste Sector

2. *June 30, Boston Wicked Local* – (Massachusetts) **Pilgrim Nuclear Power Station security guard transported to hospital after chemical exposure.** An Entergy Pilgrim Station spokesperson reported June 30 that two security officers at its Pilgrim Nuclear Generating Station in Plymouth experienced nausea and blurred vision after being exposed to bleach while working an overnight shift. One officer was transported to an area hospital, and officials did not find the source of the smell after conducting a thorough investigation. Source: http://www.patriotledger.com/news/20160630/pilgrim-nuclear-power-station-security-guard-transported-to-hospital-after-chemical-exposure

Critical Manufacturing Sector

Nothing to report

Defense Industrial Base Sector

Nothing to report

Financial Services Sector

3. *June 30, Raleigh News & Observer* – (North Carolina) **Man accused of using fraudulent plastic to charge $85,000 in purchases.** A Raleigh resident was arrested June 29 for allegedly using a fraudulent credit card to spend approximately $85,000 at businesses in Cary and Garner, North Carolina, and for cashing two checks drawn on a closed Bank of America account. Source: http://www.newsobserver.com/news/local/crime/article86857592.html

Transportation Systems Sector

4. *June 30, Nashville The Tennessean* – (Tennessee) **IDs released in fatal 3-vehicle Robertson County wreck.** The Tennessee Highway Patrol shut down Highway 76 in Robertson County for several hours June 30 while officials investigated the scene of a

three-vehicle crash that left one person dead.
Source: http://www.tennessean.com/story/news/2016/06/30/one-dead-crash-highway-76-robertson-county/86546830/

5. *June 30, WDBJ 7 Roanoke* – (Virginia) **5-vehicle wreck causes major backup on I-81 in Roanoke County.** Officials shut down a portion of Interstate 81 in Roanoke County for several hours June 30 while crews worked to clear the wreckage from a five-vehicle crash.
Source: http://www.wdbj7.com/content/news/Tractor-trailer-fire-blocks-I-81-North-and-South-in-Roanoke-County-385036221.html

Food and Agriculture Sector

6. *July 1, CNN* – (Massachusetts) **Barn fire kills 7,000 young turkeys on Massachusetts farm.** A June 30 fire at Bob's Turkey Farm in Lancaster, Massachusetts, killed 7,000 turkeys and destroyed the barn. The cause of the fire is under investigation.
Source: http://www.cnn.com/2016/07/01/us/7000-turkeys-killed-barn-fire/

7. *June 30, U.S. Department of Labor* – (New Jersey) **OSHA cites food manufacturer after worker dies after 24-foot fall at the company's Jersey City warehouse.** The Occupational Safety and Health Administration cited Wei-Chuan U.S.A. Inc., with one willful, one repeat, and six serious violations June 22 after a December 2015 incident where a worker died after falling from a warehouse rack prompted an investigation at the Jersey City, New Jersey facility which revealed that the company failed to provide fall protection, failed to provide hand protection for employees handling hazardous materials, and failed to implement adequate hazard communication training, among other violations. Proposed penalties total $107,000.
Source: https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32751

8. *June 30, Naperville Sun* – (Illinois) **Chemical leak at Bolingbrook meat plant injures four.** Up to 20 workers were evacuated from the West Liberty Foods, LLC facility in Bolingbrook, Illinois, June 30 after a valve was stuck in the open position, allowing carbon dioxide to leak into the plant. Four workers were transported to an area hospital and officials ventilated the facility and capped the leak before deeming the area safe.
Source: http://www.chicagotribune.com/suburbs/naperville-sun/news/ct-nvs-bolingbrook-carbon-dioxide-leak-st-0701-20160630-story.html

Water and Wastewater Systems Sector

9. *July 1, Associated Press* – (Florida) **Army Corps to reduce lake flows fueling Florida Algae Bloom.** The U.S. Army Corps of Engineers Jacksonville District began reductions of water flow from Lake Okeechobee, targeting the Caloosahatchee Estuary and the St. Lucie Estuary, July 1 due to an increase of noxious algae blooms and other environmental damage that foul beaches on Florida's Atlantic coast.
Source: http://abcnews.go.com/US/wireStory/army-corps-reduce-lake-flows-fueling-

10. *June 30, KHON 2 Honolulu* – (Hawaii) **Warning signs posted after sewage spill at Joint Base Pearl Harbor-Hickam.** An 18-inch wastewater force main ruptured June 30 spilling approximately 27,000 gallons of sewage into a nearby storm drain at Joint Base Pearl Harbor-Hickam adjacent to Honolulu, prompting officials to post warning signs advising people to stay out of the water until the water is tested and deemed safe. Crews are still working to repair the ruptured main and clear nearly 7,000 gallons of sewage that was discharged from a canal near Hickam Beach.
Source: http://khon2.com/2016/06/30/warning-signs-posted-after-sewage-spill-at-joint-base-pearl-harbor-hickam/

Healthcare and Public Health Sector

Nothing to report

Government Facilities Sector

11. *July 1, Greenville Herald-Banner* – (Texas) **Hunt County Courthouse to be closed Friday after smoke scare.** The Hunt County Courthouse in Texas was closed July 1 for safety inspections after the building was evacuated June 30 following reports of smoke. The fire department determined that one of the elevators overheated and no damage was reported.
Source: http://www.heraldbanner.com/news/hunt-county-courthouse-evacuated-due-to-smoke-scare/article_aed536ce-3f0e-11e6-96ac-5f685ca1221c.html

12. *July 1, Portland Oregonian* – (Oregon) **Fire burns 2,800 acres east of The Dallas; Celilo Village still under evacuation notice.** Crews reached 60 percent containment July 1 of the 2,800-acre 15 Mile Fire burning near The Dallas and Celilo Village. The fire threatens up to 10 structures and has prompted evacuation orders for surrounding areas.
Source: http://www.oregonlive.com/pacific-northwest-news/index.ssf/2016/06/fire_threatening_homes_east_of.html

13. *July 1, KNSD 39 San Diego* – (California) **Border Fire burns 7,609 acres in Potrero, 100 percent contained.** Crews reached full containment June 30 of the Border Fire that burned 7,609 acres in southeast San Diego. The fire destroyed or damaged at least 17 structures and prompted evacuations.
Source: http://www.nbcsandiego.com/news/local/Potrero-Border-Fire-Updates-Containment-Cal-Fire-384385131.html

14. *June 30, Reuters* – (National) **Former U.S. Secret Service agent suspected in additional Bitcoin thefts.** An affidavit unsealed June 30 revealed that the U.S. Department of Justice found in April 2015 that a former, convicted U.S. Secret Service agent allegedly stole an additional $700,000 worth of Bitcoin from a U.S. Secret Service account 3 months after the agency was urged to block his access. The former agent reportedly kept a private cryptographic key giving him access to a Bitcoin wallet

that the Silk Road task force had seized and 2014, and never moved the funds out of.
Source: http://www.reuters.com/article/us-bitcoin-corruption-bridges-idUSKCN0ZH3FB

Emergency Services Sector

Nothing to report

Information Technology Sector

15. *July 1, Softpedia* – (International) **Google finds 16 bugs, 2 zero-days, in Windows kernel font handling.** Microsoft released patches for its Windows kernel that fixed 16 flaws after security researchers from Project Zero discovered that Windows executes all font processing operations in the kernel's ring-0 with the highest level of permissions, allowing attackers to have direct access to the entire operating system (OS).
Source: http://news.softpedia.com/news/google-finds-16-bugs-two-zero-days-in-windows-kernel-font-handling-505889.shtml

16. *July 1, Softpedia* – (International) **Free decrypter available for Unlock92 ransomware.** An independent security researcher created a decrypter tool for the ransomware, Unlock92 after security researchers from Malwarebytes discovered the new ransomware can encrypt victims' files with a symmetric and Advanced Encryption Standard encryption (AES) and generate a 64-character hexadecimal password for each target.
Source: http://news.softpedia.com/news/free-decrypter-available-for-unlock92-ransomware-505883.shtml

17. *July 1, SecurityWeek* – (International) **Foxit patches RCE flaws in Reader, PhantomPDF.** Foxit Software released updates for its Reader and PhantomPDF products running version 7.3.4.311 and earlier Windows versions, that addressed more than a dozen vulnerabilities including out-of-bounds read, heap buffer overflows, stack buffer overflow, user-after-free, and uninitialized pointer issues that could have been exploited remotely to expose sensitive information, crash the application, and execute arbitrary code.
Source: http://www.securityweek.com/foxit-patches-rce-flaws-reader-phantompdf

18. *June 30, SecurityWeek* – (International) **Hackers can exploit LibreOffice flaw with RTF files.** LibreOffice 5.1.4 was released June 30 after security researchers from Cisco Talos discovered that the Rich Text Format (RTF) parser in LibreOffice was susceptible to a flaw that could allow an attacker to execute arbitrary code using specially crafted RTF files by tricking the victim into opening a malicious RTF file sent via email.
Source: http://www.securityweek.com/hackers-can-exploit-libreoffice-flaw-rtf-files

Internet Alert Dashboard

Communications Sector

Nothing to report

Commercial Facilities Sector

19. *July 1, KSAT 12 San Antonio* – (Texas) **2-alarm fire forces evacuations at North Side apartment.** A June 30 fire damaged 13 apartment units and displaced several residents from a San Antonio apartment complex due to an alleged kitchen fire that started in one apartment unit and spread to surrounding units. No injuries were reported and the total amount of damages were unknown.
Source: http://www.ksat.com/news/2-alarm-fire-forces-evacuations-at-north-side-apartment

Dams Sector

Nothing to report

Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: http://www.dhs.gov/IPDailyReport

Contact Information

Content and Suggestions: Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590

Subscribe to the Distribution List: Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes.

Removal from Distribution List: Send mail to support@govdelivery.com.

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.