



Daily Open Source Infrastructure Report 04 August 2016

Top Stories

- The U.S. Coast Guard reported that approximately 4,200 gallons of crude oil spilled from a Texas Petroleum Investment Co. well into the Main Pass of the Mississippi River in Louisiana August 2. – *New Orleans Times-Picayune* (See item [1](#))
- Rhode Island police are investigating August 2 after a card-skimming device was found on an ATM at the Navigant Credit Union in Cumberland August 1 and the skimmed payment information was used to steal more than \$110,000 from ATMs across the State. – *WPRI 12 Providence* (See item [5](#))
- Two Detroit, Michigan residents were arrested in the Birmingham, Alabama, area July 28 after authorities found 177 stolen identities from over 25 banks in the duo’s possession. – *Birmingham News* (See item [6](#))
- Officials from the Nashville Fire Department reported August 2 that approximately 2 million of gallons of water were contaminated after 5 gallons of oil spilled from a nearby storm drain into the Cumberland River. – *WZTV 17 Nashville* (See item [19](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

Energy Sector

1. *August 2, New Orleans Time-Picayune* – (Louisiana) **As much as 4,200 gallons of crude oil spill into mouth of Mississippi River.** The U.S. Coast Guard reported that approximately 4,200 gallons of crude oil spilled from a Texas Petroleum Investment Co. well into the Main Pass of the Mississippi River in Louisiana August 2 and 840 gallons spilled from the company's pipeline into the river's South Pass July 28. The U.S. Coast Guard secured the pipe and installed a containment boom and officials were investigating the cause of the spill.

Source:

http://www.nola.com/environment/index.ssf/2016/08/as_much_as_4200_gallons_of_cr_u.html

Chemical Industry Sector

Nothing to report

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

Critical Manufacturing Sector

2. *August 2, U.S. Department of Labor* – (Illinois) **OSHA finds lack of adequate machine guarding after worker has three fingers crushed at Chicago steel drum manufacturer.** The Occupational Safety and Health Administration cited Meyer Steel Drum Inc., with 8 serious safety violations July 27 after a December 2015 incident where an employee's fingers were crushed while operating a metal coiler, prompting an investigation at the Chicago facility which revealed that the company failed to install adequate machine guards, failed to train forklift operators, and failed to lockout devices to prevent unintentional machine start-ups, among other violations. Proposed penalties total \$46,800.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32904

3. *August 2, U.S. Department of Labor* – (Missouri) **OSHA cites Missouri machine shop after welder electrocuted, dies.** The Occupational Safety and Health Administration cited Homeyer Precision Manufacturing with 11 serious and 1 other-than-serious safety violations July 29 following a May incident where a worker died after being electrocuted by a live cord, prompting an investigation at the Marthasville, Missouri facility which revealed that the company failed to train employees on electrical safe work practices, failed to isolate energy to machines and equipment, and failed to install adequate machine guards, among other violations. Proposed penalties total \$59,000.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32940

4. *August 1, U.S. Department of Labor* – (Arkansas) **Worker’s death leads OSHA to fine Nucor-Yamato Steel for poor loading operations at Arkansas steel mill.** The Occupational Safety and Health Administration cited Nucor-Yamato Steel Inc., with 8 serious violations July 29 after an employee’s death prompted an April 2016 investigation at the Blytheville, Arkansas facility which revealed that the company exposed workers to unprotected open-sided doors, failed to daily inspect all functional operating machines, and used a loading sling in excess of its recommended safe working load, among other violations. Proposed penalties total \$56,000.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32907

Defense Industrial Base Sector

Nothing to report

Financial Services Sector

5. *August 2, WPRI 12 Providence* – (Rhode Island) **Police: ATM skimming device used to steal \$110k.** Rhode Island police are investigating August 2 after a card-skimming device was found on an ATM at the Navigant Credit Union in Cumberland August 1 and the skimmed payment information was used to steal more than \$110,000 from ATMs across the State.

Source: <http://wpri.com/2016/08/02/police-atm-skimming-device-used-to-steal-110k/>

6. *August 1, Birmingham News* – (Alabama) **2 Detroit men busted in Alabama with 177 stolen identities.** Two Detroit, Michigan residents were arrested in the Birmingham, Alabama, area July 28 after authorities found 177 stolen identities from over 25 banks in the duo’s possession.

Source:

http://www.al.com/news/birmingham/index.ssf/2016/08/2_detroit_men_busted_in_alabam.html

Transportation Systems Sector

7. *August 3, KGO 7 San Francisco* – (California) **At least 1 dead, 1 hospitalized in crash off Hwy 9 in Santa Clara CO.** Highway 9 in Santa Clara County, California, was closed for several hours August 3 after a vehicle drove off a cliff, killing one person and sending another to an area hospital with severe injuries. Authorities are searching for one other passenger.

Source: <http://abc7news.com/news/at-least-1-dead-1-hospitalized-in-crash-off-hwy-9-in-santa-clara-co/1455062/>

8. *August 3, WFTS 28 Tampa* – (Florida) **2 children, 1 adult in serious condition following fatal collision in Dade City.** Officials closed Old Lakeland Highway in Pasco County, Florida, for several hours August 2 while they investigated the scene of

a fatal two-vehicle crash that left one person dead and sent three others to the hospital with serious injuries.

Source: <http://www.abcactionnews.com/news/local-news/1-killed-2-injured-in-traffic-crash-in-dade-city>

9. *August 3, Chicago Patch; Chicago Sun-Times* – (Illinois) **Collision closes Route 83 ahead of morning commute.** Northbound lanes of Route 83 in Addison, Illinois, were closed for several hours August 3 after a head-on collision involving a U.S. Postal Service semi-truck and another vehicle that sent both drivers to an area hospital with injuries.
Source: <http://patch.com/illinois/chicago/collision-closes-i-290-il-83-ahead-morning-commute>
10. *August 2, WHAS 11 Louisville* – (Kentucky) **Hwy. 62, Shaw Station Rd. closed in Grayson Co. after train crash.** Highway 62 and Shaw Station Road in Grayson County, Kentucky, were closed until further notice August 2 after a train engine and truck collided, causing the train engine to lean off the tracks and spill diesel.
Source: <http://www.whas11.com/news/traffic/accident-construction/hwy-62-shaw-station-rd-closed-in-grayson-co-after-train-crash/286130402>
11. *August 2, WFTV 9 Orlando* – (Florida) **Three injured in crash involving Mears bus, semi-truck.** Northbound lanes of South John Young Parkway in Orange County, Florida, were closed for several hours August 2 while officials investigated the cause of a five-vehicle accident after two vehicles collided with a semi-truck, leaving three people injured.
Source: <http://www.wftv.com/news/local/two-vehicles-collide-with-semi-truck-in-orange-county/415695318>
12. *August 2, Cleveland Daily Banner* – (Tennessee) **Highway 64 overturned truck impacts Ocoee Traffic.** One eastbound lane and one westbound lane of Highway 64 in Ocoee, Tennessee, were closed for several hours August 2 while crews worked to clean the wreckage after a semi-truck overturned. No injuries were reported.
Source: <http://clevelandbanner.com/stories/highway-64-overturned-truck-impacts-ocoe-traffic,39509>
13. *August 2, WXIA 11 Atlanta* – (Georgia) **Traffic back to normal after chicken guts spill on I-75.** All exits of the Interstate 75 southbound and Interstate 285 westbound interchange in Atlanta were closed for several hours August 2 while crews worked to clear the wreckage after a semi-truck overturned and spilled nearly 55,000 pounds of chicken parts onto the roadway.
Source: <http://www.11alive.com/news/local/chicken-guts-spill-shuts-down-i-75-ramp-to-i-285/286215581>
14. *August 2, Pittsburgh Tribune-Review* – (Pennsylvania) **1 dead in motorcycle crash on Old William Penn Highway.** William Penn Highway in Murrysville, Pennsylvania, was closed for nearly 3 hours August 2 after a two-vehicle accident involving a

motorcycle and another vehicle left the motorcyclist dead after he was thrown from his bike and pinned under the other vehicle.

Source: <http://triblive.com/news/adminpage/10895389-74/highway-crash-penn>

Food and Agriculture Sector

15. *August 2, Food Safety News* – (National) **Montana E.coli outbreak sickens 36 people from 9 states.** Officials from the Dawson County Health Department in Montana reported August 2 that over 36 people across 9 States have been sickened by an E.coli O157 outbreak after eating an unknown food item at an all-class reunion held in Richey July 15 – 17. Officials were testing food samples from the event to determine the source of the bacteria.

Source: <http://www.foodsafetynews.com/2016/08/129941/#.V6HYxfkrKUK>

Water and Wastewater Systems Sector

16. *August 3, WOOD 8 Grand Rapids*– (Michigan) **Kzoo road reopens after 2.7K gallon sewage spill.** Officials from the Kalamazoo Health and Community Services Department announced August 2 that approximately 2,700 gallons of wastewater spilled from a broken water main, prompting the shut-down of North Avenue between Sprinkle Road and 26th street while crews completed repairs. Officials advised anyone who came in contact with the spill to thoroughly clean and disinfect shoes, clothing, and skin.
17. *August 2, Lexington Dispatch* – (North Carolina) **Heavy rains cause 11,272-gallon wastewater spill in Thomasville.** The City of Thomasville reported August 1 that approximately 11,272 gallons of untreated wastewater spilled from a mixing block at the East Davidson Pump Station into South Hamby Creek in the Yadkin/ Pee Dee River Basin following heavy rains in the area.

Source: <http://woodtv.com/2016/08/02/2-7k-gallon-sewage-spill-shuts-down-kzoo-road/>

Source: <http://www.the-dispatch.com/news/20160802/heavy-rains-cause-11272-gallon-wastewater-spill-in-thomasville>

18. *August 2, Harlingen Valley Morning Star* – (Texas) **Water pressure returns in Santa Rosa, boil water notice still in effect.** Residents in Santa Rosa, Texas, remained under a boil water advisory August 2 following an equipment failure at the Santa Rosa Water Treatment Plant the weekend of July 30. Officials stated the advisory will remain in effect until the water test results are returned.

Source: http://www.valleymorningstar.com/news/latest_news/article_bb00d854-5917-11e6-b926-83cda8242a6e.html

19. *August 2, WZTV 17 Nashville* – (Tennessee) **2 million gallons of water contaminated by oil, fire department says.** Officials from the Nashville Fire Department reported August 2 that approximately 2 million of gallons of water were contaminated after 5 gallons of oil spilled from a nearby storm drain into the Cumberland River. Officials stated the spill did not affect the area's drinking source.

Source: <http://fox17.com/news/local/2-million-gallons-of-water-contaminated-by-oil-fire-department-says>

For additional stories, see items [1](#), [23](#), and [24](#)

Healthcare and Public Health Sector

20. *August 2, U.S. Food and Drug Administration* – (National) **Teva Pharmaceuticals initiates voluntary nationwide recall of seven lots of Amikacin Sulfate Injection USP 500mg/2mL (250 mg/mL) and 1 gram/4mL (250mg/mL) vials due to potential of glass particulate matter.** Teva Pharmaceuticals USA Inc., issued a voluntary recall August 2 for seven lots of its Amikacin Sulfate Injection products sold in 500-milligram and 1-gram vials due to potential contamination with glass particulates. No adverse reactions have been reported and the vials were distributed to wholesalers, retailers, and pharmacies nationwide.
Source: <http://www.fda.gov/Safety/Recalls/ucm514656.htm>

Government Facilities Sector

21. *August 3, Eugene Register-Guard* – (Oregon) **Wildfire at Crater Lake National Park continues to grow, now 720 acres.** Crews worked August 2 to contain the 720-acre Bybee Creek Fire burning at the Crater Lake National Park in Oregon, which has prompted closures from the west Rim Drive from Discovery Point to North Junction.
Source: <http://registerguard.com/rg/news/local/34638631-75/wildfire-at-crater-lake-national-park-continues-to-grow-now-720-acres.html.csp>
22. *August 3, Ravalli Republic* – (Montana) **Evacuation order on Roaring Lion fire expanded; US Highway 93 detour announced.** Crews worked August 2 to contain the 4,392-acre Roaring Lion Fire burning in Ravalli County, Montana, which has prompted mandatory evacuation orders for a total of 741 homes in the area.
Source: http://missoulian.com/news/state-and-regional/evacuation-order-on-roaring-lion-fire-expanded-us-highway-detour/article_a79b7a76-7d40-5866-8ccd-72842f86ee14.html
23. *August 2, KXAS 5 Fort Worth* – (Texas) **Fort Worth ISD finds lead in drinking water that exceeds recommended EPA levels.** Fort Worth Independent School District officials announced August 2 that they have been working to reduce the quantity of lead in schools' drinking water after tests in June and July 2016 revealed lead levels exceeding the U.S. Environmental Protection Agency's recommended limits at select schools in the district.
Source: <http://www.dallasnews.com/news/local-news/20160802-fort-worth-isd-finds-lead-in-drinking-water-that-exceeds-recommended-epa-levels.ece>
24. *August 2, WTIC 61 Hartford* – (Connecticut) **Swimming closed at Silver Sands, Day Pond and Wharton Brook due to elevated bacteria.** The Connecticut Department of Energy and Environmental Protection closed the swimming areas at Silver Sands State Park, Wharton Brook State Park, and Day Pond State Park August 2 after water

samples taken from the beaches indicated elevated levels of bacteria in the water.
Source: <http://fox61.com/2016/08/02/swimming-closed-at-silver-sands-day-pond-and-wharton-brook-due-to-elevated-bacteria/>

25. *August 2, Watsonville Patch* – (California) **Soberanes Fire grows to 43,400 acres, 18% contained.** Crews reached 18 percent containment August 2 of the 43,400-acre Soberanes Fire burning north of Big Sur in Monterey County, California. Officials estimated that the fire will be contained by September.
Source: <http://patch.com/california/watsonville/soberanes-fire-grows-43-400-acres-18-contained>
26. *August 2, San Francisco Chronicle* – (California) **1,700-acre fire near Lake Berryessa forces evacuations.** Crews worked August 2 to contain the 1,700-acre Cold Fire burning in Yolo County, California, which has prompted evacuations of the Canyon Creek Resort and Golden Bear Estates in Winters, and forced the closure of Highway 128 from Monticello Dam to Pleasants Valley Road.
Source: <http://www.sfgate.com/bayarea/article/200-acre-fire-near-Lake-Berryessa-forces-9075683.php>

Emergency Services Sector

Nothing to report

Information Technology Sector

27. *August 2, Help Net Security* – (International) **36,000 SAP systems exposed online, most open to attacks.** ERPScan released a comprehensive SAP Cybersecurity Threat Report which revealed the average number of security patches for SAP products per year has decreased, while the amount of vulnerable platforms has increased and now includes modern cloud and mobile technologies such as HANA. The report also found that SAP's Customer Relationship Management (CRM), Enterprise Portal (EP), and Supplier Relationship Management (SRM) products are most vulnerable to flaws, and that the U.S. is one of the three countries with the most exposed services, among other findings.
Source: <https://www.helpnetsecurity.com/2016/08/02/sap-cybersecurity-report/>
28. *August 2, Softpedia* – (International) **Google SEO trick leads users to online scam, CryptMIC ransomware.** Researchers from Malwarebytes discovered an active campaign where malicious actors were abusing Google search featured snippets to show links to compromised Websites and redirect users to online stores selling product keys for Microsoft Office or hosting the Neutrino exploit kits (EK), which would in turn infect the user's device with the CryptMIC ransomware. Researchers found the attackers could also actively search for third-party Websites listed in featured snippets that run vulnerable content management systems (CMSs), and hack the sites to deliver the ransomware.
Source: <http://news.softpedia.com/news/google-seo-trick-leads-users-to-online-scam-cryptmic-ransomware-506891.shtml>

29. *August 2, SecurityWeek* – (International) **Google patches tens of critical vulnerabilities in Android.** Google released security patches for the Android operating system (OS) resolving 81 vulnerabilities including 3 remote code execution (RCE) flaws, 4 Elevation of Privilege (EoP) bugs, and 4 denial-of-service (DoS) flaws in Mediaserver, a DoS issue in system clock, and a RCE flaw in libjhead, among other vulnerabilities.
Source: <http://www.securityweek.com/google-patches-tens-critical-vulnerabilities-android>

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

Communications Sector

Nothing to report

Commercial Facilities Sector

30. *August 3, WABC 7 New York* – (New York) **Fire destroys Whitestone, Queens, supermarket.** The Strawberry Farm supermarket in Whitestone, New York, was considered a total loss August 2 following a 3-alarm fire that prompted the closure of surrounding streets while crews worked to contain the blaze. The cause of the fire remains under investigation.
Source: <http://abc7ny.com/news/fire-destroys-supermarket-in-whitestone-queens/1454706/>

Dams Sector

Nothing to report



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:	Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the DHS Daily Open Source Infrastructure Report and follow instructions to Get e-mail updates when this information changes .
Removal from Distribution List:	Send mail to support@govdelivery.com .

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.