



## Daily Open Source Infrastructure Report 20 December 2016

### Top Stories

- The president of Lisle, Illinois-based Capital Management Associates Inc. was charged December 14 for allegedly engaging in a \$400 million fraudulent securities trading scheme. – *U.S. Attorney’s Office, Northern District of Illinois* (See item [8](#))
- Officials announced December 16 that Deutsche Bank AG agreed to pay a total of \$37 million to resolve charges that the firm made materially false statements and omissions to its clients regarding the Dark Pool Ranking Model feature of one of its order routers. – *U.S. Securities and Exchange Commission* (See item [9](#))
- Lynda.com announced it will notify about 9.5 million users worldwide that their user information may have been compromised after an unauthorized third party accessed a database containing the information. – *SecurityWeek* (See item [26](#))
- Three Romanian nationals were extradited to the U.S. the week of December 12 and charged for their alleged roles in a \$4 million cyber fraud scheme where the trio infected at least 60,000 devices, primarily in the U.S. – *U.S. Department of Justice* (See item [29](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

## Energy Sector

1. *December 18, KESQ 42 Palm Springs; KPSP 38 Cathedral City* – (California) **Gas leak leaves hundreds without heater, hot water.** A gas leak in Cathedral City, California, prompted Southern California Gas crews to shut off gas service to more than 200 people December 17 while crews worked to make repairs and restore service. Source: <http://www.kesq.com/news/gas-leak-leaves-hundreds-without-heater-hot-water/221637030>
2. *December 17, Associated Press* – (Washington) **Cascade Natural Gas agrees to pay \$2.5M, after pipeline-safety complaint.** The Washington Utilities and Transportation Commission announced December 17 that Cascade Natural Gas Corporation agreed to pay \$2.5 million to resolve a July 2016 complaint after a staff investigation discovered that the company was unable to provide required safety documentation for almost 40 percent of its high-pressure pipelines in the State. Source: <http://www.seattletimes.com/seattle-news/cascade-natural-gas-agrees-to-pay-25m-after-pipeline-safety-complaint/>
3. *December 17, Ventura County Star* – (California) **Fuel tanker spills 2,000 gallons on Hueneme Road.** Roughly 2,000 gallons of diesel fuel spilled after a fuel tanker overturned in Ventura County, California, December 17, causing Hueneme Road between Edison Drive and South Rice Avenue to be shut down for several hours while crews cleaned up the spill. Officials stated that the spill did not threaten any waterways. Source: <http://www.vcstar.com/story/news/local/communities/port-hueneme/2016/12/17/fuel-tanker-spills-2000-gallons-hueneme-road/95557130/>

For another story, see item [34](#)

## Chemical Industry Sector

See item [39](#)

## Nuclear Reactors, Materials, and Waste Sector

4. *December 18, Boston Globe* – (Massachusetts) **Pilgrim nuclear plant still shut down after leaking valves found.** The Pilgrim Nuclear Power Station in Plymouth, Massachusetts, remained shut down until further notice December 18 after operators closed the plant as a precaution December 15 when leaks were discovered in 3 steam isolation valves that prevent radioactivity from reaching the environment. The U.S. Nuclear Regulatory Commission's inspection team is expected to return to the plant in January 2017 for a week of repair work. Source: <https://www.bostonglobe.com/metro/2016/12/18/pilgrim-remains-shut-down-after-leaking-valves-were-found-thursday/zf7sXizWFLUMXZa82pEeCI/story.html>

## Critical Manufacturing Sector

5. *December 16, U.S. Consumer Product Safety Commission* – (International) **LG**

**Electronics recalls portable air conditioners due to fire hazard.** LG Electronics Inc. issued a recall December 16 for around 466,000 of its portable air conditioners sold in the U.S. after the company received 4 reports of the units overheating and catching fire, which caused roughly \$380,000 in property damage. The recall affects an additional 36,000 units sold in Canada.

Source: <https://www.cpsc.gov/Recalls/2016/lg-electronics-recalls-portable-air-conditioners>

6. *December 16, U.S. Department of Labor* – (Missouri) **OSHA cites numerous hazards at Missouri sheet metal manufacturer after court orders employer to let inspectors investigate safety complaints.** The Occupational Safety and Health Administration cited Hammond Sheet Metal Company, which operates at Barrington Manufacturing Corporation, with 1 repeated and 15 serious safety and health violations December 16 after complaints of unsafe working conditions and employee injuries prompted a July 2016 inspection at the El Dorado Springs, Missouri facility which revealed the company failed to evaluate the workplace for hazards, did not install adequate machine guarding, and failed to ensure workers used eye and face protection, among other violations. Proposed fines total \$138,430.

Source:

[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=33564](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=33564)

## **Defense Industrial Base Sector**

Nothing to report

## **Financial Services Sector**

7. *December 17, Southern California City News Service* – (California) **Recognize the Valley's 'Skipper Bandit' bank robber?** The FBI continued to search December 16 for a man dubbed the “Skipper Bandit,” who has allegedly robbed or attempted to rob 6 banks, primarily in California’s San Fernando Valley, between July 2015 and July 2016.

Source: <http://patch.com/california/encino/recognize-valleys-skipper-bandit-bank-robber>

8. *December 16, U.S. Attorney’s Office, Northern District of Illinois* – (International) **Suburban investment advisor charged with securities fraud for engaging in fraudulent allocation scheme.** The president of Lisle, Illinois-based Capital Management Associates Inc. was charged December 14 for allegedly placing more than \$400 million in securities trades without disclosing in advance if he was trading personal funds or client funds, waiting up to 5 days to allocate the trades so that he could choose the profitable ones for his personal accounts and assign the losing ones to the accounts of unsuspecting clients, as well as withdrawing more than \$1 million in profits earned from the scheme from his personal accounts between July 2008 and August 2012. The charges allege that the defendant bought over 16,000 publicly traded securities, including shares in The Walgreen Company, British Petroleum, and

Caterpillar Inc., among other firms.

Source: <https://www.justice.gov/usao-ndil/pr/suburban-investment-advisor-charged-securities-fraud-engaging-fraudulent-allocation>

9. *December 16, U.S. Securities and Exchange Commission* – (International) **Deutsche Bank settles charges of misleading clients about order router.** The U.S. Securities and Exchange Commission (SEC) and New York Attorney General’s office announced December 16 that Deutsche Bank AG agreed to pay a total of \$37 million to resolve charges that the firm made materially false statements and omissions to its clients regarding the Dark Pool Ranking Model feature of one of its order routers, SuperX+, where, due to a coding error, the bank updated the ranking model only once during a 2-year period, causing at least 2 dark pools to receive inflated rankings and consequently generate millions of orders that SuperX+ would have sent elsewhere if the system was operating the way the bank described. The SEC also discovered that the firm manually overrode the Dark Pool rankings in select instances and manually assigned fill rates for new venues based on subjective judgment that was inconsistent with the venues’ real performance.

Source: <https://www.sec.gov/news/pressrelease/2016-264.html>

For another story, see item [28](#)

## **Transportation Systems Sector**

10. *December 19, Syracuse Post-Standard* – (New York) **North Syracuse fire chief describes chaotic, multiple vehicle I-81 crash that sends 2 to hospitals.** Both directions of Interstate 81 in North Syracuse, New York, were closed for several hours December 18 – December 19 after a multiple-vehicle crash involving a semi-truck that sent at least 2 people to area hospitals.  
Source: [http://www.syracuse.com/traffic/index.ssf/2016/12/north\\_syracuse\\_fire\\_chief\\_describes\\_chaotic\\_multi-vehicle\\_i-81\\_crash\\_that\\_sends.html](http://www.syracuse.com/traffic/index.ssf/2016/12/north_syracuse_fire_chief_describes_chaotic_multi-vehicle_i-81_crash_that_sends.html)
11. *December 18, WMAQ 5 Chicago* – (Illinois) **Plane slides off runway at O’Hare Airport.** More than 170 flights at O’Hare International Airport in Chicago and an additional 28 flights at Chicago Midway International Airport were canceled the weekend of December 17 due to winter storms.  
Source: <http://www.nbcchicago.com/news/local/plane-slides-off-runway-ohare-airport-chicago-407310195.html>
12. *December 17, Reuters* – (Maryland) **2 dead in 55-vehicle collision on I-95 in Baltimore.** Interstate 95 in Baltimore was closed for several hours December 17 after a fuel tanker skidded off the highway and exploded, causing a 55-vehicle pileup that killed 2 people.  
Source: <http://www.newsweek.com/2-dead-collision-i-95-baltimore-533272>
13. *December 17, KDVR 31 Denver* – (Colorado) **Snowstorm forces hundreds of flight cancellations at Denver International Airport.** About 400 flights were canceled at

the Denver International Airport December 17 due to wintry conditions.

Source: <http://kdvr.com/2016/12/17/denver-international-airports-cancels-delays-hundreds-of-flights/>

14. *December 16, Orlando Sentinel* – (Florida) **Traffic moving again after semi overturned on SR 429 south near Ocoee.** Southbound lanes of Florida State Road 429 near Ocoee were closed for several hours December 16 after a semi-truck overturned.

Source: <http://www.orlandosentinel.com/news/traffic/os-overturned-semi-sr-429-20161216-story.html>

For additional stories, see items [3](#) and [20](#)

## **Food and Agriculture Sector**

15. *December 18, U.S. Food and Drug Administration* – (National) **VanLaw Food Products, Inc. announces voluntary recall of WinCo brand ranch dressing.** VanLaw Food Products, Inc. issued a voluntary recall December 18 for one lot of its WinCo Brand Ranch Dressing products due to mislabeling and undeclared egg after it was discovered that a limited amount of the products had an incorrect back label that listed the product as a fat free dressing product. No illnesses or adverse reactions have been reported and the products were shipped to WinCo stores in eight States.  
Source: <http://www.fda.gov/Safety/Recalls/ucm533826.htm>
16. *December 17, U.S. Food and Drug Administration* – (National) **Williams-Sonoma announces the voluntary recall of Meyer Lemon Poppy Quick Bread.** Williams-Sonoma, Inc. issued a voluntary recall December 17 for limited quantities of its Williams-Sonoma Meyer Lemon Poppy Seed Quick Bread products due to potential Salmonella contamination discovered after the firm's ingredient supplier issued a recall for its bulk milk powder used in the bread products due to Salmonella. The products were shipped to Williams-Sonoma retail stores nationwide.  
Source: <http://www.fda.gov/Safety/Recalls/ucm533821.htm>
17. *December 16, U.S. Food and Drug Administration* – (National) **Houdini Inc. recalls Blue Cheese Savory Twists, 7 oz box because of possible health risk.** Houdini Inc. issued a recall December 17 for limited quantities of its Blue Cheese Savory Twists products sold in 7 ounce-boxes due to potential Salmonella contamination after traces of Salmonella were discovered at the manufacturing facility of the ingredient supplier for the powdered buttermilk used to make the blue cheese seasoning. No illnesses or adverse reactions have been reported and the products were shipped nationwide to consumers through Houdini Inc.'s Wine Country Gift Baskets and in Houdini Inc.'s wholesale division.  
Source: <http://www.fda.gov/Safety/Recalls/ucm533815.htm>

## **Water and Wastewater Systems Sector**

18. *December 19, WVUE 8 New Orleans* – (Louisiana) **Gov. heads to St. Joseph for**

**meeting on water emergency.** The governor of Louisiana ordered lead testing for every home in St. Joseph after declaring a public health emergency for the town December 16 when officials discovered that water serving the town hall and some private homes was contaminated with elevated levels of lead or copper. The State provided a 30-day supply of bottled water to St. Joseph residents, which allows each resident 3 liters of water per day.

Source: <http://www.fox8live.com/story/34086488/gov-edwards-heads-to-st-joseph-for-meeting-on-water-emergency>

19. *December 17, Northwest Florida Daily News* – (Florida) **Health advisory issued from sewage spill near Regatta Bay.** The Florida Department of Health in Okaloosa County issued a health advisory December 17 for the area of the Choctawhatchee Bay located east of the Mid-Bay Bridge to the Regatta Bay subdivision after the South Walton Utility Company, Inc. reported a sewer main leak near the Regatta Bay Golf & Yacht Club that caused 100,000 gallons of sewage to spill into the wetland. County health officials stated that sewage did not contaminate drinking water sources and water provided via the public water system is safe to drink.

Source: <http://www.nwfdailynews.com/news/20161217/health-advisory-issued-from-sewage-spill-near-regatta-bay>

20. *December 17, Maui News* – (Hawaii) **Water main break wreaks havoc in Kahului.** The County of Maui Department of Water Supply reported a December 16 water main break in Kahului, Hawaii, that caused low water pressure for customers from Kahului to Spreckelsville for over 7 hours, triggered a water shortage backup plan at Kahului Airport, and shut down 2 eastbound lanes on Kaahumanu Avenue until further notice.

Source: <http://www.mauinews.com/news/local-news/2016/12/water-main-break-wreaks-havoc-in-kahului/>

## **Healthcare and Public Health Sector**

Nothing to report

## **Government Facilities Sector**

21. *December 19, WILX 10 Onondaga* – (Michigan) **Maple Valley Schools activities to resume at 3 p.m. following threat.** Maple Valley Schools and Little Lions Child Care in Vermontville, Michigan, were closed December 19 while officials investigated a threat of violence made against the district through social media December 18.

Source: <http://www.wilx.com/content/news/Maple-Valley-Schools-closed-Monday-for-developing-safety-related-issue-407382085.html>

22. *December 16, KABC 7 Los Angeles* – (California) **Mudflows prompt school closure in Duarte after heavy rain in recent burn area.** Classes at Valley View Elementary School in Duarte, California, were canceled December 16 after heavy rains caused mudflows in the area.

Source: <http://abc7.com/weather/mudflows-prompt-school-closure-in-duarte-after-heavy-rain-in-burn-area/1659631/>

23. *December 16, KESQ 42 Palm Springs* – (California) **Power outage leads to school closure at Cielo Vista Charter School in Palm Springs.** Palm Springs Unified School District officials canceled classes at Cielo Vista Charter School in California December 16 after Southern California Edison Co. crews informed the district that a main power line supplying electricity to the school was not working. Crews were working to repair the line.  
Source: <http://www.kesq.com/news/power-outage-leads-to-school-closure-at-cielo-vista-charter-school-in-palm-springs/216982069>
24. *December 16, WDBJ 7 Roanoke* – (Virginia) **Big Island Elementary closing early due to power outage.** Students at Big Island Elementary School in Bedford County, Virginia, were dismissed several hours early December 16 due to a power outage that also knocked out phone service to the school.  
Source: <http://www.wdbj7.com/content/news/Big-Island-Elementary-closing-early-due-to-power-outage-407078985.html>

## **Emergency Services Sector**

Nothing to report

## **Information Technology Sector**

25. *December 19, SecurityWeek* – (International) **Privilege escalation, RCE flaws patched in Nagios Core.** A security researcher from Legal Hackers discovered the Nagios Core alerting and monitoring software is plagued by two vulnerabilities, one of which is a remote code execution (RCE) flaw that can be exploited by a man-in-the-middle (MitM) attacker via the Rich Site Summary (RSS) feed feature, allowing the malicious actor to read and write arbitrary files on the compromised server, as well as execute code in the context of a Nagios user. Once an attacker achieves this level of access, the actor can exploit the second flaw to elevate their privileges to root, potentially causing the entire system to be compromised.  
Source: <http://www.securityweek.com/privilege-escalation-rce-flaws-patched-nagios-core>
26. *December 19, SecurityWeek* – (International) **LinkedIn's Lynda.com notifies users of data breach.** Lynda.com, LinkedIn's online learning platform, announced it will notify about 9.5 million users worldwide that their user information may have been compromised after the company became aware that a database containing user information had been accessed by an unauthorized third party. LinkedIn stated the passwords of roughly 55,000 Lynda.com users have been reset as a precaution, and there is no evidence that passwords were exposed or that any data was made publicly available.  
Source: <http://www.securityweek.com/linkedins-lyndacom-notifies-users-data-breach>
27. *December 19, SecurityWeek* – (International) **MacBooks leak disk encryption password.** A security researcher discovered that an attacker with physical access to a locked or sleeping Apple MacBook can retrieve the FileVault 2 password in clear text

by connecting a special device to the targeted device's Thunderbolt port due to the fact that the direct memory access (DMA) attack protections are not active before the operating system (OS) has booted, thereby enabling an attacker to read and write memory from a MacBook device via the Thunderbolt device. The researcher found that the attack does not work if the targeted MacBook has been turned off as the password is no longer available in the memory.

Source: <http://www.securityweek.com/macbooks-leak-disk-encryption-password>

28. *December 16, SecurityWeek* – (International) **Updated Tordow Android malware gets ransomware capabilities.** Comodo security researchers warned that an updated version of the Tordow Android malware, dubbed Tordow v2.0 was spotted and is now able to act as a ransomware, steal login credentials, and manipulate banking data, as well as encrypt and decrypt files, and remove security software. The malware spreads through compromised variants of popular social media and gaming applications that are available for download via third-party Websites and behave like the legitimate apps, while they include embedded and encrypted malicious functions.

Source: <http://www.securityweek.com/updated-tordow-android-malware-gets-ransomware-capabilities>

29. *December 16, U.S. Department of Justice* – (International) **Three Romanian nationals indicted in \$4 million cyber fraud scheme that infected at least 60,000 computers and sent 11 million malicious emails.** Three Romanian nationals were extradited to the U.S. the week of December 12 and charged for their alleged roles in a \$4 million cyber fraud scheme where the trio infected at least 60,000 devices, primarily in the U.S., by sending more than 11 million malicious emails that contained a malware that the group created in order to harvest personally identifiable information, such as credit card information and user names and passwords from the infected devices. The trio reportedly used the stolen credit card information to fund their criminal activities.

Source: <https://www.justice.gov/opa/pr/three-romanian-nationals-indicted-4-million-cyber-fraud-scheme-infected-least-60000-computers>

### Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

## Communications Sector

See item [28](#)

## Commercial Facilities Sector

30. *December 19, WRC 4 Washington, D.C.* – (Washington, D.C.) **Fire destroys clubhouse at District Yacht Club.** The clubhouse of the District Yacht Club Inc. in Washington, D.C., was destroyed by a fire December 19. No injuries were reported and



the cause of the fire remains under investigation.

Source: <http://www.nbcwashington.com/news/local/Fire-Destroys-Building-Near-District-Yacht-Club-407412155.html>

31. *December 19, WPVI 6 Philadelphia* – (New Jersey) **Residents evacuated after fire at assisted living facility.** A fire at Brandywine Living at Moorestown Estates in Moorestown, New Jersey, prompted the evacuation of 70 residents December 19. No injuries were reported.  
Source: <http://6abc.com/news/residents-evacuated-after-fire-at-assisted-living-facility/1663212/>
32. *December 18, WFMY 2 Greensboro* – (North Carolina) **Classic Family Restaurant, businesses destroyed by fire in Denton.** The Classic Family Restaurant and 6 other businesses in downtown Denton, North Carolina, were destroyed following a large fire December 17. The fire remains under investigation.  
Source: <http://www.wfmynews2.com/news/local/fire-at-the-classic-restaurant-in-denton/372066246>
33. *December 17, Wichita Eagle* – (Kansas) **Apartment fire displaces three in southwest Wichita.** A 2-alarm apartment fire in Wichita, Kansas, caused an estimated \$120,000 in damages and displaced 3 people December 17. No injuries were reported and the cause of the fire remains under investigation.  
Source: <http://www.kansas.com/news/local/article121534367.html>
34. *December 16, Sunnyside Daily Sun News* – (Washington) **Gas leak prompts Safeway shutdown.** The Safeway, Inc. store in Sunnyside, Washington, was evacuated and closed until further notice December 16 while authorities responded to a gas leak in the store.  
Source: <http://www.dailysunnews.com/news/2016/dec/16/gas-leak-prompts-safeway-shutdown/>
35. *December 16, Pittsburgh Post-Gazette* – (Pennsylvania) **One dead, several injured in Munhall high-rise fire.** A fire at the Parkview Towers apartment building in Munhall, Pennsylvania, prompted the evacuation of nearly 80 residents, injured 10 people, and killed 1 man December 16. The cause of the fire remains under investigation.  
Source: <http://www.post-gazette.com/local/south/2016/12/16/apartment-building-fire-in-Munhall-pittsburgh/stories/201612160178>
36. *December 16, San Diego Union-Tribune* – (California) **Worker burned in Oceanside surf shop fire.** A fire at Global Glassing Inc., a surfboard manufacturing shop in San Diego, caused an estimated \$500,000 in damages and injured 1 person December 16. The shop was destroyed and a neighboring smog check facility sustained significant damage.  
Source: <http://www.sandiegouniontribune.com/news/public-safety/sd-me-surf-fire-20161216-story.html>

37. *December 16, New York Post* – (New York) **Fire rages through Sag Harbor’s historic Main Street.** A fire destroyed or damaged at least 5 buildings on Main Street in Sag Harbor, New York, including the Sag Harbor Cinema December 16.  
Source: <http://nypost.com/2016/12/16/fire-rages-through-sag-harbors-historic-main-street/>
38. *December 16, Pittsburgh Post-Gazette* – (Pennsylvania) **75 Brentwood residents forced out of homes after heating system leaks.** Up to 75 residents of the Brentshire Gardens apartment complex in Brentwood, Pennsylvania, were displaced December 15 after water damaged the building due to a malfunction in the heating system.  
Source: <http://www.post-gazette.com/local/south/2016/12/16/Brentwood-apartments-damaged-by-leaking-heating-system-remains-closed/stories/201612160182>
39. *December 16, WCAX 3 Burlington*– (Vermont) **Burlington YMCA evacuated in cold due to chemical spill.** The YMCA in Burlington, Vermont, was evacuated and closed for the day after a muriatic acid leak was discovered in the building’s mechanical room December 16. Firefighters were able to neutralize the chemical and a contractor cleaned up the spill.  
Source: <http://www.wcax.com/story/34072306/burlington-ymca-evacuated-in-cold-due-to-chemical-spill>

## **Dams Sector**

Nothing to report



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

|                                     |   |
|-------------------------------------|---|
| Content and Suggestions:            | Send mail to <a href="mailto:cikr.productfeedback@hq.dhs.gov">cikr.productfeedback@hq.dhs.gov</a> or contact the DHS Daily Report Team at (703) 942-8590            |
| Subscribe to the Distribution List: | Visit the <a href="#">DHS Daily Open Source Infrastructure Report</a> and follow instructions to <a href="#">Get e-mail updates when this information changes</a> . |
| Removal from Distribution List:     | Send mail to <a href="mailto:support@govdelivery.com">support@govdelivery.com</a> .   |

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.